Tutorials Exercises W3Schools app iOS & Android NEW Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

React ES6 Classes

‹ Previous Next ›

Classes

SHARE

ES6 introduced classes.

A class is a type of function, but instead of using the keyword `function` to initiate it, we use the keyword `class`, and the properties are assigned inside a `constructor()` method.

Example

Get your own React.js Server

A simple class constructor:

```
class Car {
  constructor(name) {
    this.brand = name;
  }
}
```

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

Notice the case of the class name. We have begun the name, "Car", with an uppercase character. This is a standard naming convention for classes.

Now you can create objects using the Car class:

Example

Create an object called "mycar" based on the Car class:

```
class Car {
  constructor(name) {
    this.brand = name;
  }
}

const mycar = new Car("Ford");
```

Try it Yourself »

Note: The constructor function is called automatically when the object is initialized.

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

REMOVE ADS

Method in Classes

You can add your own methods in a class:

Example

Create a method named "present":

```
class Car {
  constructor(name) {
    this.brand = name;
  }

  present() {
    return 'I have a ' + this.brand;
  }
}

const mycar = new Car("Ford");
mycar.present();
```

Try it Yourself »

As you can see in the example above, you call the method by referring to the object's method name followed by parentheses (parameters would go inside the parentheses).

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

A class created with a class inheritance inherits all the methods from another class:

Example

Create a class named "Model" which will inherit the methods from the "Car" class:

```
class Car {
  constructor(name) {
    this.brand = name;
  }

  present() {
    return 'I have a ' + this.brand;
  }
}

class Model extends Car {
  constructor(name, mod) {
    super(name);
    this.model = mod;
  }
  show() {
      return this.present() + ', it is a ' + this.model
  }
}
const mycar = new Model("Ford", "Mustang");
mycar.show();
```

Try it Yourself »

The `super()` method refers to the parent class.

‹ Previous


Sign in to track progress

Next ›



REMOVE ADS

Tutorials Exercises
W3Schools app NEW iOS & Android
Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS



W3Schools Tutorials Exercises W3Schools app iOS & Android NEW Sign In

. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

FREE ACCOUNT

Track your progress

XP earned 0

Day streak 0

Spaces 0

League —

Sign in to track progress

NEW

Learn in Adventure Mode

Coding fundamentals as bite-sized lessons and challenges.

Download on the App Store

GET IT ON Google Play

Learn more about Adventure Mode >

PLUS SPACES

GET CERTIFIED FOR TEACHERS

PRACTICE CONTACT US

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial

Tutorials Exercises


W3Schools app NEW
iOS & Android

Sign In

. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
AngularJS Reference
jQuery Reference

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples
XML Examples
jQuery Examples

Get Certified

HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate
C# Certificate
XML Certificate



FORUM ABOUT CAMPUS

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.
Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness
of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookies and privacy policy.

Copyright 1999-2026 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.