W3Schools
Tutorials Exercises
W3Schools app NEW iOS & Android
Sign In
CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

React Events

‹ Previous Next ›

Just like HTML DOM events, React can perform actions based on user events.

React has the same events as HTML: click, change, mouseover etc.

Adding Events

SHARE

React events are written in camelCase syntax:

`onClick` instead of `onclick`.

React event handlers are written inside curly braces:

`onClick={shoot}` instead of `onclick="shoot()"`.

React:
Get your own React.js Server

W3Schools Tutorials Exercises W3Schools app iOS & Android NEW Sign In
CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

HTML:

```
<button onclick="shoot()">Take the Shot!</button>
```

Example:

Put the `shoot` function inside the `Football` component:

```
function Football() {
  const shoot = () => {
    alert("Great Shot!");
  }

  return (
    <button onClick={shoot}>Take the shot!</button>
  );
}

createRoot(document.getElementById('root')).render(
  <Football />
);
```

Run Example »

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

REMOVE ADS

Passing Arguments

To pass an argument to an event handler, use an arrow function.

Example:

Send "Goal!" as a parameter to the `shoot` function, using arrow function:

```
function Football() {
  const shoot = (a) => {
    alert(a);
  }

  return (
    <button onClick={() => shoot("Goal!")}>Take the shot!</button>
  );
}

createRoot(document.getElementById('root')).render(
  <Football />
);
```

Run Example »

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

In our example the event is the "click" event.

Example:

Arrow Function: Sending the event object manually:

```
function Football() {
  const shoot = (a, b) => {
    alert(b.type);
    /*
    'b' represents the React event that triggered the function,
    in this case the 'click' event
    */
  }

  return (
    <button onClick={(event) => shoot("Goal!", event)}>Take the shot!</butt
  );
}

createRoot(document.getElementById('root')).render(
  <Football />
);
```

Run Example »

This will come in handy when we look at Form in a later chapter.

Learn it.
Get certified.
Get hired.

$95 per course
one-time payment

Exam and certificate included.


Get started

REMOVE ADS

Tutorials Exercises
W3Schools app NEW iOS & Android
Sign In
CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

FREE ACCOUNT
Track your progress
XP earned 0
Day streak 0
Spaces 0
League —
Sign in to track progress

NEW
Learn in Adventure Mode
Coding fundamentals as bite-sized lessons and challenges.
Download on the App Store
GET IT ON Google Play
Learn more about Adventure Mode >



PLUS SPACES
GET CERTIFIED FOR TEACHERS
PRACTICE CONTACT US

Top Tutorials
HTML Tutorial
CSS Tutorial

Tutorials Exercises W3Schools app iOS & Android NEW Sign In

CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Top References

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
AngularJS Reference
jQuery Reference

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples
XML Examples
jQuery Examples

Get Certified

HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate
C# Certificate
XML Certificate

FORUM ABOUT CAMPUS

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.
Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness
of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookies and privacy policy.

Copyright 1999-2026 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.

schools
Tutorials
Exercises
W3Schools app
iOS & Android
NEW
Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

