Tutorials Exercises W3Schools app iOS & Android NEW Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

# React Forms - Radio

‹ Previous Next ›

## Radio

SHARE

Radio buttons are typically used in groups where only one option can be selected.

All radio buttons in a group should share the same name attribute.

You control radio buttons based on whether the radio button's value matches the selected value in your state.

## Example:

Get your own React.js Server

React uses the `checked` attribute to control the radio button:

```
import { useState } from 'react';
import { createRoot } from 'react-dom/client';

function MyForm() {
```

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

```
};

const handleSubmit = (event) => {
  alert(`Your favorite fruit is: ${selectedFruit}`);
  event.preventDefault();
};

return (
```

```
          name="fruit"
          value="apple"
          checked={selectedFruit === 'apple'}
          onChange={handleChange}
        /> Apple
      </label>
      <br />
      <label>
        <input
          type="radio"
          name="fruit"
          value="banana"
          checked={selectedFruit === 'banana'}
          onChange={handleChange}
        /> Banana
      </label>
      <br />
      <label>
        <input
          type="radio"
          name="fruit"
          value="cherry"
          checked={selectedFruit === 'cherry'}
```

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

```
      <button type="submit">Submit</button>
    </form>
  );
}

createRoot(document.getElementById('root')).render(
  <MyForm />
);
```

Run Example »

REMOVE ADS

Tutorials Exercises W3Schools app iOS & Android NEW Sign In

. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS


Build skills.
Get hired.

$95 per paid course
one-time payment

Exam and certificate included.

Get started

REMOVE ADS



Tutorials Exercises W3Schools app iOS & Android NEW Sign In

. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

FREE ACCOUNT

Track your progress

XP earned 0

Day streak 0

Spaces 0

League —

Sign in to track progress

NEW

Learn in Adventure Mode

Coding fundamentals as bite-sized lessons and challenges.

Download on the App Store GET IT ON Google Play

Learn more about Adventure Mode >

Tutorials Exercises
W3Schools app NEW
iOS & Android
Sign In
CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS
schools
PLUS SPACES
GET CERTIFIED FOR TEACHERS
PRACTICE CONTACT US

Top Tutorials
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Top References
HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
AngularJS Reference
jQuery Reference

Top Examples
HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples

Get Certified
HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate

Tutorials Exercises

W3Schools app NEW
iOS & Android

Sign In

. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

FORUM ABOUT CAMPUS

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.
Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness
of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookies and privacy policy.

Copyright 1999-2026 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.