Tutorials Exercises
W3Schools app NEW iOS & Android
Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

React Lists

‹ Previous Next ›

In React, you will render lists with some type of loop.

The JavaScript `map()` array method is generally the preferred method.

If you need a refresher on the `map()` method, check out the ES6 Array map() section.

Example:

Get your own React.js Server

Let's create a simple list using the `map()` method:

```
function MyCars() {
  const cars = ['Ford', 'BMW', 'Audi'];
  return (
```

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

```
      </ul>
    </>
  );
}

createRoot(document.getElementById('root')).render(
  <MyCars />
);
```

Run Example »

When you run this code in your React environment, it will work but you will receive a warning that there is no "key" provided for the list items.

REMOVE ADS

Keys in React Lists

SHARE

W3Schools Tutorials Exercises W3Schools app iOS & Android NEW Sign In
CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

application.

Generally, the key should be a unique ID assigned to each item. As a last resort, you can use the array index as a key.

Example:

Here the example from above, with keys:

```
function MyCars() {
  const cars = [
    {id: 1001, brand: 'Ford'},
    {id: 1002, brand: 'BMW'},
    {id: 1003, brand: 'Audi'}
  ];
  return (
    <>
      <h1>My Cars:</h1>
      <ul>
        {cars.map((car) => <li key={car.id}>I am a { car.brand }</li>)}
      </ul>
    </>
  );
}

createRoot(document.getElementById('root')).render(
  <MyCars />
);
```

Run Example »

W3Schools Tutorials Exercises
W3Schools app NEW iOS & Android
Sign In
CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

- The list is static (won't change)
- The list will never be reordered or filtered
- The items in the list have no IDs

Example:

Using array indexes as keys (not recommended for dynamic lists):

```
function MyCars() {
  const cars = ['Ford', 'BMW', 'Audi'];
  return (
    <>
      <h1>My Cars:</h1>
      <ul>
        {cars.map((car, index) => <li key={index}>I am a { car }</li>)}
      </ul>
    </>
  );
}

createRoot(document.getElementById('root')).render(
  <MyCars />
);
```

Run Example »

‹ Previous

Sign in to track progress

Next ›

Tutorials Exercises W3Schools app iOS & Android NEW Sign In

CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS


Get Certified in React

Boost your career with an official certification

$95

Get certified

REMOVE ADS



Tutorials Exercises W3Schools app iOS & Android NEW Sign In

. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

FREE ACCOUNT

Track your progress

XP earned 0

Day streak 0

Spaces 0

League —

Sign in to track progress


NEW

Learn in Adventure Mode

Coding fundamentals as bite-sized lessons and challenges.

Download on the App Store GET IT ON Google Play

Learn more about Adventure Mode >



Tutorials Exercises W3Schools app iOS & Android NEW Sign In

CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

PLUS SPACES

GET CERTIFIED FOR TEACHERS

PRACTICE CONTACT US

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Top References

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
AngularJS Reference
jQuery Reference

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples

Get Certified

HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate

Tutorials Exercises
W3Schools app iOS & Android NEW
Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS
FORUM ABOUT CAMPUS
W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.
Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness
of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookies and privacy policy.
Copyright 1999-2026 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.