Tutorials Exercises
W3Schools app NEW iOS & Android
Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

React Sass Styling

‹ Previous Next ›

What is Sass?

SHARE

Sass is a CSS pre-processor.

Sass files are executed on the server and sends CSS to the browser.

Sass adds extra features to CSS like variables, nesting, mixins, and more.

You can learn more about Sass in our Sass Tutorial.

Adding Sass to React

To add Sass to a React project, you need to install the Sass package:

Install the package using npm:

W3Schools app NEW iOS & Android
Sign In
Tutorials Exercises
CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

Now you are ready to include Sass files in your project!

Create a Sass file

Create a Sass file the same way as you create CSS files, but Sass files have the file extension `.scss`:

Example

Get your own React.js Server

In the newly created `.scss` file, add some simple styling:

MyStyle.scss

```
$myColor: red;

h1 {
  color: $myColor;
}
```

Import the Sass file

Import the Sass file in your React component:

Example

main.jsx

```
import { createRoot } from 'react-dom/client';
import './MyStyle.scss';
```

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

```
  );
}

createRoot(document.getElementById('root')).render(
  <MyHeader />
);
```

Run Example »

You can learn more about Sass in our Sass Tutorial.

REMOVE ADS

Sass Modules

Sass has many Built-in Modules that you can use to manipulate colors, math, strings, etc.

One example is the `sass:color` module.

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

Example

MyStyle.scss

```
@use 'sass:color';
$myColor: red;

h1 {
  color: $myColor;
}

h2 {
  color: color.adjust($myColor, $lightness: -20%);
}

h3 {
  color: color.adjust($myColor, $lightness: 20%);
}
```

Let us add the headers to our component:

Example

main.jsx

```
import { createRoot } from 'react-dom/client';
import './MyStyle.scss';

function MyHeader() {
  return (
    <div>
      <h1>My Header 1</h1>
      <h2>My Header 2</h2>
      <h3>My Header 3</h3>
    </div>
```

W3Schools app NEW iOS & Android
Sign In
Tutorials Exercises
CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

```
  <MyHeader />
);
```


Run Example »

You can learn more about Sass in our Sass Tutorial.

Note: Sass files are compiled to CSS at build time.

‹ Previous
Sign in to track progress
Next ›

Tutorials Exercises
W3Schools app NEW iOS & Android
Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS



REMOVE ADS

Tutorials Exercises

W3Schools app NEW
iOS & Android

Sign In

. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

FREE ACCOUNT

Track your progress

XP earned 0

Day streak 0

Spaces 0

League —

Sign in to track progress


NEW

Learn in Adventure Mode

Coding fundamentals as bite-sized lessons and challenges.

Download on the App Store

GET IT ON Google Play



PLUS

SPACES

GET CERTIFIED

FOR TEACHERS

PRACTICE

CONTACT US

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Tutorials Exercises
W3Schools app NEW iOS & Android
Sign In
CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
AngularJS Reference
jQuery Reference

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples
XML Examples
jQuery Examples

Get Certified

HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate
C# Certificate
XML Certificate

FORUM ABOUT CAMPUS

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.
Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness
of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookies and privacy policy.

Copyright 1999-2026 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.