Tutorials Exercises W3Schools app iOS & Android NEW Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

React `useReducer` Hook

‹ Previous Next ›

The `useReducer` Hook is similar to the `useState` Hook.

It allows for custom state logic.

If you find yourself keeping track of multiple pieces of state that rely on complex logic, `useReducer` may be useful.

Syntax

SHARE

The useReducer Hook accepts three arguments.

```
useReducer(reducer, initialState, init)
```

The `reducer` function contains your custom state logic and the `initialState` can be a simple value, but generally will contain an object. The `init` argument is optional and is used to initialize the state.

W3Schools Tutorials Exercises
W3Schools app NEW iOS & Android
Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

Example:

Get your own React.js Server

```
import { useReducer } from 'react';
import { createRoot } from 'react-dom/client';

const initialScore = [
  {
    id: 1,
    score: 0,
    name: "John",
  },
  {
    id: 2,
    score: 0,
    name: "Sally",
  },
];

const reducer = (state, action) => {
  switch (action.type) {
    case "INCREASE":
      return state.map((player) => {
        if (player.id === action.id) {
          return { ...player, score: player.score + 1 };
        } else {
          return player;
        }
      });
    default:
      return state;
  }
};

function Score() {
  const [score, dispatch] = useReducer(reducer, initialScore);
```

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

```
  return (
    <>
      {score.map((player) => (
        <div key={player.id}>
          <label>
            <input
              type="button"
              onClick={() => handleIncrease(player)}
              value={player.name}
            />
            {player.score}
          </label>
        </div>
      ))}
    </>
  );
}

createRoot(document.getElementById('root')).render(
  <Score />
);
```

Run Example »

REMOVE ADS

Exercise ?

What is the main purpose of useReducer?

- To handle simple state updates
- To manage form inputs only
- To handle complex state logic with multiple pieces of state
- To replace useState completely

Submit Answer »

Tutorials Exercises
W3Schools app NEW iOS & Android
Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

career move.
Get every certification. One payment.


$499 Pay once. Learn for life.
Invest in your future

REMOVE ADS

Tutorials Exercises

W3Schools app NEW
iOS & Android

Sign In

. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

FREE ACCOUNT

Track your progress

XP earned 0

Day streak 0

Spaces 0

League —

Sign in to track progress


NEW

Learn in Adventure Mode

Coding fundamentals as bite-sized lessons and challenges.

Download on the App Store

GET IT ON Google Play



PLUS SPACES

GET CERTIFIED FOR TEACHERS

PRACTICE CONTACT US

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Tutorials Exercises W3Schools app iOS & Android NEW Sign In

CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
AngularJS Reference
jQuery Reference

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples
XML Examples
jQuery Examples

Get Certified

HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate
C# Certificate
XML Certificate

FORUM ABOUT CAMPUS

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.
Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness
of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookies and privacy policy.

Copyright 1999-2026 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.