

POD|LCA Materials Tool

1 Quick Start Guide

1.1 Installation

- The code base is available at https://github.com/POD-LCA/pod_lca. It is a private repository. With read access, you can download (or clone) the repository. (*Cloning a repository with [Git](#) or a Git client would allow you to pull changes whenever the updated versions are available, as opposed to downloading all files every time a software update is made*)
- POD|LCA Material Tool is built using Python programming language and using a few other dependent packages. You need to install the following list of packages along with Python.
 1. Python==3.11.9
 2. numpy==1.26.4
 3. pandas==2.2.2
 4. matplotlib==3.9.2
 5. mplcursors==0.5.3

(TBD): Create installer to do the above steps.

- Open the Windows command prompt and navigate to the folder \pod_lca. Once there, type `python -m GUI.gui` and press enter. The POD|LCA Material Tool window will pop up.

1.2 The Graphical User Interface (GUI)




Figure 1 - POD|LCA Material Tool GUI.

The graphical user interface (GUI) of the POD|LCA Material Tool has 4 main components: Menu bar, Palette, Canvas, and Plotter (Figure 1).

Menu Bar

The Menu Bar provides access to key functionalities such as opening and saving files, editing settings, and other tool-specific commands. It is your control center for navigating through the tool's features.

Canvas

The Canvas is the workspace where the process flow is built. You add products and processes from the palette and place them on the Canvas. You can connect products and processes, move items around the canvas, and navigate the Canvas.

Palette

The components you can add to the Canvas are in the Palette. Clicking the corresponding item on the Palette will create it and place it on the Canvas.

Plotter

The Plotter area displays the environmental impacts in bar charts updated in real-time. It is tightly integrated with the Canvas, allowing you to update plots dynamically as inputs change on the Canvas.

1.3 Create New Project

(TBD): Issue #18: New project wizard.

`File > New` will clear the current canvas and all background data (except for the impacts database).

`File > Open` will let you open saved projects (along with the impact databases attached to the project).

1.4 Importing Impact Data

`Database > Import` prompts you to import database from file.

(WARNING): The imported file needs to be *.CSV with columns in the following order: flow, units, GWP (in kg CO2 eq), Acidification potential (kg SO2 eq), Eutrophication potential (kg N eq), Ozone depletion potential (kg CFC-11 eq), Smog potential (kg O3 eq).

(TBD): Issue #4: Custom impact addition and more flexibility with importing data base from files.

1.5 Navigating the Canvas

Hold `Right Mouse Button` and Drag: Pan

`Mouse Scroll Wheel`: Zoom out/in


`Ctrl+ / Ctrl-`: Zoom out/in

`Edit > Canvas Settings` allows you to change canvas settings including background color, and grid properties.

1.6 Building the Process Flow

Add item

Select items from the palette to add them to the Canvas. A prompt will appear to provide details on the item added (e.g., Figure 2). These details are initial settings and can be changed later. Once pressed `OK`, the item will appear on the canvas (Figure 3).

A screenshot of a 'Create product' dialog box. It has a title bar with a pencil icon and standard window controls. The form contains: 'Product name:' with a text input 'new Product'; 'Life cycle stage:' with a dropdown menu showing 'A1'; 'qty:' with a text input '0.0'; 'units:' with a dropdown menu showing 'kg'; and 'mass per unit product:' with a text input '1.0'. At the bottom are 'OK' and 'Cancel' buttons.

Product name:	new Product
Life cycle stage:	A1
qty:	0.0
units:	kg
mass per unit product:	1.0

Figure 2 - Create product pop-up

Once added on the canvas, the quantity parameter can be changed on the slider while the other (harder) parameters can be changed on the context menu of the item (appears with a click of the `Right Mouse Button` on the item- see Figure 4).

(TBD): Name, unit, (density) changes from item context menu to be added.




Figure 3 - Item on canvas.




Figure 4 - Item context menu can be viewed by right clicking on the item.

Items can be dragged on the canvas by clicking and holding the left mouse button while dragging the item.

`Edit > Canvas Settings` allows you to change the color of different types of items (i.e., products, processes).

Connect items

Items can be connected. Click the left mouse button on the start item while holding down `ctrl`, and drag the cursor (while holding down `ctrl` and left mouse button) to the end item. This will connect the start item to the end item (Figure 5).

The two items will not connect if:

1. If a product is connected to another product. Combining two products has to be done through a process
2. If what is connected to a transportation process is not a product. Only products can be transported.

`Edit > Canvas Settings` allows you to change the connector type.




Figure 5 - Connecting two items together. The connector arrow is from the start item to the end item.

Delete

Selecting Delete on the context menu of the item (Figure 4) will delete it from the canvas. This will also delete any connections to or from the item as well.

Set impacts

You can select from the item context menu (Figure 4) the database item corresponding to the product or the process.

(WARNING): The units of the item and the impact should match.

(TBD): Management of setting impacts for units consistency.

Once set you can view the unit impacts of the product or the process in the item context menu.

Set relationships

Relationships can be set between items. This will make the quantity of the current item a dependent of other items (masters). Setting a relationship will disable user changes of dependent item slider and will automatically update when the sliders of master(s) are changed.

(TBD): Issue #16: this is work-in-progress

Number Parameter

The number parameter is a slider without an underlying product or process. This item is created to facilitate parametric changes, along with Set relationships.

(TBD): Issue #16: this is work-in-progress

Unit conversions

Unit conversions are automated. The conversions database will do the following conversions.

- 1000m = 1km = 0.621371 mi
- 1000g = 1kg = 0.001t = 2.20462lb
- 1l = 0.01m³ = 0.264172gal
- 1000J = 1kJ = 0.001 MJ = 2.77778e-4kWH = 2.77778e-7MWh
- 1kgkm = 0.01tkm = 1.369887lbmi

(TBD): A comprehensive conversion database handling compound units and metric prefixes.

1.7 Visualizing Results

Visualizer will automatically update results as the process flow is built. A drop down list allows to pick impacts to be plotted.

(TBD): Expand the types of data visualization

1.8 Reports

(TBD): Generating Excel or PDF reports

1.9 Save and close

`File > Save As` will allow you to save your project. It will prompt you to select a folder to save the project data to.

`File > Save` will let you save your progress on a project. If the project has not yet been saved, it will prompt you to `Save As`.

`File > Save As` will allow you to save your project. It will prompt you to select a folder to save the project data to.

(WARNING): Currently the projects are saved as *.pkl files. There are not secure files. Open them only if you are of the sender.

(TBD): Create a secure file format for saving.

`File > Close` will terminate the application.