

ROBERT v 1.0.6 2025/02/04 11:41:19

How to cite: Dalmau, D.; Alegre Requena, J. V. ChemRxiv, 2023, DOI: 10.26434/chemrxiv-2023-k994h



ROBERT SCORE

This score is designed to analyze the predictive ability of the models using different metrics.

No PFI (all descriptors):


ML model: GB

Proportion Train: Validation = 90:10



The model has a score of 7/10

- The valid, set shows an R² of 0.91
- The valid. set has 17.6% of outliers
- Using 166:8 points(train+valid.):descriptors
- The valid. set passes 3 VERIFY tests



Train: $R^2 = 0.98$, MAE = 0.032, RMSE = 0.041 Valid. : $R^2 = 0.91$, MAE = 0.053, RMSE = 0.065

PFI (only important descriptors):


ML model: GB

Proportion Train:Validation = 90:10



The model has a score of 9/10

- The valid, set shows an R2 of 0.96
- The valid. set has 5.9% of outliers
- Using 166:5 points(train+valid.):descriptors
- The valid. set passes 3 VERIFY tests



Train: $R^2 = 0.97$, MAE = 0.049, RMSE = 0.061 Valid. : $R^2 = 0.96$, MAE = 0.052, RMSE = 0.064

Score thresholds (detailed in https://robert.readthedocs.io/en/latest/Score/score.html)

 \mathbb{R}^2

 $R^2 > 0.85$

 $0.85 > R^2 > 0.70$

 $R^2 < 0.70$

Outliers

- < 7.5% of outliers
- 7.5% < outliers < 15%
- > 15% of outliers

Points:descriptors ___

- > 10:1 p:d ratio
- 10:1 > p:d ratio > 3:1
- p:d ratio < 3:1

VERIFY tests

Up to ●●● (tests pass)

- (all tests failed)

ROBERT v 1.0.6 Page 1 of 8

Some tips to improve the score

A ROBERT score of 9 or 10 suggests that the predictive ability of your model is strong, congratulations!

How to predict new values with these models?

- 1. Create a CSV database with the new points, including the necessary descriptors.
- 2. Place the CSV file in the parent folder (i.e., where the module folders were created)
- 3. Run the PREDICT module as 'python -m robert --predict --csv_test FILENAME.csv'.
- 4. The predictions will be shown at the end of the resulting PDF report and will be stored in the last column of two CSV files called MODEL_SIZE_test(_No)_PFI.csv, which are in the PREDICT folder.



REPRODUCIBILITY

This section provides all the instructions to reproduce the results presented.

- 1. Download these files (the authors should have uploaded the files as supporting information!):
 - CSV database (smooth_sin_rGO_sin_DMF_clima_noise_ratio_m16.csv)
- 2. Install and adjust the versions of the following Python modules:
 - Install ROBERT and its dependencies: conda install -c conda-forge robert
 - Adjust ROBERT version: pip install robert==1.0.6
 - scikit-learn-intelex: not installed

(if scikit-learn-intelex is installed, slightly different results might be obtained)

3. Run ROBERT using this command line in the folder with the CSV database:

python -m robert --model "[GB]" --train "[90]" --ignore "[indice, area, cell]" --names "indice" --y "PCE" --auto_test "False" --csv_name "smooth_sin_rGO_sin_DMF_clima_noise_ratio_m16.csv"

4. Execution time, Python version and OS:

Originally run in Python 3.10.12 using Darwin Darwin Kernel Version 22.5.0: Thu Jun 8 22:22:19 PDT 2023; root:xnu-8796.121.3~7/R

Total execution time: 8.01 seconds (the number of processors should be specified by the user)

ROBERT v 1.0.6 Page 2 of 8



TRANSPARENCY

This section contains important parameters used in scikit-learn models and ROBERT.

1. Parameters of the scikit-learn models (same keywords as used in scikit-learn):

No PFI (all descriptors): PFI (only important descriptors):

sklearn model: GradientBoostingRegressor sklearn model: GradientBoostingRegressor

random_state: 8 random_state: 70 names: indice names: indice n_estimators: 60 n_estimators: 20 max_depth: 5 max_depth: 5 max_features: 0.25 max_features: 0.25

min_samples_split: 2 min_samples_split: 2 min_samples_leaf: 1 min_samples_leaf: 1

min_weight_fraction_leaf: 0 min_weight_fraction_leaf: 0

ccp_alpha: 0 ccp_alpha: 0 learning_rate: 0.05 learning_rate: 0.1 subsample: 1.0 subsample: 1.0

validation_fraction: 0.1 validation_fraction: 0.3

2. ROBERT options for data split (KN or RND), predict type (REG or CLAS) and hyperopt error (RMSE, etc.):

No PFI (all descriptors): PFI (only important descriptors):

split: RND split: RND type: reg type: reg

error_type: rmse error_type: rmse



ABBREVIATIONS

Reference section for the abbreviations used.

ACC: accuracy KN: k-nearest neighbors **REG:** Regression ADAB: AdaBoost MAE: root-mean-square error RF: random forest

CSV: comma separated values MCC: Matthew's correl. coefficient RMSE: root mean square error

CLAS: classification ML: machine learning RND: random

CV: cross-validation MVL: multivariate lineal models SHAP: Shapley additive explanations

F1 score: balanced F-score NN: neural network VR: voting regressor

GB: gradient boosting PFI: permutation feature importance GP: gaussian process R2: coefficient of determination

ROBERT v 1.0.6 Page 3 of 8




This module takes care of data curation, including filters for correlated descriptors, noise, and duplicates, as well as conversion of categorical descriptors.

The complete output (CURATE_data.dat) and curated database are stored in the CURATE folder.

Time CURATE: 0.31 seconds

--- Images generated by the CURATE module ------





GENERATE


This module carries out a screening of ML models and selects the most accurate one. It includes a comparison of multiple hyperoptimized models and training sizes.

The complete output (GENERATE_data.dat) and heatmaps are stored in the GENERATE folder.

Time GENERATE: 4.34 seconds

----- Images generated by the GENERATE module -----

ROBERT v 1.0.6 Page 4 of 8





Determination of predictive ability of models using four tests: 5-fold CV, y-mean (error against the mean y baseline), y-shuffle (predict with shuffled y values), and one-hot (predict using one-hot encoding instead of the X values).

The complete output (VERIFY_data.dat) and donut plot are stored in the VERIFY folder.

Time VERIFY: 0.53 seconds


----- Images and summary generated by the VERIFY module -----


No PFI (all descriptors):

Original RMSE (valid. set) 0.065 + 25% thres. = 0.081 x 5-fold CV: FAILED, RMSE = 0.096, higher than thres. o y_mean: PASSED, RMSE = 0.21, higher than thres. o y_shuffle: PASSED, RMSE = 0.29, higher than thres. o onehot: PASSED, RMSE = 0.2, higher than thres.


PFI (only important descriptors):

Original RMSE (valid. set) 0.064 + 25% thres. = 0.08 x 5-fold CV: FAILED, RMSE = 0.08, higher than thres. o y_mean: PASSED, RMSE = 0.23, higher than thres. o y_shuffle: PASSED, RMSE = 0.3, higher than thres. o onehot: PASSED, RMSE = 0.23, higher than thres.





VERIFY tests of GB_90_PFI



ROBERT v 1.0.6 Page 5 of 8



PREDICT

This module predicts and plots the results of training and validation sets from GENERATE, as well as from external test sets (if any). Feature importances from SHAP and PFI, and outlier analysis are also represented.

The complete output (PREDICT_data.dat) and heatmaps are stored in the PREDICT folder.

Time PREDICT: 2.83 seconds

----- Images and summary generated by the PREDICT module -----

No PFI (all descriptors):

Prediction metrics and descriptors

- Points Train: Validation = 149:17
- Proportion Train: Validation = 90:10
- Number of descriptors = 8
- Proportion (train+valid.) points:descriptors = 166:8
- Train : $R^2 = 0.98$, MAE = 0.032, RMSE = 0.041
- Valid. : $R^2 = 0.91$, MAE = 0.053, RMSE = 0.065

Outliers (max. 10 shown)

Train: 8 outliers out of 149 datapoints (5.4%)

- 5 (2.6 SDs)
- 9 (5.0 SDs)
- 19 (2.1 SDs)
- 21 (2.5 SDs)
- 31 (2.1 SDs)
- 37 (2.1 SDs)
- 75 (2.1 SDs)
- 93 (2.3 SDs)

Validation: 3 outliers out of 17 datapoints (17.6%)

- 7 (3.3 SDs)
- 14 (4.0 SDs)
- 61 (2.5 SDs)

PFI (only important descriptors):

Prediction metrics and descriptors

- Points Train: Validation = 149:17
- Proportion Train:Validation = 90:10
- Number of descriptors = 5
- Proportion (train+valid.) points:descriptors = 166:5
- Train: $R^2 = 0.97$, MAE = 0.049, RMSE = 0.061
- Valid. : $R^2 = 0.96$, MAE = 0.052, RMSE = 0.064

Outliers (max. 10 shown)


Train: 8 outliers out of 149 datapoints (5.4%)


- 1 (2.5 SDs)
- 2 (2.7 SDs)
- 5 (2.8 SDs)
- 9 (3.6 SDs)
- 37 (2.1 SDs)
- 54 (2.1 SDs) - 89 (2.3 SDs)
- 93 (2.7 SDs)


Validation: 1 outliers out of 17 datapoints (5.9%)


- 29 (2.2 SDs)


ROBERT v 1.0.6 Page 6 of 8












0.0

Permutation feature importances (PFIs) of GB_90_No_PFI


0.3 PFI


0.4

0.5




ROBERT v 1.0.6 Page 7 of 8





Outlier analysis of GB_90_PFI



ROBERT v 1.0.6 Page 8 of 8