



Vidyavardhini's College of Engineering & Technology

Department of Computer Engineering

Experiment No. 2
Use of Sqoop tool
Date of Performance: 24/07/2023
Date of Submission: 31/07/2023



Vidyavardhini's College of Engineering & Technology

Department of Computer Engineering

Aim: To install SQOOP and execute basic commands of Hadoop eco system component Sqoop.

Theory:

Installation and configuration of SQOOP

- 1) Download SQOOP from <https://sqoop.apache.org>
- 2) Unzip and Install SQOOP
 - After Downloading the SQOOP, we need to Unzip the sqoop-1.4.7.bin-hadoop-2.6.0.tar.gz file.
- 3) Create a folder and move the final extracted file in it.
 - Set up the environment variables
 - Set SQOOP_HOME
- 4) Set up path variable
- 5) Configure SQOOP

Basic SQOOP commands:

1. List Table

This command lists the particular table of the database in MYSQL server.

```
sqoop list - tables --connect jdbc:mysql://localhost/payment --username gartner
```

2. Target directory

This command import table in a specific directory in HDFS. -m denotes mapper argument.

They have an integer value.

```
$ sqoop import --connect jdbc:mysql://localhost/inventory --username jony -table inventory --m 1 --target-dir/inv
```

3. sqoop-eval

This command runs SQL queries of the respective database.

```
$ sqoop eval --connect --query "SQLQuery"
```

4. sqoop – version

This command displays a version of the sqoop.



Vidyavardhini's College of Engineering & Technology

Department of Computer Engineering

```
$ sqoop version      sqoop {revnumber}
```

5. sqoop-job

This command allows us to create a job, the parameters that are created can be invoked at any time. They take options like (`--create`, `--delete`, `--show`, `--exit`).

```
$ sqoop job --create --import --connect --table
```

6. code gen

This Sqoop command creates java class files which encapsulate the imported records. All the java files are recreated, and new versions of a class are generated. They generate code to interact with database records. Retrieves a list of all the columns and their data types.

```
$ sqoop codegen --connect --table
```

7. List Database

This Sqoop command lists all the available databases in the RDBMS server.

```
>$ sqoop list - database -- connect
```

Sqoop is a command-line interface application for transferring data between relational databases and Hadoop.

Conclusion:

An important component of the Hadoop ecosystem, Sqoop, was installed and its basic command execution was addressed in this experiment. Sqoop makes it easier for data to move between relational databases and Hadoop, which facilitates efficient data integration and analysis. The installation process included downloading Sqoop, creating environment variables, and setting up the necessary directories. Creating Java class files for data interaction, creating tasks, running SQL queries, specifying destination folders, displaying tables and databases, and checking the version were among the other fundamental Sqoop commands demonstrated.