

Linux Terminal Commands – Practical Record

Coddy Tech Online Linux Terminal (coddy.tech/playground/terminal)

Program 1:

```
user$ rm file1.txt
user$ ls
user$ mkdir Pro
user$ cd Pro
user$ mkdir A
user$ mkdir B
user$ touch A/file1.txt
user$ touch B/file1.txt
user$ tree

.
├── A
│   └── file1.txt
└── B
    └── file1.txt

3 directories, 2 files
```

Program 2

```
user$ echo "Linux Operating System" > test.txt
user$ echo "Kali Linux" >> test.txt
user$ echo "Command Line Interface" >> test.txt
user$ cat test.txt
Linux Operating System
Kali Linux
Command Line Interface
user$ less test.txt
Linux Operating System
Kali Linux
Command Line Interface
user$ more test.txt
Linux Operating System
Kali Linux
Command Line Interface
user$ vi test.txt
```

Program 3:

```
user$ tree
.
└─ sample.txt

1 directory, 1 file
user$ head sample.txt
Line 1
Line 2
Line 3
Line 4
Line 5
user$ tail sample.txt
Line 1
Line 2
Line 3
Line 4
Line 5
```

Program 4

```
user$ echo "Linux Commands" > sample.txt
user$ echo "kali Linux" >> sample.txt
user$ ls
sample.txt
user$ cat sample.txt
Linux Commands
kali Linux
user$ mkdir TestFolder
user$ ls
TestFolder
sample.txt
```

Program 5:

```
user$ uptime
06:07:22 up 16:17, 0 users, load average: 0.18, 0.16, 0.14
user$ date
Thu Jul 16 06:07:31 UTC 2026
user$ touch file1.txt
user$ ls
file1.txt
user$ mv file1.txt file2.txt
user$ ls
file2.txt
```

Program 6:

```
user$ touch sample.txt
user$ ls
  sample.txt
user$ pwd
/tmp/user/home
user$ wget https://example.com
user$ ls
  index.html
  sample.txt
```

Program 7

```
user$ mkdir Practice
user$ ls
  Practice
user$ cd Practice
user$ pwd
/tmp/user/home/Practice
user$ touch file1.txt
user$ ls
  file1.txt
user$ cp file1.txt file2.txt
user$ ls
  file1.txt
  file2.txt
```