


A futuristic digital office environment. In the center, a large, glowing globe is surrounded by a circular base displaying binary code. Several people are working at desks with laptops, some standing and looking at the globe. The background is a wall of digital displays showing various data visualizations, including bar charts, line graphs, and maps. The displays are labeled with terms like 'HEALTH INDICATORS', 'SENSITIVITY', 'SPECIFICITY', and 'HEALTH INDICATORS'. The overall scene is illuminated with blue and white light, creating a high-tech, data-driven atmosphere.

- **Health Indicators and Indices:** What are their characteristics and why are they important?
- **Sources and Evaluation of Health Data:** Primary, secondary data, passive and active collection.
- **Disease Definition and Classification:** How do we classify diseases? (ICD9, ICD10-codes)

1 Health Indicators and Indices

- **Health Indicators:** Directly measurable variables reflecting a population's health such as infant mortality rate and life expectancy.
- **Health Indices:** Composite measures combining multiple indicators to give an overview of health status: Human Development Index ([Map](#), and [Graph](#)).



- See **Box 3.1** and **Box 3.3** for more details.
-

Evaluating Health Indicators

- How are health indicators used to monitor and assess population health, informing public health decisions and policy-making?

Essential Qualities

- **Reliability/Reproducibility:** Consistent results across studies and time.
- **Validity:** Accurately measures what it is intended to measure.
- **Sensitivity:** Detects changes or differences that are meaningful.

Practical Qualities

- **Acceptability:** Acceptable to those who are assessed by the indicator.
 - **Feasibility:** Can be realistically collected and sustained.
 - **Universality:** Applicable across different settings and populations.
-

2 Sources and quality of health data

- Health data sources are crucial for compiling health indicators (**Table 3.1**).
- Data can originate from individuals, healthcare providers, or be generated through health surveys and administrative databases.

Active or passive?

- **Active Data Sources:** Require efforts to solicit and collect information, e.g., health surveys.
 - **Passive Data Sources:** Routinely submitted by other entities, e.g., vital statistics.
-

Primary and Secondary Data Sources

- **Primary Data Sources:** Specifically collected for the purpose of health monitoring (e.g. disease registries and some health surveys).
 - **Electronic Health Records (EHR):** Detailed, real-time, patient-centered records.
 - **Disease Registries:** Used to estimate disease incidence and prevalence, like cancer registries.
 - **Secondary Data Sources:** Originally designed for other purposes but also used in health monitoring (e.g.administrative databases for Medicare and Medicaid).
-

Disease Registries and Notifiable Diseases

- **Disease Registries**
 - Important for estimating disease incidence and prevalence.
 - Cancer to communicable diseases, etc..
- **Notifiable Diseases**
 - Must be reported to national health authorities. Measles,Chlamydia, gonorrhea,*E. coli* infection, Tuberculosis..
 - Managed by systems such as the CDC's National Notifiable Diseases Surveillance System.

Utilization of Health Data

- **Measuring Health Service Utilization**
 - Utilization data from Medicare, Medicaid, and health maintenance organizations provide insights into health service use.
 - **Health Surveys**
 - Gather data on health behaviors, practices, and perceptions (BRFSS).
 - Vary by mode of interview and can be influenced by respondents' perceptions and recall accuracy.
 - See **Table 3.2** for pros and cons of survey type
 - Cross-section (versus longitudinal)
 - Likert scale, self-rated survey
 - QOL - see the one for [Charlotte, NC](#)
-

Linking health data

- **Enhanced Insights:** Linking different data sources can provide a more comprehensive view of health outcomes.
 - **Examples of Linked Data:** Combining EHRs with national health surveys or insurance claim data.
 - **Data Challenges**
 - **Data Integrity and Privacy:** Managing the accuracy and confidentiality of linked data is paramount.
 - * **HIPAA!**
 - * [List of HIPAA identifiers](#)
 - **Analytical Complexity:** The use of linked data often requires advanced statistical techniques to manage biases and variability.
-

3 Summary measures of population health

Integrating Mortality and Morbidity

- Health indices like DALY, QALY, and many others (not cited here) combine measures of mortality with morbidity or disability into a single comprehensive figure.
-

Quality-Adjusted Life Years (QALY)

- **Definition:** A measure that combines the length of life with the quality of life in a single index number.
 - **Calculation:** Each year in perfect health is counted as one QALY, while years lived with illness or disability are adjusted according to the severity of the health condition.
-

Disability-Adjusted Life Years (DALY)

- **Definition of DALY:** A measure that combines mortality (Years of Life Lost, YLL) and morbidity (Years Lived with Disability, YLD) into a single metric.
 - **Why DALY Matters:** Helps policymakers understand the burden of disease and prioritize interventions effectively.
 - **Components of DALY:**
 - **YLL (Years of Life Lost):** Premature death due to specific causes.
 - **YLD (Years Lived with Disability):** The impact of non-fatal health conditions on quality of life.
-

DALY: let's dive in (1)


- **Mortality Contribution (YLL):**
 - Leading causes of premature death: cardiovascular disease, cancer, infectious diseases.
 - How reductions in mortality affect overall DALY burden.
 - **Morbidity Contribution (YLD):**
 - Chronic diseases like diabetes, mental health disorders, and musculoskeletal conditions.
 - The role of disability weight in calculating burden.
-

DALY: let's dive in (2)

- **Comparing YLL and YLD:**
 - Some diseases cause high YLL (e.g., heart disease), while others contribute more to YLD (e.g., mental disorders, arthritis).
 - Policy implications: balancing treatment for high-mortality vs. high-disability conditions.
 - **Intervention Strategies:**
 - Preventative measures to reduce YLL (e.g., vaccinations, tobacco control policies).
 - Managing chronic conditions to reduce YLD (e.g., rehabilitation programs, mental health support).
 - [Great article from health data](#)
-

DALY: let's dive in (3)

- **Global and Local Comparisons:**
 - How DALY burden varies by income level, access to healthcare, and social determinants.



DALY: takeaways

- **DALY as a Critical Metric:** Essential for public health planning and resource allocation.
 - **Health Equity Considerations:** Ensuring interventions reach vulnerable populations.
 - **Data-Driven Public Health Strategies:** Using DALY to guide policy decisions and optimize healthcare spending.
-

4 Understanding ICD-9 and ICD-10 Codes

- **What is ICD?**
 - The International Classification of Diseases (ICD) is a standardized system for classifying diseases, conditions, and procedures.
 - Maintained by the **World Health Organization (WHO)**, it is used for healthcare administration, epidemiology, and research.
-

In-class exercise

- Let's look at this patient. The principal diagnosis (ICD9 code is **V3000**; look it up using AI for instance)
 - These are secondary diagnoses - look them up - 76502, 77181, 7707, 77212, 77081, 7470, 7455, 77182, 2760, 76522, 7742, 769, 04110, 7793, 6910, 75432, 4019, 0416, 0413, 9999, 2768.
 - *What can we tell about this patient?*
-


Transitioning from ICD9 to ICD10

- **Transition from ICD-9 to ICD-10:**
 - ICD-9 had **~13,000 codes**, while ICD-10 expanded to **~68,000 codes**.
 - Greater **specificity and accuracy**, especially in classifying complex diseases.
 - Improved tracking of **public health trends and emerging diseases**.
 - **Key Differences Between ICD-9 and ICD-10:**
 - **Specificity:** ICD-10 codes provide detailed descriptions.
 - **Combination Codes:** ICD-10 combines multiple conditions into a single code (e.g., **diabetes with kidney disease**).
-

Examples of ICD9 and ICD10 codes (1)

ICD-9	ICD-10
3-5 characters in length	3-7 characters in length
Approximately 13,000 codes	Approximately 68,000 available codes
First digit may be alpha (E or V) or numeric; digits 2-5 are numeric	Digit 1 is alpha; digits 2 and 3 are numeric; digits 4-7 are alpha or numeric (alpha digits are not case sensitive)
Limited space for adding new codes	Flexible for adding new codes
Lacks detail	Very specific
Lacks laterality	Has laterality (i.e., codes identifying right vs. left side of the body)
Use same code for every visit	Has possibility of identifying initial encounter, subsequent encounter; or sequela
Only 4 codes were reported on a claim form	Up to 12 codes can be reported on a claim form

Examples of ICD9 and ICD10 codes (2)



Why are these codes important?

- **Disease Monitoring:** ICD codes allow epidemiologists to **track disease outbreaks** (e.g., COVID-19 had its own ICD-10 codes: **U07.1 for confirmed cases**).

- **Healthcare Reimbursement:** Ensures accurate **billing and insurance claims**.
- **Policy and Research:** Facilitates **international comparisons** of health data.