Aem Task 4

News Page Component Implementation

The News Page Component is a reusable content component developed for AEM websites. It allows content authors to create and display structured news content including a title, description, published date, and source.



Custom Page Property: A custom page property called About is created. This allows content authors to set a default news image that will be displayed when no specific image is provided for a news article.



Applying Styling:




localhost:4502/crx/de/index.jsp#/apps/myTraining/components/helloworld/helloworld.html
CRXDE Lite
Save All
Create ...
Delete
Copy
Paste
Move ...
Rename ...
Overlay Node ...
Mixins ...
Tools
admin@crx.default
apps/myTraining/components/helloworld/helloworld.html
Home
helloworld.html
clientlibs
components
accordion
basepage
breadcrumb
button
carousel
container
contentfragment
contentfragmentlist
customcomponent-inside
customcomponent-outbo
download
embed
experiencefragment
form
helloworld
cq:dialog
helloworld.html
jcr:content
image
languagenavigation
list
navigation
newscomponent
page
pdfviewer
progressbar
remotepage
remotepagenext
search
separator
spa
tableofcontents
tabs
teaser
<!--/*
Copyright 2015 Adobe Systems Incorporated
Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at
http://www.apache.org/licenses/LICENSE-2.0
Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
*/-->

<h2 class="cmp-helloworld__title">Hello World Component</h2>

Text property:
<pre class="cmp-helloworld__item-output" data-cmp-hook-helloworld="property">${properties.text}</pre>

Address:
${properties.address}

First Name:
${properties.firstname}

Last Name:
${properties.lastname}

<div class="cmp-helloworld__item" data-sly-use.model="com.myTraining.core.models.HelloWorldModel" data-sly-test="${model.message}">
Model message:
<pre class="cmp-helloworld__item-output"data-cmp-hook-helloworld="model">${model.message}</pre>