

Exp no :03

Date :

WIRESHARK FOR PASSWORD CAPTURING


Password Capturing

Wireshark can capture not only passwords but any type of information transmitted over the network: usernames, email addresses, personal information, etc. As long as we can capture network traffic, Wireshark can sniff passing passwords.

In sniffing can include passwords for various protocols such as HTTP, FTP, Telnet, etc. the captured data can be used to troubleshoot network problems, but can also be used maliciously to gain unauthorized access to sensitive information.

So, here we will see how we can capture the password using the Wireshark network capture analyzer. and see the outputs of the following steps.

Step 1: First of all, open your Wireshark tool in your window or in Linux virtual machine. and start capturing the network. suppose I am capturing my wireless fidelity.



After starting the packet capturing we will go to the website and login the credential on that website as you can see in the image


Login Test

Username:

Password:


Step 3: Now after completing the login credential we will go and capture the password in Wireshark. for that we have to use some filter that helps to find the login credential through the packet capturing.

Step 4: Wireshark has captured some packets but we specifically looking for HTTP packets. so in the display filter bar we use some command to find all the captured HTTP packets. as you can http



Step 5: So there are some HTTP packets are captured but we specifically looking for form data that the user submitted to the website. for that, we have a separate filter

As we know that there are main two methods used for submitting form data from web pages like login forms to the server. the methods are-GET



POST

Step 6: So firstly for knowing the credential we use the first method and apply the filter for the GET methods as you can see below.

http.request.method == "GET"

see in the below image the green bar where we apply the filter.


GET Method

As you can see in the image there are two packets where the login page was requested with a GET request as well, but

there is no form data submitted with a GET request.

Step 7: Now after checking the GET method if we didn't find the form data, then we will try the POST method for that we will apply the filter on Wireshark as you can see.

`http.request.method == "POST"`



As you can see we have a packet with form data click on the packet with user info and the application URL encoded. and click on the down-

HTML form URL Encoded where the login credential is found. login credential as it is the same that we filed on the website in step 2.

Form item: "username"="DUDDU POTHAN"

Form item: "pass" = "SUDHEER!!%&"

```
Windows - Packet 25952 - Wi-Fi
Cache-Control: max-age=0\r\n
Upgrade-Insecure-Requests: 1\r\n
Content-Type: application/x-www-form-urlencoded\r\n
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/152.0.0.0 Safari/537.36 Edg/152.0.0.0\r\n
Origin: http://vboca.ca\r\n
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7\r\n
Referer: http://vboca.ca/login/login.aspx\r\n
Accept-Encoding: gzip, deflate\r\n
Accept-Language: en-US,en;q=0.9,en-IN;q=0.8,ta;q=0.7,hi;q=0.6,kn;q=0.5,tz;q=0.4,ml;q=0.3\r\n
Cookie: ASPSESSIONIDSCRQDTC-PCEIFDWAJAFKBPQGGPPPL\r\n
\r\n
[Show raw in frame: HTML]
[Full request URL: http://vboca.ca/login/login.aspx]
File Data: 56 bytes
- HTML Form URL Encoded: application/x-www-form-urlencoded
  + Form item: "txtUsername" = "DUDDU POTMAN"
    Key: txtUsername
    Value: DUDDU POTMAN
  + Form item: "txtPassword" = "SUDHEER!155"
    Key: txtPassword
    Value: SUDHEER!155
0010  61 70 70 6c 69 61 61 74  69 6f 6e 2f 73 69 67 6e  applicat ion/sign
0110  61 64 2d 65 78 61 68 61  6e 67 65 3b 76 3d 62 33  ed-excha nge/vb3
0210  3b 71 3d 38 2e 37 8d 9a  52 65 66 65 72 65 72 3a  ;q=0.7 - Referer:
0310  28 68 74 74 78 5a 2f 2f  78 61 73 61 2e 63 61  http:// vboca.ca
0410  2f 6c 6f 67 69 6e 2f 6c  6f 67 69 6e 2e 61 73 78  /login/l ogin.asp
0510  6c 6a 41 63 63 65 78 74  2d 45 6e 65 6f 64 69 6a  Accept -encodin
0610  67 3a 28 67 7a 69 78 3c  28 64 65 66 6c 61 74 65  g: gzip, deflate
0710  69 6a 41 63 63 65 78 74  2d 6c 61 6e 67 75 61 67  Accept -langua
0810  69 3a 28 65 6e 2d 55 53  2c 65 6a 3b 71 3d 38 2e  n: en-US, en;q=0.
0910  39 2c 65 6e 2d 49 4a 3b  71 3a 3d 2a 38 2c 74 65  9,en-IN; q=0.6,ta
1010  3b 71 3d 38 2e 37 2c 68  69 3b 71 3d 38 2e 36 2c  ;q=0.7,hi;q=0.6,
1110  6b 6e 3b 71 3d 38 2e 35  2c 74 61 3b 71 3d 38 2e  kn;q=0.5,ta;q=0.
1210  34 2c 6d 6c 3b 71 3d 38  2e 33 6d 6a 43 6f 6f 68  4,ml;q=0.3 Cook
1310  69 65 1a 28 41 53 58 53  45 53 53 49 4f 4e 49 44  ie: ASPS ESSIONID
1410  53 45 52 51 43 44 54 43  3d 58 43 45 45 49 46 44  SCRQDTC =PCEIFD
1510  41 48 41 49 41 46 4b 48  42 59 44 47 4f 59 46 47  AWAIAPDH BPDGPPPL
1610  4c 6b 6a 2d 74 78 74  53 71 65 72 6a 61 64 63  L: txt Usernam
1710  3a 44 5c 4a 48 65 28 59  4f 5a 48 41 4e 2c 74 78  =DUDDU+P OTMAN&ex
1810  74 50 61 73 77 6f 73  64 3a 53 51 46 48 41 45  tPassword dGdHEG
1910  52 25 32 31 25 32 31 25  32 35 25 32 36  MS21N2LN 25N25
```