

Introduction to Dynamic Programming

Part II: FE for identifying the value function

PPE Phil(e)¹

¹material @ <https://github.com/PPEphile>

September 2021

Table of Contents

Identifying the **value function**

- Theorem 2 (necessary condition)
- Theorem 3 (sufficient condition)
- **Example**

Stokey, N.L., Lucas, R.E. and Prescott, E.C. (1989) *Recursive Methods in Economic Dynamics*. Cambridge, Harvard University Press.

The Functional Equation (Recap)

- We eliminated infinitely many constraints at the cost of now having to find a function
- **Theorem 2:** For any candidate function v to be the true value function v^* , it needs to satisfy the (FE).

Functional Equation

$$v(x) = \max_{y \in \Gamma(x)} \{F(x, y) + \beta v(y)\} \quad (\text{FE})$$

where $\Gamma(x)$ is the set of admissible values of y given the current state x .

Sufficient condition

Theorem 3

If v is real-valued, solves the (FE) **and**

$$\lim_{t \rightarrow \infty} \beta^t v(x_t) = 0 \quad \text{for all feasible paths of } (x_t)_{t=0}^{\infty}$$

then $v = v^*$

Least upper bound

Least upper bound

Example

Corn-growing with linear utility

Consider the classical corn growing example with utility $U(c) = c$, $f(k) = 2k$ and $\beta = \frac{1}{3}$ and some $k_0 \geq 0$.