

choosy.py

API Documentation

April 10, 2017

Contents

Contents	1
1 Module couples	3
1.1 Variables	3
1.2 Class couples	3
1.2.1 Methods	3
2 Module gift	4
2.1 Variables	4
2.2 Class gift	4
2.2.1 Methods	4
3 Module log	5
3.1 Functions	5
3.2 Variables	5
4 Module new_boy	6
4.1 Variables	6
4.2 Class boy	6
4.2.1 Methods	6
5 Module new_girl	7
5.1 Variables	7
5.2 Class girl	7
5.2.1 Methods	7
6 Module normal	8
6.1 Class choosy	8
6.1.1 Methods	8
7 Module util	9
7.1 Variables	9
7.2 Class util	9
7.2.1 Methods	9
8 Module utility	10
8.1 Functions	10
8.2 Variables	10

Index**11**

1 Module couples

1.1 Variables

Name	Description
<code>__package__</code>	Value: None

1.2 Class couples

1.2.1 Methods

<code>__init__(self, girl, boy)</code>

<code>set_happiness(self)</code>

<code>set_compatibility(self)</code>

2 Module gift

2.1 Variables

Name	Description
<code>__package__</code>	Value: None

2.2 Class gift

Known Subclasses: util.util

2.2.1 Methods

<code>__init__</code> (<i>self</i> , <i>cost</i> , <i>name</i> , <i>__type</i> , <i>value</i>)

3 Module log

3.1 Functions

<code>generator_log(<i>write</i>)</code>

3.2 Variables

Name	Description
<code>__package__</code>	Value: None

4 Module new_boy

4.1 Variables

Name	Description
<code>__package__</code>	Value: None

4.2 Class boy

4.2.1 Methods

<code>__init__(self, name, attractiveness, intelligence, min_attraction_requirement, budget, _type)</code>
<code>set_happiness(self, happiness)</code>
<code>set_girlfriend(self, girlfriend)</code>
<code>modify_boys_girl_budget(self, budget)</code>
<code>eligibility(self, girls_maintainance_cost, girls_attractiveness)</code>

5 Module new_girl

5.1 Variables

Name	Description
<code>__package__</code>	Value: None

5.2 Class girl

5.2.1 Methods

<code>__init__(self, name, attractiveness, maintainance_budget, intelligence_level, __type)</code>
<code>eligibility(self, budget)</code>
<code>modify__maitainance__budget(self, budget)</code>
<code>set__boyfriend(self, boyfriend)</code>
<code>set__happiness(self, happiness)</code>

6 Module *normal*

6.1 Class *choosy*

girl.girl └─
 normal.choosy

6.1.1 Methods

<code>__init__(self, name, attractiveness, maintainance_budget, intelligence, _type)</code>

7 Module *util*

7.1 Variables

Name	Description
<code>__package__</code>	Value: None

7.2 Class *util*

gift.gift └
 util.util

7.2.1 Methods

<code>__init__(self, name, cost, value, _type)</code> Overrides: gift.gift. <code>__init__</code>

8 Module utility

8.1 Functions

testing_utility()

8.2 Variables

Name	Description
__package__	Value: None

Index

- couples (*module*), 3
 - couples.couples (*class*), 3
 - couples.couples.__init__ (*method*), 3
 - couples.couples.set_compatibility (*method*), 3
 - couples.couples.set_happiness (*method*), 3
- gift (*module*), 4
 - gift.gift (*class*), 4
 - gift.gift.__init__ (*method*), 4
- log (*module*), 5
 - log.generator_log (*function*), 5
- new_boy (*module*), 6
 - new_boy.boy (*class*), 6
 - new_boy.boy.__init__ (*method*), 6
 - new_boy.boy.eligibility (*method*), 6
 - new_boy.boy.modify_boys_girl_budget (*method*), 6
 - new_boy.boy.set_girlfriend (*method*), 6
 - new_boy.boy.set_happiness (*method*), 6
- new_girl (*module*), 7
 - new_girl.girl (*class*), 7
 - new_girl.girl.__init__ (*method*), 7
 - new_girl.girl.eligibility (*method*), 7
 - new_girl.girl.modify_maitainance_budget (*method*), 7
 - new_girl.girl.set_boyfriend (*method*), 7
 - new_girl.girl.set_happiness (*method*), 7
- normal (*module*), 8
 - normal.choosy (*class*), 8
 - normal.choosy.__init__ (*method*), 8
- util (*module*), 9
 - util.util (*class*), 9
- utility (*module*), 10
 - utility.testing_utility (*function*), 10