

PPL

IIT2015007

Generated by Doxygen 1.8.13



# Contents

<b>1</b>	<b>Class Index</b>	<b>1</b>
1.1	Class List . . . . .	1
<b>2</b>	<b>File Index</b>	<b>3</b>
2.1	File List . . . . .	3
<b>3</b>	<b>Class Documentation</b>	<b>5</b>
3.1	couple Class Reference . . . . .	5
3.1.1	Detailed Description . . . . .	5
3.1.2	Member Function Documentation . . . . .	5
3.1.2.1	get_c() . . . . .	5
3.1.2.2	get_h() . . . . .	6
3.1.2.3	get_n_1() . . . . .	6
3.1.2.4	get_n_2() . . . . .	6
3.1.2.5	set_c() . . . . .	6
3.1.2.6	set_h() . . . . .	6
3.1.2.7	set_n_1() . . . . .	6
3.1.2.8	set_n_2() . . . . .	7
3.2	The_Choosy_Girl Class Reference . . . . .	7
3.2.1	Detailed Description . . . . .	7
3.2.2	Member Function Documentation . . . . .	7
3.2.2.1	get_attractiveness() . . . . .	7
3.2.2.2	get_intelligence() . . . . .	8
3.2.2.3	get_main_budget() . . . . .	8

3.2.2.4	<a href="#">get_name()</a> . . . . .	8
3.2.2.5	<a href="#">get_rel_status()</a> . . . . .	8
3.2.2.6	<a href="#">get_selection_criteria()</a> . . . . .	8
3.2.2.7	<a href="#">set_attractiveness()</a> . . . . .	8
3.2.2.8	<a href="#">set_intelligence()</a> . . . . .	9
3.2.2.9	<a href="#">set_main_budget()</a> . . . . .	9
3.2.2.10	<a href="#">set_name()</a> . . . . .	9
3.2.2.11	<a href="#">set_rel_status()</a> . . . . .	9
3.2.2.12	<a href="#">set_selection_criteria()</a> . . . . .	9
3.3	<a href="#">The_Desperate_Girl Class Reference</a> . . . . .	10
3.3.1	<a href="#">Detailed Description</a> . . . . .	10
3.3.2	<a href="#">Member Function Documentation</a> . . . . .	10
3.3.2.1	<a href="#">get_attractiveness()</a> . . . . .	10
3.3.2.2	<a href="#">get_intelligence()</a> . . . . .	10
3.3.2.3	<a href="#">get_main_budget()</a> . . . . .	11
3.3.2.4	<a href="#">get_name()</a> . . . . .	11
3.3.2.5	<a href="#">get_rel_status()</a> . . . . .	11
3.3.2.6	<a href="#">get_selection_criteria()</a> . . . . .	11
3.3.2.7	<a href="#">set_attractiveness()</a> . . . . .	11
3.3.2.8	<a href="#">set_intelligence()</a> . . . . .	11
3.3.2.9	<a href="#">set_main_budget()</a> . . . . .	12
3.3.2.10	<a href="#">set_name()</a> . . . . .	12
3.3.2.11	<a href="#">set_rel_status()</a> . . . . .	12
3.3.2.12	<a href="#">set_selection_criteria()</a> . . . . .	12
3.4	<a href="#">The_Essential_Gifts Class Reference</a> . . . . .	12
3.4.1	<a href="#">Detailed Description</a> . . . . .	13
3.4.2	<a href="#">Member Function Documentation</a> . . . . .	13
3.4.2.1	<a href="#">get_price()</a> . . . . .	13
3.4.2.2	<a href="#">get_value()</a> . . . . .	13
3.4.2.3	<a href="#">set_price()</a> . . . . .	13

3.4.2.4	<a href="#">set_value()</a>	13
3.5	<a href="#">The_Geeks_Boy Class Reference</a>	14
3.5.1	<a href="#">Detailed Description</a>	14
3.5.2	<a href="#">Member Function Documentation</a>	14
3.5.2.1	<a href="#">get_attractiveness()</a>	14
3.5.2.2	<a href="#">get_budget()</a>	14
3.5.2.3	<a href="#">get_intelligence()</a>	15
3.5.2.4	<a href="#">get_min_att_girl()</a>	15
3.5.2.5	<a href="#">get_name()</a>	15
3.5.2.6	<a href="#">get_rel_status()</a>	15
3.5.2.7	<a href="#">set_attractiveness()</a>	15
3.5.2.8	<a href="#">set_budget()</a>	15
3.5.2.9	<a href="#">set_intelligence()</a>	16
3.5.2.10	<a href="#">set_min_att_girl()</a>	16
3.5.2.11	<a href="#">set_name()</a>	16
3.5.2.12	<a href="#">set_rel_status()</a>	16
3.6	<a href="#">The_Generous_Boy Class Reference</a>	16
3.6.1	<a href="#">Detailed Description</a>	17
3.6.2	<a href="#">Member Function Documentation</a>	17
3.6.2.1	<a href="#">get_attractiveness()</a>	17
3.6.2.2	<a href="#">get_budget()</a>	17
3.6.2.3	<a href="#">get_intelligence()</a>	17
3.6.2.4	<a href="#">get_min_att_girl()</a>	18
3.6.2.5	<a href="#">get_name()</a>	18
3.6.2.6	<a href="#">get_rel_status()</a>	18
3.6.2.7	<a href="#">set_attractiveness()</a>	18
3.6.2.8	<a href="#">set_budget()</a>	18
3.6.2.9	<a href="#">set_intelligence()</a>	18
3.6.2.10	<a href="#">set_min_att_girl()</a>	19
3.6.2.11	<a href="#">set_name()</a>	19

3.6.2.12	<code>set_rel_status()</code>	19
3.7	The_Luxury_Gifts Class Reference	19
3.7.1	Detailed Description	19
3.7.2	Member Function Documentation	20
3.7.2.1	<code>get_price()</code>	20
3.7.2.2	<code>get_value()</code>	20
3.7.2.3	<code>set_price()</code>	20
3.7.2.4	<code>set_value()</code>	20
3.8	The_Miser_Boy Class Reference	20
3.8.1	Detailed Description	21
3.8.2	Member Function Documentation	21
3.8.2.1	<code>get_attractiveness()</code>	21
3.8.2.2	<code>get_budget()</code>	21
3.8.2.3	<code>get_intelligence()</code>	21
3.8.2.4	<code>get_min_att_girl()</code>	22
3.8.2.5	<code>get_name()</code>	22
3.8.2.6	<code>get_rel_status()</code>	22
3.8.2.7	<code>set_attractiveness()</code>	22
3.8.2.8	<code>set_budget()</code>	22
3.8.2.9	<code>set_intelligence()</code>	22
3.8.2.10	<code>set_min_att_girl()</code>	23
3.8.2.11	<code>set_name()</code>	23
3.8.2.12	<code>set_rel_status()</code>	23
3.9	The_Normal_Girl Class Reference	23
3.9.1	Detailed Description	24
3.9.2	Member Function Documentation	24
3.9.2.1	<code>ge_trel_status()</code>	24
3.9.2.2	<code>get_attractiveness()</code>	24
3.9.2.3	<code>get_intelligence()</code>	24
3.9.2.4	<code>get_main_budget()</code>	24

3.9.2.5	<a href="#">get_name()</a> . . . . .	24
3.9.2.6	<a href="#">get_selection_criteria()</a> . . . . .	25
3.9.2.7	<a href="#">set_attractiveness()</a> . . . . .	25
3.9.2.8	<a href="#">set_intelligence()</a> . . . . .	25
3.9.2.9	<a href="#">set_main_budget()</a> . . . . .	25
3.9.2.10	<a href="#">set_name()</a> . . . . .	25
3.9.2.11	<a href="#">set_rel_status()</a> . . . . .	25
3.9.2.12	<a href="#">set_selection_criteria()</a> . . . . .	26
3.10	<a href="#">The_Utility_Gifts Class Reference</a> . . . . .	26
3.10.1	<a href="#">Detailed Description</a> . . . . .	26
3.10.2	<a href="#">Member Function Documentation</a> . . . . .	26
3.10.2.1	<a href="#">get_price()</a> . . . . .	26
3.10.2.2	<a href="#">get_util_class()</a> . . . . .	27
3.10.2.3	<a href="#">get_util_value()</a> . . . . .	27
3.10.2.4	<a href="#">get_value()</a> . . . . .	27
3.10.2.5	<a href="#">set_price()</a> . . . . .	27
3.10.2.6	<a href="#">set_util_class()</a> . . . . .	27
3.10.2.7	<a href="#">set_util_value()</a> . . . . .	27
3.10.2.8	<a href="#">set_value()</a> . . . . .	28
3.11	<a href="#">uvw Class Reference</a> . . . . .	28
3.11.1	<a href="#">Detailed Description</a> . . . . .	28
3.11.2	<a href="#">Friends And Related Function Documentation</a> . . . . .	28
3.11.2.1	<a href="#">gifting</a> . . . . .	28
3.11.2.2	<a href="#">input_gifts</a> . . . . .	28
3.12	<a href="#">xyz Class Reference</a> . . . . .	29
3.12.1	<a href="#">Detailed Description</a> . . . . .	29
3.12.2	<a href="#">Friends And Related Function Documentation</a> . . . . .	29
3.12.2.1	<a href="#">create_couple</a> . . . . .	29
3.12.2.2	<a href="#">input</a> . . . . .	29

<b>4</b>	<b>File Documentation</b>	<b>31</b>
4.1	kunal/ppl_q2/couple.cpp File Reference	31
4.2	kunal/ppl_q2/couple.h File Reference	31
4.3	kunal/ppl_q2/input.cpp File Reference	31
4.3.1	Function Documentation	32
4.3.1.1	create_couple()	32
4.3.1.2	input()	32
4.4	kunal/ppl_q2/input.h File Reference	32
4.4.1	Function Documentation	32
4.4.1.1	create_couple()	33
4.4.1.2	input()	33
4.5	kunal/ppl_q2/input_gifts.cpp File Reference	33
4.5.1	Function Documentation	33
4.5.1.1	gifting()	34
4.5.1.2	input_gifts()	34
4.6	kunal/ppl_q2/input_gifts.h File Reference	34
4.6.1	Function Documentation	34
4.6.1.1	gifting()	34
4.6.1.2	input_gifts()	35
4.7	kunal/ppl_q2/q2.cpp File Reference	35
4.7.1	Function Documentation	35
4.7.1.1	main()	35
4.8	kunal/ppl_q2/The_Choosy_Girl.cpp File Reference	35
4.9	kunal/ppl_q2/The_Choosy_Girl.h File Reference	35
4.10	kunal/ppl_q2/The_Desperate_Girl.cpp File Reference	36
4.11	kunal/ppl_q2/The_Desperate_Girl.h File Reference	36
4.12	kunal/ppl_q2/The_Essential_Gifts.cpp File Reference	36
4.13	kunal/ppl_q2/The_Essential_Gifts.h File Reference	36
4.14	kunal/ppl_q2/The_Geeks_Boy.cpp File Reference	36
4.15	kunal/ppl_q2/The_Geeks_Boy.h File Reference	36
4.16	kunal/ppl_q2/The_Generous_Boy.cpp File Reference	37
4.17	kunal/ppl_q2/The_Generous_Boy.h File Reference	37
4.18	kunal/ppl_q2/The_Luxury_Gifts.cpp File Reference	37
4.19	kunal/ppl_q2/The_Luxury_Gifts.h File Reference	37
4.20	kunal/ppl_q2/The_Miser_Boy.cpp File Reference	37
4.21	kunal/ppl_q2/The_Miser_Boy.h File Reference	37
4.22	kunal/ppl_q2/The_Normal_Girl.cpp File Reference	38
4.23	kunal/ppl_q2/The_Normal_Girl.h File Reference	38
4.24	kunal/ppl_q2/The_Utility_Gifts.cpp File Reference	38
4.25	kunal/ppl_q2/The_Utility_Gifts.h File Reference	38



# Chapter 1

## Class Index

### 1.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

<a href="#">couple</a>	5
<a href="#">The_Choosy_Girl</a>	7
<a href="#">The_Desperate_Girl</a>	10
<a href="#">The_Essential_Gifts</a>	12
<a href="#">The_Geeks_Boy</a>	14
<a href="#">The_Generous_Boy</a>	16
<a href="#">The_Luxury_Gifts</a>	19
<a href="#">The_Miser_Boy</a>	20
<a href="#">The_Normal_Girl</a>	23
<a href="#">The_Utility_Gifts</a>	26
<a href="#">uvw</a>	28
<a href="#">xyz</a>	29



## Chapter 2

# File Index

### 2.1 File List

Here is a list of all files with brief descriptions:

kunal/pp1_q2/couple.cpp	31
kunal/pp1_q2/couple.h	31
kunal/pp1_q2/input.cpp	31
kunal/pp1_q2/input.h	32
kunal/pp1_q2/input_gifts.cpp	33
kunal/pp1_q2/input_gifts.h	34
kunal/pp1_q2/q2.cpp	35
kunal/pp1_q2/The_Choosy_Girl.cpp	35
kunal/pp1_q2/The_Choosy_Girl.h	35
kunal/pp1_q2/The_Desperate_Girl.cpp	36
kunal/pp1_q2/The_Desperate_Girl.h	36
kunal/pp1_q2/The_Essential_Gifts.cpp	36
kunal/pp1_q2/The_Essential_Gifts.h	36
kunal/pp1_q2/The_Geeks_Boy.cpp	36
kunal/pp1_q2/The_Geeks_Boy.h	36
kunal/pp1_q2/The_Generous_Boy.cpp	37
kunal/pp1_q2/The_Generous_Boy.h	37
kunal/pp1_q2/The_Luxury_Gifts.cpp	37
kunal/pp1_q2/The_Luxury_Gifts.h	37
kunal/pp1_q2/The_Miser_Boy.cpp	37
kunal/pp1_q2/The_Miser_Boy.h	37
kunal/pp1_q2/The_Normal_Girl.cpp	38
kunal/pp1_q2/The_Normal_Girl.h	38
kunal/pp1_q2/The_Utility_Gifts.cpp	38
kunal/pp1_q2/The_Utility_Gifts.h	38



## Chapter 3

# Class Documentation

### 3.1 couple Class Reference

```
#include <couple.h>
```

#### Public Member Functions

- string [get\\_n\\_1](#) ()
- string [get\\_n\\_2](#) ()
- int [get\\_h](#) ()
- int [get\\_c](#) ()
- void [set\\_n\\_1](#) (string)
- void [set\\_n\\_2](#) (string)
- void [set\\_c](#) (int)
- void [set\\_h](#) (int)

#### 3.1.1 Detailed Description

Definition at line 5 of file couple.h.

#### 3.1.2 Member Function Documentation

##### 3.1.2.1 [get\\_c\(\)](#)

```
int couple::get_c ( )
```

Definition at line 20 of file couple.cpp.

#### 3.1.2.2 `get_h()`

```
int couple::get_h ( )
```

Definition at line 15 of file couple.cpp.

#### 3.1.2.3 `get_n_1()`

```
string couple::get_n_1 ( )
```

Definition at line 5 of file couple.cpp.

#### 3.1.2.4 `get_n_2()`

```
string couple::get_n_2 ( )
```

Definition at line 10 of file couple.cpp.

#### 3.1.2.5 `set_c()`

```
void couple::set_c (
    int ca )
```

Definition at line 40 of file couple.cpp.

#### 3.1.2.6 `set_h()`

```
void couple::set_h (
    int ha )
```

Definition at line 35 of file couple.cpp.

#### 3.1.2.7 `set_n_1()`

```
void couple::set_n_1 (
    string nal )
```

Definition at line 25 of file couple.cpp.

### 3.1.2.8 set\_n\_2()

```
void couple::set_n_2 (
    string na2 )
```

Definition at line 30 of file couple.cpp.

The documentation for this class was generated from the following files:

- [kunal/ppl\\_q2/couple.h](#)
- [kunal/ppl\\_q2/couple.cpp](#)

## 3.2 The \_Choosy\_Girl Class Reference

```
#include <The_Choosy_Girl.h>
```

### Public Member Functions

- string [get\\_name](#) ()
- int [get\\_attractiveness](#) ()
- int [get\\_intelligence](#) ()
- int [get\\_main\\_budget](#) ()
- bool [get\\_rel\\_status](#) ()
- int [get\\_selection\\_criteria](#) ()
- void [set\\_name](#) (string)
- void [set\\_attractiveness](#) (int)
- void [set\\_intelligence](#) (int)
- void [set\\_main\\_budget](#) (int)
- void [set\\_rel\\_status](#) (bool)
- void [set\\_selection\\_criteria](#) (int)

### 3.2.1 Detailed Description

Definition at line 5 of file The\_Choosy\_Girl.h.

### 3.2.2 Member Function Documentation

#### 3.2.2.1 get\_attractiveness()

```
int The_Choosy_Girl::get_attractiveness ( )
```

Definition at line 11 of file The\_Choosy\_Girl.cpp.

#### 3.2.2.2 `get_intelligence()`

```
int The_Choosy_Girl::get_intelligence ( )
```

Definition at line 16 of file `The_Choosy_Girl.cpp`.

#### 3.2.2.3 `get_main_budget()`

```
int The_Choosy_Girl::get_main_budget ( )
```

Definition at line 21 of file `The_Choosy_Girl.cpp`.

#### 3.2.2.4 `get_name()`

```
string The_Choosy_Girl::get_name ( )
```

Definition at line 6 of file `The_Choosy_Girl.cpp`.

#### 3.2.2.5 `get_rel_status()`

```
bool The_Choosy_Girl::get_rel_status ( )
```

Definition at line 26 of file `The_Choosy_Girl.cpp`.

#### 3.2.2.6 `get_selection_criteria()`

```
int The_Choosy_Girl::get_selection_criteria ( )
```

Definition at line 31 of file `The_Choosy_Girl.cpp`.

#### 3.2.2.7 `set_attractiveness()`

```
void The_Choosy_Girl::set_attractiveness (
    int a )
```

Definition at line 41 of file `The_Choosy_Girl.cpp`.



### 3.2.2.8 set\_intelligence()

```
void The_Choosy_Girl::set_intelligence (
    int intel )
```

Definition at line 46 of file The\_Choosy\_Girl.cpp.

### 3.2.2.9 set\_main\_budget()

```
void The_Choosy_Girl::set_main_budget (
    int budget )
```

Definition at line 52 of file The\_Choosy\_Girl.cpp.

### 3.2.2.10 set\_name()

```
void The_Choosy_Girl::set_name (
    string n )
```

Definition at line 36 of file The\_Choosy\_Girl.cpp.

### 3.2.2.11 set\_rel\_status()

```
void The_Choosy_Girl::set_rel_status (
    bool status )
```

Definition at line 57 of file The\_Choosy\_Girl.cpp.

### 3.2.2.12 set\_selection\_criteria()

```
void The_Choosy_Girl::set_selection_criteria (
    int criteria )
```

Definition at line 62 of file The\_Choosy\_Girl.cpp.

The documentation for this class was generated from the following files:

- [kunal/ppl\\_q2/The\\_Choosy\\_Girl.h](#)
- [kunal/ppl\\_q2/The\\_Choosy\\_Girl.cpp](#)

### 3.3 The\_Desperate\_Girl Class Reference

```
#include <The_Desperate_Girl.h>
```

#### Public Member Functions

- string [get\\_name](#) ()
- int [get\\_attractiveness](#) ()
- int [get\\_intelligence](#) ()
- int [get\\_main\\_budget](#) ()
- bool [get\\_rel\\_status](#) ()
- int [get\\_selection\\_criteria](#) ()
- void [set\\_name](#) (string)
- void [set\\_attractiveness](#) (int)
- void [set\\_intelligence](#) (int)
- void [set\\_main\\_budget](#) (int)
- void [set\\_rel\\_status](#) (bool)
- void [set\\_selection\\_criteria](#) (int)

#### 3.3.1 Detailed Description

Definition at line 5 of file The\_Desperate\_Girl.h.

#### 3.3.2 Member Function Documentation

##### 3.3.2.1 [get\\_attractiveness\(\)](#)

```
int The_Desperate_Girl::get_attractiveness ( )
```

Definition at line 9 of file The\_Desperate\_Girl.cpp.

##### 3.3.2.2 [get\\_intelligence\(\)](#)

```
int The_Desperate_Girl::get_intelligence ( )
```

Definition at line 14 of file The\_Desperate\_Girl.cpp.

#### 3.3.2.3 get\_main\_budget()

```
int The_Desperate_Girl::get_main_budget ( )
```

Definition at line 19 of file The\_Desperate\_Girl.cpp.

#### 3.3.2.4 get\_name()

```
string The_Desperate_Girl::get_name ( )
```

Definition at line 4 of file The\_Desperate\_Girl.cpp.

#### 3.3.2.5 get\_rel\_status()

```
bool The_Desperate_Girl::get_rel_status ( )
```

Definition at line 24 of file The\_Desperate\_Girl.cpp.

#### 3.3.2.6 get\_selection\_criteria()

```
int The_Desperate_Girl::get_selection_criteria ( )
```

Definition at line 29 of file The\_Desperate\_Girl.cpp.

#### 3.3.2.7 set\_attractiveness()

```
void The_Desperate_Girl::set_attractiveness (
    int a )
```

Definition at line 39 of file The\_Desperate\_Girl.cpp.

#### 3.3.2.8 set\_intelligence()

```
void The_Desperate_Girl::set_intelligence (
    int intel )
```

Definition at line 44 of file The\_Desperate\_Girl.cpp.

### 3.3.2.9 set\_main\_budget()

```
void The_Desperate_Girl::set_main_budget (
    int budget )
```

Definition at line 50 of file The\_Desperate\_Girl.cpp.

### 3.3.2.10 set\_name()

```
void The_Desperate_Girl::set_name (
    string n )
```

Definition at line 34 of file The\_Desperate\_Girl.cpp.

### 3.3.2.11 set\_rel\_status()

```
void The_Desperate_Girl::set_rel_status (
    bool status )
```

Definition at line 55 of file The\_Desperate\_Girl.cpp.

### 3.3.2.12 set\_selection\_criteria()

```
void The_Desperate_Girl::set_selection_criteria (
    int criteria )
```

Definition at line 60 of file The\_Desperate\_Girl.cpp.

The documentation for this class was generated from the following files:

- [kunal/ppl\\_q2/The\\_Desperate\\_Girl.h](#)
- [kunal/ppl\\_q2/The\\_Desperate\\_Girl.cpp](#)

## 3.4 The\_Essential\_Gifts Class Reference

```
#include <The_Essential_Gifts.h>
```

### Public Member Functions

- int [get\\_value](#) ()
- int [get\\_price](#) ()
- void [set\\_value](#) (int)
- void [set\\_price](#) (int)

### 3.4.1 Detailed Description

Definition at line 4 of file `The_Essential_Gifts.h`.

### 3.4.2 Member Function Documentation

#### 3.4.2.1 `get_price()`

```
int The_Essential_Gifts::get_price ( )
```

Definition at line 8 of file `The_Essential_Gifts.cpp`.

#### 3.4.2.2 `get_value()`

```
int The_Essential_Gifts::get_value ( )
```

Definition at line 3 of file `The_Essential_Gifts.cpp`.

#### 3.4.2.3 `set_price()`

```
void The_Essential_Gifts::set_price (
    int p )
```

Definition at line 20 of file `The_Essential_Gifts.cpp`.

#### 3.4.2.4 `set_value()`

```
void The_Essential_Gifts::set_value (
    int v )
```

Definition at line 15 of file `The_Essential_Gifts.cpp`.

The documentation for this class was generated from the following files:

- [kunal/ppl\\_q2/The\\_Essential\\_Gifts.h](#)
- [kunal/ppl\\_q2/The\\_Essential\\_Gifts.cpp](#)

## 3.5 The\_Geeks\_Boy Class Reference

```
#include <The_Geeks_Boy.h>
```

### Public Member Functions

- string [get\\_name](#) ()
- int [get\\_attractiveness](#) ()
- int [get\\_intelligence](#) ()
- int [get\\_budget](#) ()
- int [get\\_min\\_att\\_girl](#) ()
- bool [get\\_rel\\_status](#) ()
- void [set\\_name](#) (string)
- void [set\\_attractiveness](#) (int)
- void [set\\_intelligence](#) (int)
- void [set\\_budget](#) (int)
- void [set\\_min\\_att\\_girl](#) (int)
- void [set\\_rel\\_status](#) (bool)

### 3.5.1 Detailed Description

Definition at line 5 of file The\_Geeks\_Boy.h.

### 3.5.2 Member Function Documentation

#### 3.5.2.1 [get\\_attractiveness\(\)](#)

```
int The_Geeks_Boy::get_attractiveness ( )
```

Definition at line 8 of file The\_Geeks\_Boy.cpp.

#### 3.5.2.2 [get\\_budget\(\)](#)

```
int The_Geeks_Boy::get_budget ( )
```

Definition at line 19 of file The\_Geeks\_Boy.cpp.

### 3.5.2.3 get\_intelligence()

```
int The_Geeks_Boy::get_intelligence ( )
```

Definition at line 14 of file The\_Geeks\_Boy.cpp.

### 3.5.2.4 get\_min\_att\_girl()

```
int The_Geeks_Boy::get_min_att_girl ( )
```

Definition at line 24 of file The\_Geeks\_Boy.cpp.

### 3.5.2.5 get\_name()

```
string The_Geeks_Boy::get_name ( )
```

Definition at line 3 of file The\_Geeks\_Boy.cpp.

### 3.5.2.6 get\_rel\_status()

```
bool The_Geeks_Boy::get_rel_status ( )
```

Definition at line 29 of file The\_Geeks\_Boy.cpp.

### 3.5.2.7 set\_attractiveness()

```
void The_Geeks_Boy::set_attractiveness (
    int a )
```

Definition at line 39 of file The\_Geeks\_Boy.cpp.

### 3.5.2.8 set\_budget()

```
void The_Geeks_Boy::set_budget (
    int bud )
```

Definition at line 49 of file The\_Geeks\_Boy.cpp.

#### 3.5.2.9 set\_intelligence()

```
void The_Geeks_Boy::set_intelligence (
    int intel )
```

Definition at line 44 of file The\_Geeks\_Boy.cpp.

#### 3.5.2.10 set\_min\_att\_girl()

```
void The_Geeks_Boy::set_min_att_girl (
    int girl )
```

Definition at line 54 of file The\_Geeks\_Boy.cpp.

#### 3.5.2.11 set\_name()

```
void The_Geeks_Boy::set_name (
    string n )
```

Definition at line 34 of file The\_Geeks\_Boy.cpp.

#### 3.5.2.12 set\_rel\_status()

```
void The_Geeks_Boy::set_rel_status (
    bool status )
```

Definition at line 59 of file The\_Geeks\_Boy.cpp.

The documentation for this class was generated from the following files:

- [kunal/ppl\\_q2/The\\_Geeks\\_Boy.h](#)
- [kunal/ppl\\_q2/The\\_Geeks\\_Boy.cpp](#)

## 3.6 The\_Generous\_Boy Class Reference

```
#include <The_Generous_Boy.h>
```



## Public Member Functions

- string [get\\_name](#) ()
- int [get\\_attractiveness](#) ()
- int [get\\_intelligence](#) ()
- int [get\\_budget](#) ()
- int [get\\_min\\_att\\_girl](#) ()
- bool [get\\_rel\\_status](#) ()
- void [set\\_name](#) (string)
- void [set\\_attractiveness](#) (int)
- void [set\\_intelligence](#) (int)
- void [set\\_budget](#) (int)
- void [set\\_min\\_att\\_girl](#) (int)
- void [set\\_rel\\_status](#) (bool)

### 3.6.1 Detailed Description

Definition at line 5 of file The\_Generous\_Boy.h.

### 3.6.2 Member Function Documentation

#### 3.6.2.1 [get\\_attractiveness\(\)](#)

```
int The_Generous_Boy::get_attractiveness ( )
```

Definition at line 11 of file The\_Generous\_Boy.cpp.

#### 3.6.2.2 [get\\_budget\(\)](#)

```
int The_Generous_Boy::get_budget ( )
```

Definition at line 22 of file The\_Generous\_Boy.cpp.

#### 3.6.2.3 [get\\_intelligence\(\)](#)

```
int The_Generous_Boy::get_intelligence ( )
```

Definition at line 17 of file The\_Generous\_Boy.cpp.

#### 3.6.2.4 get\_min\_att\_girl()

```
int The_Generous_Boy::get_min_att_girl ( )
```

Definition at line 27 of file The\_Generous\_Boy.cpp.

#### 3.6.2.5 get\_name()

```
string The_Generous_Boy::get_name ( )
```

Definition at line 6 of file The\_Generous\_Boy.cpp.

#### 3.6.2.6 get\_rel\_status()

```
bool The_Generous_Boy::get_rel_status ( )
```

Definition at line 32 of file The\_Generous\_Boy.cpp.

#### 3.6.2.7 set\_attractiveness()

```
void The_Generous_Boy::set_attractiveness (
    int a )
```

Definition at line 42 of file The\_Generous\_Boy.cpp.

#### 3.6.2.8 set\_budget()

```
void The_Generous_Boy::set_budget (
    int bud )
```

Definition at line 52 of file The\_Generous\_Boy.cpp.

#### 3.6.2.9 set\_intelligence()

```
void The_Generous_Boy::set_intelligence (
    int intel )
```

Definition at line 47 of file The\_Generous\_Boy.cpp.

#### 3.6.2.10 set\_min\_att\_girl()

```
void The_Generous_Boy::set_min_att_girl (
    int girl )
```

Definition at line 57 of file The\_Generous\_Boy.cpp.

#### 3.6.2.11 set\_name()

```
void The_Generous_Boy::set_name (
    string n )
```

Definition at line 37 of file The\_Generous\_Boy.cpp.

#### 3.6.2.12 set\_rel\_status()

```
void The_Generous_Boy::set_rel_status (
    bool status )
```

Definition at line 62 of file The\_Generous\_Boy.cpp.

The documentation for this class was generated from the following files:

- [kunal/ppl\\_q2/The\\_Generous\\_Boy.h](#)
- [kunal/ppl\\_q2/The\\_Generous\\_Boy.cpp](#)

## 3.7 The\_Luxury\_Gifts Class Reference

```
#include <The_Luxury_Gifts.h>
```

### Public Member Functions

- [int get\\_value \(\)](#)
- [int get\\_price \(\)](#)
- [void set\\_value \(int\)](#)
- [void set\\_price \(int\)](#)

#### 3.7.1 Detailed Description

Definition at line 4 of file The\_Luxury\_Gifts.h.

### 3.7.2 Member Function Documentation

#### 3.7.2.1 `get_price()`

```
int The_Luxury_Gifts::get_price ( )
```

Definition at line 10 of file `The_Luxury_Gifts.cpp`.

#### 3.7.2.2 `get_value()`

```
int The_Luxury_Gifts::get_value ( )
```

Definition at line 5 of file `The_Luxury_Gifts.cpp`.

#### 3.7.2.3 `set_price()`

```
void The_Luxury_Gifts::set_price (
    int p )
```

Definition at line 22 of file `The_Luxury_Gifts.cpp`.

#### 3.7.2.4 `set_value()`

```
void The_Luxury_Gifts::set_value (
    int v )
```

Definition at line 17 of file `The_Luxury_Gifts.cpp`.

The documentation for this class was generated from the following files:

- [kunal/ppl\\_q2/The\\_Luxury\\_Gifts.h](#)
- [kunal/ppl\\_q2/The\\_Luxury\\_Gifts.cpp](#)

## 3.8 The\_Miser\_Boy Class Reference

```
#include <The_Miser_Boy.h>
```

## Public Member Functions

- string [get\\_name](#) ()
- int [get\\_attractiveness](#) ()
- int [get\\_intelligence](#) ()
- int [get\\_budget](#) ()
- int [get\\_min\\_att\\_girl](#) ()
- bool [get\\_rel\\_status](#) ()
- void [set\\_name](#) (string)
- void [set\\_attractiveness](#) (int)
- void [set\\_intelligence](#) (int)
- void [set\\_budget](#) (int)
- void [set\\_min\\_att\\_girl](#) (int)
- void [set\\_rel\\_status](#) (bool)

### 3.8.1 Detailed Description

Definition at line 5 of file The\_Miser\_Boy.h.

### 3.8.2 Member Function Documentation

#### 3.8.2.1 [get\\_attractiveness\(\)](#)

```
int The_Miser_Boy::get_attractiveness ( )
```

Definition at line 8 of file The\_Miser\_Boy.cpp.

#### 3.8.2.2 [get\\_budget\(\)](#)

```
int The_Miser_Boy::get_budget ( )
```

Definition at line 19 of file The\_Miser\_Boy.cpp.

#### 3.8.2.3 [get\\_intelligence\(\)](#)

```
int The_Miser_Boy::get_intelligence ( )
```

Definition at line 14 of file The\_Miser\_Boy.cpp.

#### 3.8.2.4 `get_min_att_girl()`

```
int The_Miser_Boy::get_min_att_girl ( )
```

Definition at line 24 of file `The_Miser_Boy.cpp`.

#### 3.8.2.5 `get_name()`

```
string The_Miser_Boy::get_name ( )
```

Definition at line 3 of file `The_Miser_Boy.cpp`.

#### 3.8.2.6 `get_rel_status()`

```
bool The_Miser_Boy::get_rel_status ( )
```

Definition at line 29 of file `The_Miser_Boy.cpp`.

#### 3.8.2.7 `set_attractiveness()`

```
void The_Miser_Boy::set_attractiveness (
    int a )
```

Definition at line 39 of file `The_Miser_Boy.cpp`.

#### 3.8.2.8 `set_budget()`

```
void The_Miser_Boy::set_budget (
    int bud )
```

Definition at line 49 of file `The_Miser_Boy.cpp`.

#### 3.8.2.9 `set_intelligence()`

```
void The_Miser_Boy::set_intelligence (
    int i )
```

Definition at line 44 of file `The_Miser_Boy.cpp`.

#### 3.8.2.10 set\_min\_att\_girl()

```
void The_Miser_Boy::set_min_att_girl (
    int girl )
```

Definition at line 54 of file The\_Miser\_Boy.cpp.

#### 3.8.2.11 set\_name()

```
void The_Miser_Boy::set_name (
    string name )
```

Definition at line 34 of file The\_Miser\_Boy.cpp.

#### 3.8.2.12 set\_rel\_status()

```
void The_Miser_Boy::set_rel_status (
    bool status )
```

Definition at line 59 of file The\_Miser\_Boy.cpp.

The documentation for this class was generated from the following files:

- [kunal/ppl\\_q2/The\\_Miser\\_Boy.h](#)
- [kunal/ppl\\_q2/The\\_Miser\\_Boy.cpp](#)

## 3.9 The\_Normal\_Girl Class Reference

```
#include <The_Normal_Girl.h>
```

### Public Member Functions

- string [get\\_name](#) ()
- int [get\\_attractiveness](#) ()
- int [get\\_intelligence](#) ()
- int [get\\_main\\_budget](#) ()
- bool [ge\\_trel\\_status](#) ()
- int [get\\_selection\\_criteria](#) ()
- void [set\\_name](#) (string)
- void [set\\_attractiveness](#) (int)
- void [set\\_intelligence](#) (int)
- void [set\\_main\\_budget](#) (int)
- void [set\\_rel\\_status](#) (bool)
- void [set\\_selection\\_criteria](#) (int)

### 3.9.1 Detailed Description

Definition at line 5 of file The\_Normal\_Girl.h.

### 3.9.2 Member Function Documentation

#### 3.9.2.1 ge\_trel\_status()

```
bool The_Normal_Girl::ge_trel_status ( )
```

#### 3.9.2.2 get\_attractiveness()

```
int The_Normal_Girl::get_attractiveness ( )
```

Definition at line 9 of file The\_Normal\_Girl.cpp.

#### 3.9.2.3 get\_intelligence()

```
int The_Normal_Girl::get_intelligence ( )
```

Definition at line 14 of file The\_Normal\_Girl.cpp.

#### 3.9.2.4 get\_main\_budget()

```
int The_Normal_Girl::get_main_budget ( )
```

Definition at line 19 of file The\_Normal\_Girl.cpp.

#### 3.9.2.5 get\_name()

```
string The_Normal_Girl::get_name ( )
```

Definition at line 4 of file The\_Normal\_Girl.cpp.



#### 3.9.2.6 get\_selection\_criteria()

```
int The_Normal_Girl::get_selection_criteria ( )
```

Definition at line 29 of file The\_Normal\_Girl.cpp.

#### 3.9.2.7 set\_attractiveness()

```
void The_Normal_Girl::set_attractiveness (
    int a )
```

Definition at line 39 of file The\_Normal\_Girl.cpp.

#### 3.9.2.8 set\_intelligence()

```
void The_Normal_Girl::set_intelligence (
    int intel )
```

Definition at line 44 of file The\_Normal\_Girl.cpp.

#### 3.9.2.9 set\_main\_budget()

```
void The_Normal_Girl::set_main_budget (
    int budget )
```

Definition at line 50 of file The\_Normal\_Girl.cpp.

#### 3.9.2.10 set\_name()

```
void The_Normal_Girl::set_name (
    string n )
```

Definition at line 34 of file The\_Normal\_Girl.cpp.

#### 3.9.2.11 set\_rel\_status()

```
void The_Normal_Girl::set_rel_status (
    bool status )
```

Definition at line 55 of file The\_Normal\_Girl.cpp.

### 3.9.2.12 set\_selection\_criteria()

```
void The_Normal_Girl::set_selection_criteria (
    int criteria )
```

Definition at line 60 of file The\_Normal\_Girl.cpp.

The documentation for this class was generated from the following files:

- [kunal/ppl\\_q2/The\\_Normal\\_Girl.h](#)
- [kunal/ppl\\_q2/The\\_Normal\\_Girl.cpp](#)

## 3.10 The\_Utility\_Gifts Class Reference

```
#include <The_Utility_Gifts.h>
```

### Public Member Functions

- [int get\\_util\\_value \(\)](#)
- [int get\\_util\\_class \(\)](#)
- [int get\\_value \(\)](#)
- [int get\\_price \(\)](#)
- [void set\\_util\\_value \(int\)](#)
- [void set\\_util\\_class \(int\)](#)
- [void set\\_value \(int\)](#)
- [void set\\_price \(int\)](#)

### 3.10.1 Detailed Description

Definition at line 4 of file The\_Utility\_Gifts.h.

### 3.10.2 Member Function Documentation

#### 3.10.2.1 get\_price()

```
int The_Utility_Gifts::get_price ( )
```

Definition at line 20 of file The\_Utility\_Gifts.cpp.

#### 3.10.2.2 get\_util\_class()

```
int The_Utility_Gifts::get_util_class ( )
```

Definition at line 10 of file The\_Utility\_Gifts.cpp.

#### 3.10.2.3 get\_util\_value()

```
int The_Utility_Gifts::get_util_value ( )
```

Definition at line 5 of file The\_Utility\_Gifts.cpp.

#### 3.10.2.4 get\_value()

```
int The_Utility_Gifts::get_value ( )
```

Definition at line 15 of file The\_Utility\_Gifts.cpp.

#### 3.10.2.5 set\_price()

```
void The_Utility_Gifts::set_price (
    int p )
```

Definition at line 41 of file The\_Utility\_Gifts.cpp.

#### 3.10.2.6 set\_util\_class()

```
void The_Utility_Gifts::set_util_class (
    int u_class )
```

Definition at line 30 of file The\_Utility\_Gifts.cpp.

#### 3.10.2.7 set\_util\_value()

```
void The_Utility_Gifts::set_util_value (
    int value )
```

Definition at line 25 of file The\_Utility\_Gifts.cpp.

### 3.10.2.8 set\_value()

```
void The_Utility_Gifts::set_value (
    int v )
```

Definition at line 36 of file The\_Utility\_Gifts.cpp.

The documentation for this class was generated from the following files:

- [kunal/pp1\\_q2/The\\_Utility\\_Gifts.h](#)
- [kunal/pp1\\_q2/The\\_Utility\\_Gifts.cpp](#)

## 3.11 uvw Class Reference

```
#include <input_gifts.h>
```

### Friends

- void [input\\_gifts](#) ()
- void [gifting](#) ([The\\_Utility\\_Gifts](#) x[])

### 3.11.1 Detailed Description

Definition at line 11 of file input\_gifts.h.

### 3.11.2 Friends And Related Function Documentation

#### 3.11.2.1 gifting

```
void gifting (
    The\_Utility\_Gifts x[] ) [friend]
```

Definition at line 53 of file input\_gifts.cpp.

#### 3.11.2.2 input\_gifts

```
void input_gifts ( ) [friend]
```

Definition at line 20 of file input\_gifts.cpp.

The documentation for this class was generated from the following file:

- [kunal/pp1\\_q2/input\\_gifts.h](#)

## 3.12 xyz Class Reference

```
#include <input.h>
```

### Friends

- void [input](#) ()
- void [create\\_couple](#) ([The\\_Choosy\\_Girl](#) x[], [The\\_Generous\\_Boy](#) y[])

### 3.12.1 Detailed Description

Definition at line 10 of file input.h.

### 3.12.2 Friends And Related Function Documentation

#### 3.12.2.1 [create\\_couple](#)

```
void create_couple (  
    The\_Choosy\_Girl x[],  
    The\_Generous\_Boy y[] )    [friend]
```

Definition at line 69 of file input.cpp.

#### 3.12.2.2 [input](#)

```
void input ( )    [friend]
```

Definition at line 17 of file input.cpp.

The documentation for this class was generated from the following file:

- [kunal/ppl\\_q2/input.h](#)



## Chapter 4

# File Documentation

### 4.1 kunal/pp1\_q2/couple.cpp File Reference

```
#include "couple.h"  
#include <string>
```

### 4.2 kunal/pp1\_q2/couple.h File Reference

```
#include <string>
```

#### Classes

- class `couple`

### 4.3 kunal/pp1\_q2/input.cpp File Reference

```
#include "input.h"  
#include <fstream>  
#include <iostream>  
#include <string>  
#include <cstdlib>  
#include <ctime>  
#include "The_Miser_Boy.h"  
#include "The_Generous_Boy.h"  
#include "The_Geeks_Boy.h"  
#include "The_Choosy_Girl.h"  
#include "The_Normal_Girl.h"  
#include "The_Desperate_Girl.h"
```

## Functions

- void [input](#) ()
- void [create\\_couple](#) ([The\\_Choosy\\_Girl](#) x[], [The\\_Generous\\_Boy](#) y[])

### 4.3.1 Function Documentation

#### 4.3.1.1 [create\\_couple](#)()

```
void create_couple (
    The\_Choosy\_Girl x[],
    The\_Generous\_Boy y[] )
```

Definition at line 69 of file [input.cpp](#).

#### 4.3.1.2 [input](#)()

```
void input ( )
```

Definition at line 17 of file [input.cpp](#).

## 4.4 [kunal/pp1\\_q2/input.h](#) File Reference

```
#include "The_Miser_Boy.h"
#include "The_Generous_Boy.h"
#include "The_Geeks_Boy.h"
#include "The_Choosy_Girl.h"
#include "The_Normal_Girl.h"
#include "The_Desperate_Girl.h"
```

## Classes

- class [xyz](#)

## Functions

- void [input](#) ()
- void [create\\_couple](#) ([The\\_Choosy\\_Girl](#) x[], [The\\_Generous\\_Boy](#) y[])

### 4.4.1 Function Documentation



#### 4.4.1.1 create\_couple()

```
void create_couple (
    The_Choosy_Girl x[],
    The_Generous_Boy y[] )
```

Definition at line 69 of file input.cpp.

#### 4.4.1.2 input()

```
void input ( )
```

Definition at line 17 of file input.cpp.

## 4.5 kunal/ppl\_q2/input\_gifts.cpp File Reference

```
#include "input_gifts.h"
#include <fstream>
#include <iostream>
#include <string>
#include <cstdlib>
#include <ctime>
#include "The_Miser_Boy.h"
#include "The_Generous_Boy.h"
#include "The_Geeks_Boy.h"
#include "The_Choosy_Girl.h"
#include "The_Normal_Girl.h"
#include "The_Desperate_Girl.h"
#include "The_Essential_Gifts.h"
#include "The_Luxury_Gifts.h"
#include "The_Utility_Gifts.h"
#include "couple.h"
```

### Functions

- void [input\\_gifts](#) ()
- void [gifting](#) ([The\\_Utility\\_Gifts](#) x[])

#### 4.5.1 Function Documentation

#### 4.5.1.1 gifting()

```
void gifting (
    The_Utility_Gifts x[] )
```

Definition at line 53 of file input\_gifts.cpp.

#### 4.5.1.2 input\_gifts()

```
void input_gifts ( )
```

Definition at line 20 of file input\_gifts.cpp.

## 4.6 kunal/ppl\_q2/input\_gifts.h File Reference

```
#include "The_Miser_Boy.h"
#include "The_Generous_Boy.h"
#include "The_Geeks_Boy.h"
#include "The_Choosy_Girl.h"
#include "The_Normal_Girl.h"
#include "The_Desperate_Girl.h"
#include "The_Utility_Gifts.h"
#include "couple.h"
```

### Classes

- class [uvw](#)

### Functions

- void [input\\_gifts](#) ()
- void [gifting](#) ([The\\_Utility\\_Gifts](#) x[])

#### 4.6.1 Function Documentation

##### 4.6.1.1 gifting()

```
void gifting (
    The_Utility_Gifts x[] )
```

Definition at line 53 of file input\_gifts.cpp.

#### 4.6.1.2 input\_gifts()

```
void input_gifts ( )
```

Definition at line 20 of file input\_gifts.cpp.

## 4.7 kunal/pp1\_q2/q2.cpp File Reference

```
#include "The_Miser_Boy.h"  
#include "The_Generous_Boy.h"  
#include "The_Geeks_Boy.h"  
#include "The_Choosy_Girl.h"  
#include "The_Normal_Girl.h"  
#include "The_Desperate_Girl.h"  
#include "input.h"  
#include "input_gifts.h"  
#include "The_Luxury_Gifts.h"  
#include "The_Essential_Gifts.h"  
#include "The_Utility_Gifts.h"  
#include "couple.h"  
#include <string>
```

### Functions

- int [main](#) ()

#### 4.7.1 Function Documentation

##### 4.7.1.1 main()

```
int main ( )
```

Definition at line 15 of file q2.cpp.

## 4.8 kunal/pp1\_q2/The\_Choosy\_Girl.cpp File Reference

```
#include "The_Choosy_Girl.h"  
#include <string>
```

## 4.9 kunal/pp1\_q2/The\_Choosy\_Girl.h File Reference

```
#include <string>
```

## Classes

- class [The\\_Choosy\\_Girl](#)

### 4.10 kunal/ppl\_q2/The\_Desperate\_Girl.cpp File Reference

```
#include "The_Desperate_Girl.h"  
#include <string>
```

### 4.11 kunal/ppl\_q2/The\_Desperate\_Girl.h File Reference

```
#include <string>
```

## Classes

- class [The\\_Desperate\\_Girl](#)

### 4.12 kunal/ppl\_q2/The\_Essential\_Gifts.cpp File Reference

```
#include "The_Essential_Gifts.h"
```

### 4.13 kunal/ppl\_q2/The\_Essential\_Gifts.h File Reference

## Classes

- class [The\\_Essential\\_Gifts](#)

### 4.14 kunal/ppl\_q2/The\_Geeks\_Boy.cpp File Reference

```
#include "The_Geeks_Boy.h"
```

### 4.15 kunal/ppl\_q2/The\_Geeks\_Boy.h File Reference

```
#include <string>
```

## Classes

- class [The\\_Geeks\\_Boy](#)

## 4.16 kunal/ppl\_q2/The\_Generous\_Boy.cpp File Reference

```
#include "The_Generous_Boy.h"  
#include <string>
```

## 4.17 kunal/ppl\_q2/The\_Generous\_Boy.h File Reference

```
#include <string>
```

## Classes

- class [The\\_Generous\\_Boy](#)

## 4.18 kunal/ppl\_q2/The\_Luxury\_Gifts.cpp File Reference

```
#include "The_Luxury_Gifts.h"  
#include <bits/stdc++.h>
```

## 4.19 kunal/ppl\_q2/The\_Luxury\_Gifts.h File Reference

## Classes

- class [The\\_Luxury\\_Gifts](#)

## 4.20 kunal/ppl\_q2/The\_Miser\_Boy.cpp File Reference

```
#include "The_Miser_Boy.h"
```

## 4.21 kunal/ppl\_q2/The\_Miser\_Boy.h File Reference

```
#include <string>
```

## Classes

- class [The\\_Miser\\_Boy](#)

## 4.22 kunal/ppl\_q2/The\_Normal\_Girl.cpp File Reference

```
#include "The_Normal_Girl.h"  
#include <string>
```

## 4.23 kunal/ppl\_q2/The\_Normal\_Girl.h File Reference

```
#include <string>
```

## Classes

- class [The\\_Normal\\_Girl](#)

## 4.24 kunal/ppl\_q2/The\_Utility\_Gifts.cpp File Reference

```
#include "The_Utility_Gifts.h"  
#include <string>
```

## 4.25 kunal/ppl\_q2/The\_Utility\_Gifts.h File Reference

## Classes

- class [The\\_Utility\\_Gifts](#)