Population in: Total, US, and Non−US Born in MO mil, log−scale)


Legend:
- Total
- US born
- Non−US Born
- Reported data
- model

Total Population in by Age Group 2017 in MO (mil,log−scale)


Age Group: 0–4 years, 5–14 years, 15–24 years, 25–34 years, 35–44 years, 45–54 years, 55–64 years, 65–74 years, 75–84 years, 85+ years

Legend:
- US born
- Non−US Born
- Reported data

Population Homeless in Past Yr in MO

Legend:
- Reported data
- Fitted model

Total Mortality in MO (in millions)

Legend:
- Total
- Reported data
- model

**Mortality Distribution by Age in MO , 2016 (%)**

Total TB Cases Identified in MO , 1993−2020

TB Cases Identified in MO by Nativity, 1995−2020

**Percent of TB Cases Non−US Born in MO , 1995−2020**

**Percent of Non–US Born Cases Arrived in Past 2 Yrs in MO**

TB Cases By Age in MO , 1995–2020

Age Distribution of TB Cases (%) in MO , 1996–20

Average Age of Notified TB Case in MO , 1950–2020

Percent of TB Cases Homeless in Past Yr in MO

Reported data

Fitted model

Fraction of Incident TB from Recent Infection (<2 years) in MO

2019 reported data (assumed no change)

Model

All	0.10	
0–4 yrs	0.92	
5–14 yrs	0.37	
15–24 yrs	0.33	
25–34 yrs	0.17	
35–44 yrs	0.13	
45–54 yrs	0.10	
55–64 yrs	0.05	
65–74 yrs	0.02	
75–84 yrs	0.01	
85–94 yrs	0.01	
95+ yrs	0.01	
US born	0.15	
Foreign born	0.07	
FB >2yrs	0.07	
Homeless	0.73	

IPT Treatment Initiations By Risk Group (%) in MO

Foreign–born

Homeless

Reported data

Fitted model

Treatment Outcomes: Discontinued and Died (%) in MO

Discontinued

Died

Reported data

Model

**IGRA+ LTBI in US Born Population 2011 by Age (%) in MO [NATIONAL]**

**IGRA+ LTBI in Non−US Born Population 2011 by Age (%) in MO [NATIONAL]**

**Total TB Deaths by Age Group 1999−2018 in MO (%) [NATIONAL]**

Total TB Deaths by Year 2008−2020 in MO

Reactivation rate vs. Ferebee, Sutherland estimates

Reactivation rate per 1000 PY

Years since infection

- Ferebee 1970
- Sutherland 1968
- Fitted model

Reactivation rate vs Ferebee & Sutherland estimates, log-scale

Reactivation rate per 1000 PY (log scale)

Years since infection

- Ferebee 1970
- Sutherland 1968
- Fitted model

Fraction without active TB (of those progressing <15yrs)

Fraction without active TB

Years since infection

- Borgdorff 2011
- Fitted model

Cumulative incidence of active TB following M.tb infection at age 15 (%)

Years since infection

Cumulative incidence of active TB following M.tb infection at age 15 (%)

Years since infection