**Population: Total, US, and Non-US Born (mil, log-scale)**

Total Population by Age Group 2014 (mil, log-scale)

Mortality: Total, US, and Non-US Born (mil)

Total TB Cases Identified (000s), 1953-2014

Total TB Cases Identified (000s), 2000–2014

Reported data (all) · · · Model (all) —
Reported data (US born) · · · Model (US born) —
Reported data (non–US born) · · · Model (non–US born) —

Percent of TB Cases Non–US Born, 2006–2016

Reported data · · ·
Model —

Percent of Non–US Born Cases Arrived in Past 2 Yrs

Reported data · · ·
Model —

TB Cases By Age (000s), 2006–16

0–24 years
25–44 years
45–64 years
65+ years
Reported data · · ·
Model —

**Age Distribution of TB Cases (%), 2006–16**

**Treatment Outcomes: Discontinued and Died (%)**

IGRA+ LTBI in US Born Population 2011 by Age (%)

**IGRA+ LTBI in Non–US Born Population 2011 by Age (%)**

Total TB Deaths by Age Group 1999–2014

Total TB Deaths by Year 2004–2014

Reactivation rate vs. Ferebee, Sutherland estimates

Reactivation rate vs Ferebee & Sutherland estimates, log−scale

Fraction without active TB (of those progressing <15yrs)

Legend:
- Borgdorff 2011
- Fitted model

Y-axis: Fraction without active TB

X-axis: Years since infection