Population in: Total, US, and Non−US Born in NV mil, log−scale)

Legend:
- Total
- US born
- Non−US Born
- Reported data
- model

Total Population in by Age Group 2017 in NV (mil,log−scale)

Legend:
- US born
- Non−US Born
- Reported data

Population Homeless in Past Yr in NV

Legend:
- Reported data
- Fitted model

Total Mortality in NV (in millions)

Legend:
- Total
- Reported data
- model

Mortality Distribution by Age in NV , 2016 (%)

**Total TB Cases Identified in NV , 1993–2020**

TB Cases Identified in NV by Nativity, 1995–2020

Percent of TB Cases Non–US Born in NV , 1995–2020

Percent of Non−US Born Cases Arrived in Past 2 Yrs in NV

- ⋯•⋯ Reported data
- —— Model

TB Cases By Age in NV , 1995−2020

- ■ 0−26 years
- ■ 25−44 years
- ■ 45−64 years
- ■ 65+ years
- ⋯•⋯ Reported data
- —— Model

Age Distribution of TB Cases (%) in NV , 1996−20

- ● Reported data
- ■ Model

Average Age of Notified TB Case in NV , 1950−2020

Percent of TB Cases Homeless in Past Yr in NV (top left)

Reported data
Fitted model

Fraction of Incident TB from Recent Infection (<2 years) in NV (top right)

2019 reported data (assumed no change)
Model

Category	Value
All	0.15
0–4 yrs	0.91
5–14 yrs	0.41
15–24 yrs	0.46
25–34 yrs	0.26
35–44 yrs	0.20
45–54 yrs	0.14
55–64 yrs	0.08
65–74 yrs	0.03
75–84 yrs	0.02
85–94 yrs	0.01
95+ yrs	0.01
US born	0.46
Foreign born	0.06
FB >2yrs	0.06
Homeless	0.80

IPT Treatment Initiations By Risk Group (%) in NV (bottom left)

Foreign–born
Homeless
Reported data
Fitted model

Treatment Outcomes: Discontinued and Died (%) in NV (bottom right)

Discontinued
Died
Reported data
Model

IGRA+ LTBI in US Born Population 2011 by Age (%) in NV [NATIONAL]

IGRA+ LTBI in Non−US Born Population 2011 by Age (%) in NV [NATIONAL]

Total TB Deaths by Age Group 1999−2018 in NV (%) [NATIONAL]

Total TB Deaths by Year 2008−2020 in NV

Reactivation rate vs. Ferebee, Sutherland estimates

Ferebee 1970
Sutherland 1968
Fitted model

Reactivation rate per 1000 PY

Years since infection

Reactivation rate vs Ferebee & Sutherland estimates, log–scale

Ferebee 1970
Sutherland 1968
Fitted model

Reactivation rate per 1000 PY (log scale)

Years since infection

Fraction without active TB (of those progressing <15yrs)

Borgdorff 2011
Fitted model

Fraction without active TB

Years since infection

Cumulative incidence of active TB following M.tb infection at age 15 (%)

Years since infection

Cumulative incidence of active TB following M.tb infection at age 15 (%)

Years since infection