

CATALOGUE COMPÉTENCES

Antigravity AI CLI Ecosystem

Total : 1581 compétences
installées

00-andruia-consultant

00-andruia-consultant

Arquitecto de Soluciones Principal y Consultor Tecnológico de Andru.ia. Diagnostica y traza la hoja de ruta óptima para proyectos de IA en español.

007

007

Security audit, hardening, threat modeling (STRIDE/PASTA), Red/Blue Team, OWASP checks, code review, incident response, and infrastructure security for any project.

10-andruia-skill-smith

10-andruia-skill-smith

Ingeniero de Sistemas de Andru.ia. Diseña, redacta y despliega nuevas habilidades (skills) dentro del repositorio siguiendo el Estándar de Diamante.

20-andruia-niche-intelligence

20-andruia-niche-intelligence

Estratega de Inteligencia de Dominio de Andru.ia. Analiza el nicho específico de un proyecto para inyectar conocimientos, regulaciones y estándares únicos del sector. Actívalo tras definir el nicho.

2slides-ppt-generator

2slides-ppt-generator

AI-powered presentation generation via the 2slides API — create slides from text, match a reference image style, summarize documents into decks, add AI voice narration, and export pages/audio. Use for any "make slides", "create a deck", or "slides from this document" request.

3d-web-experience

3d-web-experience

Expert in building 3D experiences for the web - Three.js, React

ab-test-setup

ab-test-setup

Structured guide for setting up A/B tests with mandatory gates for hypothesis, metrics, and execution readiness.

acceptance-orchestrator

acceptance-orchestrator

Use when a coding task should be driven end-to-end from issue intake through implementation, review, deployment, and acceptance verification with minimal human re-intervention.

accessibility-compliance-accessibility-audit

accessibility-compliance-accessibility-audit

You are an accessibility expert specializing in WCAG compliance, inclusive design, and assistive technology compatibility. Conduct audits, identify barriers, and provide remediation guidance.

accesslint-audit

`accesslint-audit`

Find and fix WCAG 2.2 accessibility issues. Two modes — report (sweep a codebase or page, produce a prioritized written report, no edits) and fix (audit→edit→verify loop on a target). Prefers direct-CDP live-DOM auditing; falls back to a browser-MCP composition or HTML-string audits.

accesslint-diff

`accesslint-diff`

Diff a live page's accessibility violations against a baseline — by default compares uncommitted changes (stash-based), or pass `--branch []` to diff against a branch. Reports only new violations introduced, violations fixed, and pre-existing count. Use ``scan`` for a full audit with no diffing.

accesslint-scan

`accesslint-scan`

Audit a live page for accessibility issues, locate each WCAG violation precisely, and return a selector-grounded fix worklist without editing.

accint-solve

`accint-solve`

Route agent work through AccInt's MCP memory loop: retrieve prior outcomes, resolve frames, and close commitments with evidence.

active-directory-attacks

`active-directory-attacks`

Provide comprehensive techniques for attacking Microsoft Active Directory environments. Covers reconnaissance, credential harvesting, Kerberos attacks, lateral movement, privilege escalation, and domain dominance for red team operations and penetration testing.

activecampaign-automation

activecampaign-automation

Automate ActiveCampaign tasks via Rube MCP (Composio): manage contacts, tags, list subscriptions, automation enrollment, and tasks. Always search tools first for current schemas.

ad-creative

ad-creative

Create, iterate, and scale paid ad creative for Google Ads, Meta, LinkedIn, TikTok, and similar platforms. Use when generating headlines, descriptions, primary text, or large sets of ad variations for testing and performance optimization.

address-github-comments

address-github-comments

Use when you need to address review or issue comments on an open GitHub Pull Request using the gh CLI.

adx

adx

Fetch any X/Twitter post as clean LLM-friendly JSON. Converts x.com, twitter.com, or adx.com links into structured data with full article content, author info, and engagement metrics. No scraping or browser required.

advanced-evaluation

advanced-evaluation

This skill should be used when the user asks to "implement LLM-as-judge", "compare model outputs", "create evaluation rubrics", "mitigate evaluation bias", or mentions direct scoring, pairwise comparison, position bias, evaluation pipelines, or automated quality assessment.

advogado-criminal

advogado-criminal

Advogado criminalista especializado em Maria da Penha, violencia domestica, feminicidio, direito penal brasileiro, medidas protetivas, inquerito policial e acao penal.

advogado-especialista

advogado-especialista

Advogado especialista em todas as areas do Direito brasileiro: familia, criminal, trabalhista, tributario, consumidor, imobiliario, empresarial, civil e constitucional.

aegisops-ai

aegisops-ai

Autonomous DevSecOps & FinOps Guardrails. Orchestrates Gemini 3 Flash to audit Linux Kernel patches, Terraform cost drifts, and K8s compliance.

agent-creator

agent-creator

Create custom AI subagents with proper plugin structure, persona generation, and companion routing skills.

agent-evaluation

agent-evaluation

Testing and benchmarking LLM agents including behavioral testing,

agent-framework-azure-ai-py

agent-framework-azure-ai-py

Build persistent agents on Azure AI Foundry using the Microsoft Agent Framework Python SDK.

agent-manager-skill

agent-manager-skill

Manage multiple local CLI agents via tmux sessions (start/stop/monitor/assign) with cron-friendly scheduling.

agent-memory-mcp

agent-memory-mcp

A hybrid memory system that provides persistent, searchable knowledge management for AI agents (Architecture, Patterns, Decisions).

agent-memory-systems

agent-memory-systems

Memory is the cornerstone of intelligent agents. Without it, every

agent-orchestration-improve-agent

agent-orchestration-improve-agent

Systematic improvement of existing agents through performance analysis, prompt engineering, and continuous iteration.

agent-orchestration-multi-agent-optimize

agent-orchestration-multi-agent-optimize

Optimize multi-agent systems with coordinated profiling, workload distribution, and cost-aware orchestration. Use when improving agent performance, throughput, or reliability.

agent-orchestrator

agent-orchestrator

Meta-skill que orquestra todos os agentes do ecossistema. Scan automatico de skills, match por capacidades, coordenacao de workflows multi-skill e registry management.

agent-squad

agent-squad

Main agent orchestrator that coordinates a specialized squad of agents

agent-tool-builder

agent-tool-builder

Tools are how AI agents interact with the world. A well-designed

agentflow

agentflow

Orchestrate autonomous AI development pipelines through your Kanban board (Asana, GitHub Projects, Linear). Manages multi-worker Claude Code dispatch, deterministic quality gates, adversarial review, per-task cost tracking, and crash-proof pipeline execution.

agentfolio

agentfolio

Skill for discovering and researching autonomous AI agents, tools, and ecosystems using the AgentFolio directory.

agentic-actions-auditor

agentic-actions-auditor

>

agentmail

agentmail

Email infrastructure for AI agents. Create accounts, send/receive emails, manage webhooks, and check karma balance via the AgentMail API.

agentphone

agentphone

Build AI phone agents with AgentPhone API. Use when the user wants to make phone calls, send/receive SMS, manage phone numbers, create voice agents, set up webhooks, or check usage — anything related to telephony, phone numbers, or voice AI.

agents-md

agents-md

This skill should be used when the user asks to "create AGENTS.md", "update AGENTS.md", "maintain agent docs", "set up CLAUDE.md", or needs to keep agent instructions concise. Enforces research-backed best practices for minimal, high-signal agent documentation.

agents-v2-py

agents-v2-py

Build container-based Foundry Agents with Azure AI Projects SDK (ImageBasedHostedAgentDefinition). Use when creating hosted agents with custom container images in Azure AI Foundry.

agenttrace-session-audit

agenttrace-session-audit

Audit local AI coding-agent sessions with agenttrace for cost, tool failures, latency, anomalies, health, diffs, and CI gates.

ai-agent-development

ai-agent-development

AI agent development workflow for building autonomous agents, multi-agent systems, and agent orchestration with CrewAI, LangGraph, and custom agents.

ai-agents-architect

ai-agents-architect

Expert in designing and building autonomous AI agents. Masters tool

ai-analyzer

ai-analyzer

AI驱动的综合健康分析系统，整合多维度健康数据、识别异常模式、预测健康风险、提供个性化建议。支持智能问答和AI健康报告生成。

ai-dev-jobs-mcp

ai-dev-jobs-mcp

Search 8,400+ AI and ML jobs across 489 companies, inspect listings and employers, match roles, and view salary and market stats via AI Dev Jobs MCP

ai-engineer

ai-engineer

Build production-ready LLM applications, advanced RAG systems, and intelligent agents. Implements vector search, multimodal AI, agent orchestration, and enterprise AI integrations.

ai-engineering-toolkit

ai-engineering-toolkit

6 production-ready AI engineering workflows: prompt evaluation (8-dimension scoring), context budget planning, RAG pipeline design, agent security audit (65-point checklist), eval harness building, and product sense coaching.

ai-md

ai-md

Convert human-written CLAUDE.md into AI-native structured-label format. Battle-tested across 4 models. Same rules, fewer tokens, higher compliance.

ai-ml

ai-ml

AI and machine learning workflow covering LLM application development, RAG implementation, agent architecture, ML pipelines, and AI-powered features.

ai-native-cli

ai-native-cli

Design spec with 98 rules for building CLI tools that AI agents can safely use. Covers structured JSON output, error handling, input contracts, safety guardrails, exit codes, and agent self-description.

ai-product

ai-product

Every product will be AI-powered. The question is whether you'll

ai-seo

ai-seo

Optimize content for AI search and LLM citations across AI Overviews, ChatGPT, Perplexity, Claude, Gemini, and similar systems. Use when improving AI visibility, answer engine optimization, or citation readiness.

ai-studio-image

ai-studio-image

Geracao de imagens humanizadas via Google AI Studio (Gemini). Fotos realistas estilo influencer ou educacional com iluminacao natural e imperfeicoes sutis.

ai-wrapper-product

ai-wrapper-product

Expert in building products that wrap AI APIs (OpenAI, Anthropic,

airflow-dag-patterns

airflow-dag-patterns

Build production Apache Airflow DAGs with best practices for operators, sensors, testing, and deployment. Use when creating data pipelines, orchestrating workflows, or scheduling batch jobs.

airtable-automation

airtable-automation

Automate Airtable tasks via Rube MCP (Composio): records, bases, tables, fields, views. Always search tools first for current schemas.

akf-trust-metadata

akf-trust-metadata

The AI native file format. EXIF for AI — stamps every file with trust scores, source provenance, and compliance metadata. Embeds into 20+ formats (DOCX, PDF, images, code). EU AI Act, SOX, HIPAA auditing.

algolia-search

algolia-search

Expert patterns for Algolia search implementation, indexing

algorithmic-art

algorithmic-art

Algorithmic philosophies are computational aesthetic movements that are then expressed through code. Output .md files (philosophy), .html files (interactive viewer), and .js files (generative algorithms).

alpha-vantage

alpha-vantage

Access 20+ years of global financial data: equities, options, forex, crypto, commodities, economic indicators, and 50+ technical indicators.

amazon-alexa

amazon-alexa

Integracao completa com Amazon Alexa para criar skills de voz inteligentes, transformar Alexa em assistente com Claude como cerebro (projeto Auri) e integrar com AWS ecosystem (Lambda, DynamoDB, Polly, Transcribe, Lex, Smart Home).

amplitude-automation

amplitude-automation

Automate Amplitude tasks via Rube MCP (Composio): events, user activity, cohorts, user identification. Always search tools first for current schemas.

analytics-product

analytics-product

Analytics de produto — PostHog, Mixpanel, eventos, funnels, cohorts, retencao, north star metric, OKRs e dashboards de produto.

analytics-tracking

analytics-tracking

Design, audit, and improve analytics tracking systems that produce reliable, decision-ready data.

analyze-project

analyze-project

Forensic root cause analyzer for Antigravity sessions. Classifies scope deltas, rework patterns, root causes, hotspots, and auto-improves prompts/health.

andrej-karpathy

andrej-karpathy

Behavioral guidelines to reduce common LLM coding mistakes. Use when writing, reviewing, or refactoring code to avoid overcomplication, make surgical changes, surface assumptions, and define verifiable success criteria.

android_ui_verification

android_ui_verification

Automated end-to-end UI testing and verification on an Android Emulator using ADB.

android-cli

android-cli

Orchestrates Android development tasks including project creation, deployment, SDK management, and environment diagnostics using the `android` command-line tool.

android-dev

android-dev

Production-grade Android app development guide covering native (Kotlin/Java), cross-platform (Flutter, RN, KMM), and hybrid architectures.

android-jetpack-compose-expert

android-jetpack-compose-expert

Expert guidance for building modern Android UIs with Jetpack Compose, covering state management, navigation, performance, and Material Design 3.

android-ui-journey-testing

android-ui-journey-testing

XML-specified Android UI journey testing, interactive step execution, assertion verification, and JSON outcome reporting.

angular

angular

Modern Angular (v20+) expert with deep knowledge of Signals, Standalone Components, Zoneless applications, SSR/Hydration, and reactive patterns.

angular-best-practices

angular-best-practices

Angular performance optimization and best practices guide. Use when writing, reviewing, or refactoring Angular code for optimal performance, bundle size, and rendering efficiency.

angular-migration

angular-migration

Master AngularJS to Angular migration, including hybrid apps, component conversion, dependency injection changes, and routing migration.

angular-state-management

angular-state-management

Master modern Angular state management with Signals, NgRx, and RxJS. Use when setting up global state, managing component stores, choosing between state solutions, or migrating from legacy patterns.

angular-ui-patterns

angular-ui-patterns

Modern Angular UI patterns for loading states, error handling, and data display. Use when building UI components, handling async data, or managing component states.

anti-reversing-techniques

anti-reversing-techniques

AUTHORIZED USE ONLY: This skill contains dual-use security techniques. Before proceeding with any bypass or analysis: > 1.

anti-sycophancy

anti-sycophancy

Eliminate sycophantic agreement patterns in AI responses. Load via /skill anti-sycophancy.

antigravity-agent-manager

antigravity-agent-manager

Configure and orchestrate parallel agents using the standalone Antigravity 2.0 Agent Manager and Antigravity IDE.

antigravity-skill-orchestrator

antigravity-skill-orchestrator

A meta-skill that understands task requirements, dynamically selects appropriate skills, tracks successful skill combinations using agent-memory-mcp, and prevents skill overuse for simple tasks.

antigravity-workflows

antigravity-workflows

Orchestrate multiple Antigravity skills through guided workflows for SaaS MVP delivery, security audits, AI agent builds, and browser QA.

aomi-transact

aomi-transact

Build natural-language crypto/DeFi agents and EVM MCP plugins (Claude Code, Cursor, Codex, Gemini). Aomi turns prompts into wallet-signed txs on Ethereum, Base, Arbitrum, Optimism, Polygon, Linea — non-custodial, fork-simulated. 40+ apps: Uniswap, Aave, Lido, Morpho, GMX, Hyperliquid, Polymarket.

api-design-principles

api-design-principles

Master REST and GraphQL API design principles to build intuitive, scalable, and maintainable APIs that delight developers and stand the test of time.

api-documentation

api-documentation

API documentation workflow for generating OpenAPI specs, creating developer guides, and maintaining comprehensive API documentation.

api-documentation-generator

api-documentation-generator

Generate comprehensive, developer-friendly API documentation from code, including endpoints, parameters, examples, and best practices

api-documenter

api-documenter

Master API documentation with OpenAPI 3.1, AI-powered tools, and modern developer experience practices. Create interactive docs, generate SDKs, and build comprehensive developer portals.

api-endpoint-builder

api-endpoint-builder

Builds production-ready REST API endpoints with validation, error handling, authentication, and documentation. Follows best practices for security and scalability.

api-fuzzing-bug-bounty

api-fuzzing-bug-bounty

Provide comprehensive techniques for testing REST, SOAP, and GraphQL APIs during bug bounty hunting and penetration testing engagements. Covers vulnerability discovery, authentication bypass, IDOR exploitation, and API-specific attack vectors.

api-patterns

api-patterns

API design principles and decision-making. REST vs GraphQL vs tRPC selection, response formats, versioning, pagination.

api-security-best-practices

api-security-best-practices

Implement secure API design patterns including authentication, authorization, input validation, rate limiting, and protection against common API vulnerabilities

api-security-testing

api-security-testing

API security testing workflow for REST and GraphQL APIs covering authentication, authorization, rate limiting, input validation, and security best practices.

api-testing-observability-api-mock

api-testing-observability-api-mock

You are an API mocking expert specializing in realistic mock services for development, testing, and demos. Design mocks that simulate real API behavior and enable parallel development.

apify-actor-development

apify-actor-development

Important: Before you begin, fill in the generatedBy property in the meta section of .actor/actor.json. Replace it with the tool and model you're currently using, such as \"Claude Code with Claude Sonnet 4.5\". This helps Apify monitor and improve AGENTS.md for specific AI tools and models.

apify-actorization

apify-actorization

Actorization converts existing software into reusable serverless applications compatible with the Apify platform. Actors are programs packaged as Docker images that accept well-defined JSON input, perform an action, and optionally produce structured JSON output.

apify-audience-analysis

apify-audience-analysis

Understand audience demographics, preferences, behavior patterns, and engagement quality across Facebook, Instagram, YouTube, and TikTok.

apify-brand-reputation-monitoring

apify-brand-reputation-monitoring

Scrape reviews, ratings, and brand mentions from multiple platforms using Apify Actors.

apify-competitor-intelligence

apify-competitor-intelligence

Analyze competitor strategies, content, pricing, ads, and market positioning across Google Maps, Booking.com, Facebook, Instagram, YouTube, and TikTok.

apify-content-analytics

apify-content-analytics

Track engagement metrics, measure campaign ROI, and analyze content performance across Instagram, Facebook, YouTube, and TikTok.

apify-ecommerce

apify-ecommerce

Extract product data, prices, reviews, and seller information from any e-commerce platform using Apify's E-commerce Scraping Tool.

apify-influencer-discovery

apify-influencer-discovery

Find and evaluate influencers for brand partnerships, verify authenticity, and track collaboration performance across Instagram, Facebook, YouTube, and TikTok.

apify-lead-generation

apify-lead-generation

Scrape leads from multiple platforms using Apify Actors.

apify-market-research

apify-market-research

Analyze market conditions, geographic opportunities, pricing, consumer behavior, and product validation across Google Maps, Facebook, Instagram, Booking.com, and TripAdvisor.

apify-trend-analysis

apify-trend-analysis

Discover and track emerging trends across Google Trends, Instagram, Facebook, YouTube, and TikTok to inform content strategy.

apify-ultimate-scraper

apify-ultimate-scraper

AI-driven data extraction from 55+ Actors across all major platforms. This skill automatically selects the best Actor for your task.

app-builder

app-builder

Main application building orchestrator. Creates full-stack applications from natural language requests. Determines project type, selects tech stack, coordinates agents.

app-store-changelog

app-store-changelog

Generate user-facing App Store release notes from git history since the last tag.

app-store-optimization

app-store-optimization

Complete App Store Optimization (ASO) toolkit for researching, optimizing, and tracking mobile app performance on Apple App Store and Google Play Store

appdeploy

appdeploy

Deploy web apps with backend APIs, database, and file storage. Use when the user asks to deploy or publish a website or web app and wants a public URL. Uses HTTP API via curl.

apple-notes-search

apple-notes-search

Semantic + keyword search and connection-discovery across the user's own Apple Notes via the apple-notes MCP server. Use when the user wants to find, recall, or synthesize something from their notes, or surface non-obvious bridges/related notes. macOS, on-device.

application-performance-performance-optimization

application-performance-performance-optimization

Optimize end-to-end application performance with profiling, observability, and backend/frontend tuning. Use when coordinating performance optimization across the stack.

architect-review

architect-review

Master software architect specializing in modern architecture

architecture

architecture

Architectural decision-making framework. Requirements analysis, trade-off evaluation, ADR documentation. Use when making architecture decisions or analyzing system design.

architecture-decision-records

architecture-decision-records

Comprehensive patterns for creating, maintaining, and managing Architecture Decision Records (ADRs) that capture the context and rationale behind significant technical decisions.

architecture-patterns

architecture-patterns

Master proven backend architecture patterns including Clean Architecture, Hexagonal Architecture, and Domain-Driven Design to build maintainable, testable, and scalable systems.

arm-cortex-expert

arm-cortex-expert

Senior embedded software engineer specializing in firmware and driver development for ARM Cortex-M microcontrollers (Teensy, STM32, nRF52, SAMD).

arrowspace

arrowspace

Spectral vector search using graph Laplacian eigenstructure. Use when cosine/L2 similarity misses latent structure in your embeddings.

article-illustrations

article-illustrations

Generate hand-drawn 16:9 article illustrations with the Grav character IP, sparse annotations, and absurd but clear visual metaphors.

asana-automation

asana-automation

Automate Asana tasks via Rube MCP (Composio): tasks, projects, sections, teams, workspaces. Always search tools first for current schemas.

ask-matt

ask-matt

Ask which skill or flow fits your situation. A router over the user-invoked skills in this repo.

ask-questions-if-underspecified

ask-questions-if-underspecified

Clarify requirements before implementing. Use when serious doubts arise.

astro

astro

Build content-focused websites with Astro — zero JS by default, islands architecture, multi-framework components, and Markdown/MDX support.

astropy

astropy

Astropy is the core Python package for astronomy, providing essential functionality for astronomical research and data analysis.

async-python-patterns

async-python-patterns

Comprehensive guidance for implementing asynchronous Python applications using asyncio, concurrent programming patterns, and async/await for building high-performance, non-blocking systems.

atlas-contract

atlas-contract

Goal-integrity skill. Use for backend/API/persistence, preserve/do-not-change, tests/validation, mocks, rework, multi-part requests. Emits Goal Contracts, Deviation Notices, Phase Checks, Final Audits. Skip for Q&A or trivial edits.

atlas-ledger

atlas-ledger

Companion to atlas-contract. Auto-invoked by its Final Audit on caught drift; also use after Post Reviews or user requests to record a mistake. Distills drift into WHEN/DON'T/INSTEAD clauses, writes to Atlas.md after confirmation.

attack-tree-construction

attack-tree-construction

Build comprehensive attack trees to visualize threat paths. Use when mapping attack scenarios, identifying defense gaps, or communicating security risks to stakeholders.

audio-transcriber

audio-transcriber

Transform audio recordings into professional Markdown documentation with intelligent summaries using LLM integration

audit-context-building

audit-context-building

Enables ultra-granular, line-by-line code analysis to build deep architectural context before vulnerability or bug finding.

audit-skills

audit-skills

Expert security auditor for AI Skills and Bundles. Performs non-intrusive static analysis to identify malicious patterns, data leaks, system stability risks, and obfuscated payloads across Windows, macOS, Linux/Unix, and Mobile (Android/iOS).

auri-core

auri-core

Auri: assistente de voz inteligente (Alexa + Claude claude-opus-4-20250805). Visao do produto, persona Vitoria Neural, stack AWS, modelo Free/Pro/Business/Enterprise, roadmap 4 fases, GTM, north star WAC e analise competitiva.

auth-implementation-patterns

auth-implementation-patterns

Build secure, scalable authentication and authorization systems using industry-standard patterns and modern best practices.

autonomous-agent-patterns

autonomous-agent-patterns

Design patterns for building autonomous coding agents, inspired by [Cline](<https://github.com/cline/cline>) and [OpenAI Codex](<https://github.com/openai/codex>).

autonomous-agents

autonomous-agents

Autonomous agents are AI systems that can independently decompose

avalonia-layout-zafiro

avalonia-layout-zafiro

Guidelines for modern Avalonia UI layout using Zafiro.Avalonia, emphasizing shared styles, generic components, and avoiding XAML redundancy.

avalonia-viewmodels-zafiro

avalonia-viewmodels-zafiro

Optimal ViewModel and Wizard creation patterns for Avalonia using Zafiro and ReactiveUI.

avalonia-zafiro-development

avalonia-zafiro-development

Mandatory skills, conventions, and behavioral rules for Avalonia UI development using the Zafiro toolkit.

avoid-ai-writing

avoid-ai-writing

Audit and rewrite content to remove 21 categories of AI writing patterns with a 43-entry replacement table

awareness-stage-mapper

awareness-stage-mapper

One sentence - what this skill does and when to invoke it

aws-cost-cleanup

aws-cost-cleanup

Automated cleanup of unused AWS resources to reduce costs

aws-cost-optimizer

aws-cost-optimizer

Comprehensive AWS cost analysis and optimization recommendations using AWS CLI and Cost Explorer

aws-penetration-testing

aws-penetration-testing

Provide comprehensive techniques for penetration testing AWS cloud environments. Covers IAM enumeration, privilege escalation, SSRF to metadata endpoint, S3 bucket exploitation, Lambda code extraction, and persistence techniques for red team operations.

aws-serverless

aws-serverless

Specialized skill for building production-ready serverless

aws-skills

aws-skills

AWS development with infrastructure automation and cloud architecture patterns

awt-e2e-testing

awt-e2e-testing

AI-powered E2E web testing — eyes and hands for AI coding tools. Declarative YAML scenarios, Playwright execution, visual matching (OpenCV + OCR), platform auto-detection (Flutter/React/Vue), learning DB. Install: `npx skills add ksgisang/awt-skill --skill awt -g`

ax-extract-workflow

ax-extract-workflow

Reconstruct workflow behind a past coding-agent artifact using local ax sessions/commits/skills/tool traces. Use when asked how X was built.

axiom

axiom

First-principles assumption auditor. Classifies each hidden assumption (fact / convention / belief / interest-driven), ranks by fragility × impact, and rebuilds conclusions from verified premises. Bilingual: auto-detects Chinese or English.

azd-deployment

azd-deployment

Deploy containerized frontend + backend applications to Azure Container Apps with remote builds, managed identity, and idempotent infrastructure.

azure-ai-agents-persistent-dotnet

azure-ai-agents-persistent-dotnet

Azure AI Agents Persistent SDK for .NET. Low-level SDK for creating and managing AI agents with threads, messages, runs, and tools.

azure-ai-agents-persistent-java

azure-ai-agents-persistent-java

Azure AI Agents Persistent SDK for Java. Low-level SDK for creating and managing AI agents with threads, messages, runs, and tools.

azure-ai-anomalydetector-java

azure-ai-anomalydetector-java

Build anomaly detection applications with Azure AI Anomaly Detector SDK for Java. Use when implementing univariate/multivariate anomaly detection, time-series analysis, or AI-powered monitoring.

azure-ai-contentssafety-java

azure-ai-contentssafety-java

Build content moderation applications using the Azure AI Content Safety SDK for Java.

azure-ai-contentssafety-py

azure-ai-contentssafety-py

Azure AI Content Safety SDK for Python. Use for detecting harmful content in text and images with multi-severity classification.

azure-ai-contentssafety-ts

azure-ai-contentssafety-ts

Analyze text and images for harmful content with customizable blocklists.

azure-ai-contentunderstanding-py

azure-ai-contentunderstanding-py

Azure AI Content Understanding SDK for Python. Use for multimodal content extraction from documents, images, audio, and video.

azure-ai-document-intelligence-dotnet

azure-ai-document-intelligence-dotnet

Azure AI Document Intelligence SDK for .NET. Extract text, tables, and structured data from documents using prebuilt and custom models.

azure-ai-document-intelligence-ts

azure-ai-document-intelligence-ts

Extract text, tables, and structured data from documents using prebuilt and custom models.

azure-ai-formrecognizer-java

azure-ai-formrecognizer-java

Build document analysis applications using the Azure AI Document Intelligence SDK for Java.

azure-ai-ml-py

azure-ai-ml-py

Azure Machine Learning SDK v2 for Python. Use for ML workspaces, jobs, models, datasets, compute, and pipelines.

azure-ai-openai-dotnet

azure-ai-openai-dotnet

Azure OpenAI SDK for .NET. Client library for Azure OpenAI and OpenAI services. Use for chat completions, embeddings, image generation, audio transcription, and assistants.

azure-ai-projects-dotnet

azure-ai-projects-dotnet

Azure AI Projects SDK for .NET. High-level client for Azure AI Foundry projects including agents, connections, datasets, deployments, evaluations, and indexes.

azure-ai-projects-java

azure-ai-projects-java

Azure AI Projects SDK for Java. High-level SDK for Azure AI Foundry project management including connections, datasets, indexes, and evaluations.

azure-ai-projects-py

azure-ai-projects-py

Build AI applications on Microsoft Foundry using the azure-ai-projects SDK.

azure-ai-projects-ts

azure-ai-projects-ts

High-level SDK for Azure AI Foundry projects with agents, connections, deployments, and evaluations.

azure-ai-textanalytics-py

`azure-ai-textanalytics-py`

Azure AI Text Analytics SDK for sentiment analysis, entity recognition, key phrases, language detection, PII, and healthcare NLP. Use for natural language processing on text.

azure-ai-transcription-py

`azure-ai-transcription-py`

Azure AI Transcription SDK for Python. Use for real-time and batch speech-to-text transcription with timestamps and diarization.

azure-ai-translation-document-py

`azure-ai-translation-document-py`

Azure AI Document Translation SDK for batch translation of documents with format preservation. Use for translating Word, PDF, Excel, PowerPoint, and other document formats at scale.

azure-ai-translation-text-py

`azure-ai-translation-text-py`

Azure AI Text Translation SDK for real-time text translation, transliteration, language detection, and dictionary lookup. Use for translating text content in applications.

azure-ai-translation-ts

`azure-ai-translation-ts`

Text and document translation with REST-style clients.

azure-ai-vision-imageanalysis-java

`azure-ai-vision-imageanalysis-java`

Build image analysis applications with Azure AI Vision SDK for Java. Use when implementing image captioning, OCR text extraction, object detection, tagging, or smart cropping.

azure-ai-vision-imageanalysis-py

`azure-ai-vision-imageanalysis-py`

Azure AI Vision Image Analysis SDK for captions, tags, objects, OCR, people detection, and smart cropping. Use for computer vision and image understanding tasks.

azure-ai-voicelive-dotnet

`azure-ai-voicelive-dotnet`

Azure AI Voice Live SDK for .NET. Build real-time voice AI applications with bidirectional WebSocket communication.

azure-ai-voicelive-java

`azure-ai-voicelive-java`

Azure AI VoiceLive SDK for Java. Real-time bidirectional voice conversations with AI assistants using WebSocket.

azure-ai-voicelive-py

`azure-ai-voicelive-py`

Build real-time voice AI applications with bidirectional WebSocket communication.

azure-ai-voicelive-ts

`azure-ai-voicelive-ts`

Azure AI Voice Live SDK for JavaScript/TypeScript. Build real-time voice AI applications with bidirectional WebSocket communication.

azure-appconfiguration-java

`azure-appconfiguration-java`

Azure App Configuration SDK for Java. Centralized application configuration management with key-value settings, feature flags, and snapshots.

azure-appconfiguration-py

azure-appconfiguration-py

Azure App Configuration SDK for Python. Use for centralized configuration management, feature flags, and dynamic settings.

azure-appconfiguration-ts

azure-appconfiguration-ts

Centralized configuration management with feature flags and dynamic refresh.

azure-communication-callautomation-java

azure-communication-callautomation-java

Build server-side call automation workflows including IVR systems, call routing, recording, and AI-powered interactions.

azure-communication-callingserver-java

azure-communication-callingserver-java

 **DEPRECATED:** This SDK has been renamed to Call Automation. For new projects, use azure-communication-callautomation instead. This skill is for maintaining legacy code only.

azure-communication-chat-java

azure-communication-chat-java

Build real-time chat applications with thread management, messaging, participants, and read receipts.

azure-communication-common-java

azure-communication-common-java

Azure Communication Services common utilities for Java. Use when working with CommunicationTokenCredential, user identifiers, token refresh, or shared authentication across ACS services.

azure-communication-sms-java

`azure-communication-sms-java`

Send SMS messages with Azure Communication Services SMS Java SDK. Use when implementing SMS notifications, alerts, OTP delivery, bulk messaging, or delivery reports.

azure-compute-batch-java

`azure-compute-batch-java`

Azure Batch SDK for Java. Run large-scale parallel and HPC batch jobs with pools, jobs, tasks, and compute nodes.

azure-containerregistry-py

`azure-containerregistry-py`

Azure Container Registry SDK for Python. Use for managing container images, artifacts, and repositories.

azure-cosmos-db-py

`azure-cosmos-db-py`

Build production-grade Azure Cosmos DB NoSQL services following clean code, security best practices, and TDD principles.

azure-cosmos-java

`azure-cosmos-java`

Azure Cosmos DB SDK for Java. NoSQL database operations with global distribution, multi-model support, and reactive patterns.

azure-cosmos-py

`azure-cosmos-py`

Azure Cosmos DB SDK for Python (NoSQL API). Use for document CRUD, queries, containers, and globally distributed data.

azure-cosmos-rust

`azure-cosmos-rust`

Azure Cosmos DB SDK for Rust (NoSQL API). Use for document CRUD, queries, containers, and globally distributed data.

azure-cosmos-ts

`azure-cosmos-ts`

Azure Cosmos DB JavaScript/TypeScript SDK (@azure/cosmos) for data plane operations. Use for CRUD operations on documents, queries, bulk operations, and container management.

azure-data-tables-java

`azure-data-tables-java`

Build table storage applications using the Azure Tables SDK for Java. Works with both Azure Table Storage and Cosmos DB Table API.

azure-data-tables-py

`azure-data-tables-py`

Azure Tables SDK for Python (Storage and Cosmos DB). Use for NoSQL key-value storage, entity CRUD, and batch operations.

azure-eventgrid-dotnet

`azure-eventgrid-dotnet`

Azure Event Grid SDK for .NET. Client library for publishing and consuming events with Azure Event Grid. Use for event-driven architectures, pub/sub messaging, CloudEvents, and EventGridEvents.

azure-eventgrid-java

`azure-eventgrid-java`

Build event-driven applications with Azure Event Grid SDK for Java. Use when publishing events, implementing pub/sub patterns, or integrating with Azure services via events.

azure-eventgrid-py

`azure-eventgrid-py`

Azure Event Grid SDK for Python. Use for publishing events, handling CloudEvents, and event-driven architectures.

azure-eventhub-dotnet

`azure-eventhub-dotnet`

Azure Event Hubs SDK for .NET.

azure-eventhub-java

`azure-eventhub-java`

Build real-time streaming applications with Azure Event Hubs SDK for Java. Use when implementing event streaming, high-throughput data ingestion, or building event-driven architectures.

azure-eventhub-py

`azure-eventhub-py`

Azure Event Hubs SDK for Python streaming. Use for high-throughput event ingestion, producers, consumers, and checkpointing.

azure-eventhub-rust

`azure-eventhub-rust`

Azure Event Hubs SDK for Rust. Use for sending and receiving events, streaming data ingestion.

azure-eventhub-ts

`azure-eventhub-ts`

High-throughput event streaming and real-time data ingestion.

azure-functions

azure-functions

Expert patterns for Azure Functions development including isolated

azure-identity-dotnet

azure-identity-dotnet

Azure Identity SDK for .NET. Authentication library for Azure SDK clients using Microsoft Entra ID. Use for DefaultAzureCredential, managed identity, service principals, and developer credentials.

azure-identity-java

azure-identity-java

Authenticate Java applications with Azure services using Microsoft Entra ID (Azure AD).

azure-identity-py

azure-identity-py

Azure Identity SDK for Python authentication. Use for DefaultAzureCredential, managed identity, service principals, and token caching.

azure-identity-rust

azure-identity-rust

Azure Identity SDK for Rust authentication. Use for DeveloperToolsCredential, ManagedIdentityCredential, ClientSecretCredential, and token-based authentication.

azure-identity-ts

azure-identity-ts

Authenticate to Azure services with various credential types.

azure-keyvault-certificates-rust

azure-keyvault-certificates-rust

Azure Key Vault Certificates SDK for Rust. Use for creating, importing, and managing certificates.

azure-keyvault-keys-rust

azure-keyvault-keys-rust

Azure Key Vault Keys SDK for Rust. Use for creating, managing, and using cryptographic keys. Triggers: "keyvault keys rust", "KeyClient rust", "create key rust", "encrypt rust", "sign rust".

azure-keyvault-keys-ts

azure-keyvault-keys-ts

Manage cryptographic keys using Azure Key Vault Keys SDK for JavaScript (@azure/keyvault-keys). Use when creating, encrypting/decrypting, signing, or rotating keys.

azure-keyvault-py

azure-keyvault-py

Azure Key Vault SDK for Python. Use for secrets, keys, and certificates management with secure storage.

azure-keyvault-secrets-rust

azure-keyvault-secrets-rust

Azure Key Vault Secrets SDK for Rust. Use for storing and retrieving secrets, passwords, and API keys. Triggers: "keyvault secrets rust", "SecretClient rust", "get secret rust", "set secret rust".

azure-keyvault-secrets-ts

azure-keyvault-secrets-ts

Manage secrets using Azure Key Vault Secrets SDK for JavaScript (@azure/keyvault-secrets). Use when storing and retrieving application secrets or configuration values.

azure-maps-search-dotnet

azure-maps-search-dotnet

Azure Maps SDK for .NET. Location-based services including geocoding, routing, rendering, geolocation, and weather. Use for address search, directions, map tiles, IP geolocation, and weather data.

azure-messaging-webpubsub-java

azure-messaging-webpubsub-java

Build real-time web applications with Azure Web PubSub SDK for Java. Use when implementing WebSocket-based messaging, live updates, chat applications, or server-to-client push notifications.

azure-messaging-webpubsubservice-py

azure-messaging-webpubsubservice-py

Azure Web PubSub Service SDK for Python. Use for real-time messaging, WebSocket connections, and pub/sub patterns.

azure-mgmt-apicenter-dotnet

azure-mgmt-apicenter-dotnet

Azure API Center SDK for .NET. Centralized API inventory management with governance, versioning, and discovery.

azure-mgmt-apicenter-py

azure-mgmt-apicenter-py

Azure API Center Management SDK for Python. Use for managing API inventory, metadata, and governance across your organization.

azure-mgmt-apimanagement-dotnet

azure-mgmt-apimanagement-dotnet

Azure Resource Manager SDK for API Management in .NET.

azure-mgmt-apimanagement-py

`azure-mgmt-apimanagement-py`

Azure API Management SDK for Python. Use for managing APIM services, APIs, products, subscriptions, and policies.

azure-mgmt-applicationinsights-dotnet

`azure-mgmt-applicationinsights-dotnet`

Azure Application Insights SDK for .NET. Application performance monitoring and observability resource management.

azure-mgmt-arizeaiobservabilityeval-dotnet

`azure-mgmt-arizeaiobservabilityeval-dotnet`

Azure Resource Manager SDK for Arize AI Observability and Evaluation (.NET).

azure-mgmt-botservice-dotnet

`azure-mgmt-botservice-dotnet`

Azure Resource Manager SDK for Bot Service in .NET. Management plane operations for creating and managing Azure Bot resources, channels (Teams, DirectLine, Slack), and connection settings.

azure-mgmt-botservice-py

`azure-mgmt-botservice-py`

Azure Bot Service Management SDK for Python. Use for creating, managing, and configuring Azure Bot Service resources.

azure-mgmt-fabric-dotnet

`azure-mgmt-fabric-dotnet`

Azure Resource Manager SDK for Fabric in .NET.

azure-mgmt-fabric-py

`azure-mgmt-fabric-py`

Azure Fabric Management SDK for Python. Use for managing Microsoft Fabric capacities and resources.

azure-mgmt-mongodbatlas-dotnet

`azure-mgmt-mongodbatlas-dotnet`

Manage MongoDB Atlas Organizations as Azure ARM resources with unified billing through Azure Marketplace.

azure-mgmt-weightsandbiases-dotnet

`azure-mgmt-weightsandbiases-dotnet`

Azure Weights & Biases SDK for .NET. ML experiment tracking and model management via Azure Marketplace. Use for creating W&B instances, managing SSO, marketplace integration, and ML observability.

azure-microsoft-playwright-testing-ts

`azure-microsoft-playwright-testing-ts`

Run Playwright tests at scale with cloud-hosted browsers and integrated Azure portal reporting.

azure-monitor-ingestion-java

`azure-monitor-ingestion-java`

Azure Monitor Ingestion SDK for Java. Send custom logs to Azure Monitor via Data Collection Rules (DCR) and Data Collection Endpoints (DCE).

azure-monitor-ingestion-py

`azure-monitor-ingestion-py`

Azure Monitor Ingestion SDK for Python. Use for sending custom logs to Log Analytics workspace via Logs Ingestion API.

azure-monitor-opentelemetry-exporter-java

azure-monitor-opentelemetry-exporter-java

Azure Monitor OpenTelemetry Exporter for Java. Export OpenTelemetry traces, metrics, and logs to Azure Monitor/Application Insights.

azure-monitor-opentelemetry-exporter-py

azure-monitor-opentelemetry-exporter-py

Azure Monitor OpenTelemetry Exporter for Python. Use for low-level OpenTelemetry export to Application Insights.

azure-monitor-opentelemetry-py

azure-monitor-opentelemetry-py

Azure Monitor OpenTelemetry Distro for Python. Use for one-line Application Insights setup with auto-instrumentation.

azure-monitor-opentelemetry-ts

azure-monitor-opentelemetry-ts

Auto-instrument Node.js applications with distributed tracing, metrics, and logs.

azure-monitor-query-java

azure-monitor-query-java

Azure Monitor Query SDK for Java. Execute Kusto queries against Log Analytics workspaces and query metrics from Azure resources.

azure-monitor-query-py

azure-monitor-query-py

Azure Monitor Query SDK for Python. Use for querying Log Analytics workspaces and Azure Monitor metrics.

azure-postgres-ts

azure-postgres-ts

Connect to Azure Database for PostgreSQL Flexible Server from Node.js/TypeScript using the pg (node-postgres) package.

azure-resource-manager-cosmosdb-dotnet

azure-resource-manager-cosmosdb-dotnet

Azure Resource Manager SDK for Cosmos DB in .NET.

azure-resource-manager-durabletask-dotnet

azure-resource-manager-durabletask-dotnet

Azure Resource Manager SDK for Durable Task Scheduler in .NET.

azure-resource-manager-mysql-dotnet

azure-resource-manager-mysql-dotnet

Azure MySQL Flexible Server SDK for .NET. Database management for MySQL Flexible Server deployments.

azure-resource-manager-playwright-dotnet

azure-resource-manager-playwright-dotnet

Azure Resource Manager SDK for Microsoft Playwright Testing in .NET.

azure-resource-manager-postgresql-dotnet

azure-resource-manager-postgresql-dotnet

Azure PostgreSQL Flexible Server SDK for .NET. Database management for PostgreSQL Flexible Server deployments.

azure-resource-manager-redis-dotnet

azure-resource-manager-redis-dotnet

Azure Resource Manager SDK for Redis in .NET.

azure-resource-manager-sql-dotnet

azure-resource-manager-sql-dotnet

Azure Resource Manager SDK for Azure SQL in .NET.

azure-search-documents-dotnet

azure-search-documents-dotnet

Azure AI Search SDK for .NET (Azure.Search.Documents). Use for building search applications with full-text, vector, semantic, and hybrid search.

azure-search-documents-py

azure-search-documents-py

Azure AI Search SDK for Python. Use for vector search, hybrid search, semantic ranking, indexing, and skillsets.

azure-search-documents-ts

azure-search-documents-ts

Build search applications with vector, hybrid, and semantic search capabilities.

azure-security-keyvault-keys-dotnet

azure-security-keyvault-keys-dotnet

Azure Key Vault Keys SDK for .NET. Client library for managing cryptographic keys in Azure Key Vault and Managed HSM. Use for key creation, rotation, encryption, decryption, signing, and verification.

azure-security-keyvault-keys-java

azure-security-keyvault-keys-java

Azure Key Vault Keys Java SDK for cryptographic key management. Use when creating, managing, or using RSA/EC keys, performing encrypt/decrypt/sign/verify operations, or working with HSM-backed keys.

azure-security-keyvault-secrets-java

azure-security-keyvault-secrets-java

Azure Key Vault Secrets Java SDK for secret management. Use when storing, retrieving, or managing passwords, API keys, connection strings, or other sensitive configuration data.

azure-servicebus-dotnet

azure-servicebus-dotnet

Azure Service Bus SDK for .NET. Enterprise messaging with queues, topics, subscriptions, and sessions.

azure-servicebus-py

azure-servicebus-py

Azure Service Bus SDK for Python messaging. Use for queues, topics, subscriptions, and enterprise messaging patterns.

azure-servicebus-ts

azure-servicebus-ts

Enterprise messaging with queues, topics, and subscriptions.

azure-speech-to-text-rest-py

azure-speech-to-text-rest-py

Azure Speech to Text REST API for short audio (Python). Use for simple speech recognition of audio files up to 60 seconds without the Speech SDK.

azure-storage-blob-java

azure-storage-blob-java

Build blob storage applications using the Azure Storage Blob SDK for Java.

azure-storage-blob-py

azure-storage-blob-py

Azure Blob Storage SDK for Python. Use for uploading, downloading, listing blobs, managing containers, and blob lifecycle.

azure-storage-blob-rust

azure-storage-blob-rust

Azure Blob Storage SDK for Rust. Use for uploading, downloading, and managing blobs and containers.

azure-storage-blob-ts

azure-storage-blob-ts

Azure Blob Storage JavaScript/TypeScript SDK (@azure/storage-blob) for blob operations. Use for uploading, downloading, listing, and managing blobs and containers.

azure-storage-file-datalake-py

azure-storage-file-datalake-py

Azure Data Lake Storage Gen2 SDK for Python. Use for hierarchical file systems, big data analytics, and file/directory operations.

azure-storage-file-share-py

azure-storage-file-share-py

Azure Storage File Share SDK for Python. Use for SMB file shares, directories, and file operations in the cloud.

azure-storage-file-share-ts

azure-storage-file-share-ts

Azure File Share JavaScript/TypeScript SDK (@azure/storage-file-share) for SMB file share operations.

azure-storage-queue-py

azure-storage-queue-py

Azure Queue Storage SDK for Python. Use for reliable message queuing, task distribution, and asynchronous processing.

azure-storage-queue-ts

azure-storage-queue-ts

Azure Queue Storage JavaScript/TypeScript SDK (@azure/storage-queue) for message queue operations. Use for sending, receiving, peeking, and deleting messages in queues.

azure-web-pubsub-ts

azure-web-pubsub-ts

Real-time messaging with WebSocket connections and pub/sub patterns.

backend-architect

backend-architect

Expert backend architect specializing in scalable API design, microservices architecture, and distributed systems.

backend-dev-guidelines

backend-dev-guidelines

You are a senior backend engineer operating production-grade services under strict architectural and reliability constraints. Use when routes, controllers, services, repositories, express middleware, or prisma database access.

backend-development-feature-development

backend-development-feature-development

Orchestrate end-to-end backend feature development from requirements to deployment. Use when coordinating multi-phase feature delivery across teams and services.

backend-security-coder

backend-security-coder

Expert in secure backend coding practices specializing in input validation, authentication, and API security. Use PROACTIVELY for backend security implementations or security code reviews.

backtesting-frameworks

backtesting-frameworks

Build robust, production-grade backtesting systems that avoid common pitfalls and produce reliable strategy performance estimates.

bamboohr-automation

bamboohr-automation

Automate BambooHR tasks via Rube MCP (Composio): employees, time-off, benefits, dependents, employee updates. Always search tools first for current schemas.

basecamp-automation

basecamp-automation

Automate Basecamp project management, to-dos, messages, people, and to-do list organization via Rube MCP (Composio). Always search tools first for current schemas.

baseline-ui

baseline-ui

Validates animation durations, enforces typography scale, checks component accessibility, and prevents layout anti-patterns in Tailwind CSS projects. Use when building UI components, reviewing CSS utilities, styling React views, or enforcing design consistency.

bash-defensive-patterns

bash-defensive-patterns

Master defensive Bash programming techniques for production-grade scripts. Use when writing robust shell scripts, CI/CD pipelines, or system utilities requiring fault tolerance and safety.

bash-linux

bash-linux

Bash/Linux terminal patterns. Critical commands, piping, error handling, scripting. Use when working on macOS or Linux systems.

bash-pro

bash-pro

Master of defensive Bash scripting for production automation, CI/CD

bash-scripting

bash-scripting

Bash scripting workflow for creating production-ready shell scripts with defensive patterns, error handling, and testing.

bats-testing-patterns

bats-testing-patterns

Master Bash Automated Testing System (Bats) for comprehensive shell script testing. Use when writing tests for shell scripts, CI/CD pipelines, or requiring test-driven development of shell utilities.

bazel-build-optimization

bazel-build-optimization

Optimize Bazel builds for large-scale monorepos. Use when configuring Bazel, implementing remote execution, or optimizing build performance for enterprise codebases.

bdi-mental-states

bdi-mental-states

This skill should be used when the user asks to "model agent mental states", "implement BDI architecture", "create belief-desire-intention models", "transform RDF to beliefs", "build cognitive agent", or mentions BDI ontology, mental state modeling, rational agency, or neuro-symbolic AI integration.

bdistill-behavioral-xray

bdistill-behavioral-xray

X-ray any AI model's behavioral patterns — refusal boundaries, hallucination tendencies, reasoning style, formatting defaults. No API key needed.

bdistill-knowledge-extraction

bdistill-knowledge-extraction

Extract structured domain knowledge from AI models in-session or from local open-source models via Ollama. No API key needed.

beautiful-prose

beautiful-prose

A hard-edged writing style contract for timeless, forceful English prose without modern AI tics. Use when users ask for prose or rewrites that must be clean, exact, concrete, and free of AI cadence, filler, or therapeutic tone.

behavioral-modes

behavioral-modes

AI operational modes (brainstorm, implement, debug, review, teach, ship, orchestrate). Use to adapt behavior based on task type.

bevy-ecs-expert

bevy-ecs-expert

Master Bevy's Entity Component System (ECS) in Rust, covering Systems, Queries, Resources, and parallel scheduling.

bilig-workpaper

bilig-workpaper

Use formula-backed WorkPaper JSON and MCP tools for agent spreadsheet tasks without driving Excel or a browser UI.

bill-gates

bill-gates

Agente que simula Bill Gates — cofundador da Microsoft, arquiteto da industria de software comercial, estrategista tecnologico global, investidor sistêmico e filantropo baseado em dados.

billing-automation

billing-automation

Master automated billing systems including recurring billing, invoice generation, dunning management, proration, and tax calculation.

binary-analysis-patterns

binary-analysis-patterns

Comprehensive patterns and techniques for analyzing compiled binaries, understanding assembly code, and reconstructing program logic.

biopython

biopython

Biopython is a comprehensive set of freely available Python tools for biological computation. It provides functionality for sequence manipulation, file I/O, database access, structural bioinformatics, phylogenetics, and many other bioinformatics tasks.

bitbucket-automation

bitbucket-automation

Automate Bitbucket repositories, pull requests, branches, issues, and workspace management via Rube MCP (Composio). Always search tools first for current schemas.

blockchain-developer

blockchain-developer

Build production-ready Web3 applications, smart contracts, and decentralized systems. Implements DeFi protocols, NFT platforms, DAOs, and enterprise blockchain integrations.

blockrun

blockrun

BlockRun works with Claude Code and Google Antigravity.

blog-writing-guide

blog-writing-guide

This skill enforces Sentry's blog writing standards across every post — whether you're helping an engineer write their first blog post or a marketer draft a product announcement.

blueprint

blueprint

Turn a one-line objective into a step-by-step construction plan any coding agent can execute cold. Each step has a self-contained context brief — a fresh agent in a new session can pick up any step without reading prior steps.

box-automation

box-automation

Automate Box operations including file upload/download, content search, folder management, collaboration, metadata queries, and sign requests through Composio's Box toolkit.

brainstorming

brainstorming

Use before creative or constructive work (features, architecture, behavior). Transforms vague ideas into validated designs through disciplined reasoning and collaboration.

brand-guidelines

brand-guidelines

Write copy following Sentry brand guidelines. Use when writing UI text, error messages, empty states, onboarding flows, 404 pages, documentation, marketing copy, or any user-facing content. Covers both Plain Speech (default) and Sentry Voice tones.

brand-guidelines-anthropic

brand-guidelines-anthropic

To access Anthropic's official brand identity and style resources, use this skill.

brand-guidelines-community

brand-guidelines-community

To access Anthropic's official brand identity and style resources, use this skill.

brand-perception-psychologist

brand-perception-psychologist

One sentence - what this skill does and when to invoke it

brave-man

brave-man

Runs a structured clarifying interview for new project requests before building. Instead of writing code, it outputs a fully specified prompt.md for a fresh agent session to execute, preventing expensive mistakes.

brevo-automation

brevo-automation

Automate Brevo (formerly Sendinblue) email marketing operations through Composio's Brevo toolkit via Rube MCP.

broken-authentication

broken-authentication

Identify and exploit authentication and session management vulnerabilities in web applications. Broken authentication consistently ranks in the OWASP Top 10 and can lead to account takeover, identity theft, and unauthorized access to sensitive systems.

brooks-lint

brooks-lint

AI code reviewer grounded in classic software engineering books for catching design smells, coupling issues, and architectural risks.

browser-automation

browser-automation

Browser automation powers web testing, scraping, and AI agent

browser-extension-builder

browser-extension-builder

Expert in building browser extensions that solve real problems -

bug-hunter

bug-hunter

Systematically finds and fixes bugs using proven debugging techniques. Traces from symptoms to root cause, implements fixes, and prevents regression.

bugs-are-annoying

bugs-are-annoying

Adversarial code auditor that hunts down bugs, logic errors, and security flaws. Use for deep correctness passes, not style reviews.

build

build

build

building-native-ui

building-native-ui

Complete guide for building beautiful apps with Expo Router. Covers fundamentals, styling, components, navigation, animations, patterns, and native tabs.

bulletmind

bulletmind

Convert input into clean, structured, hierarchical bullet points for summarization, note-taking, and structured thinking.

bullmq-specialist

bullmq-specialist

BullMQ expert for Redis-backed job queues, background processing,

bumblebee

bumblebee

Run Bumblebee supply-chain inventory and exposure scans on macOS/Linux to detect compromised packages, extensions, and MCP host configs.

bun-development

bun-development

Fast, modern JavaScript/TypeScript development with the Bun runtime, inspired by [oven-sh/bun] (<https://github.com/oven-sh/bun>).

burp-suite-testing

burp-suite-testing

Execute comprehensive web application security testing using Burp Suite's integrated toolset, including HTTP traffic interception and modification, request analysis and replay, automated vulnerability scanning, and manual testing workflows.

burpsuite-project-parser

burpsuite-project-parser

Searches and explores Burp Suite project files (.burp) from the command line. Use when searching response headers or bodies with regex patterns, extracting security audit findings, dumping proxy history or site map data, or analyzing HTTP traffic captured in a Burp project.

business-analyst

business-analyst

Master modern business analysis with AI-powered analytics, real-time dashboards, and data-driven insights. Build comprehensive KPI frameworks, predictive models, and strategic recommendations.

busybox-on-windows

busybox-on-windows

How to use a Win32 build of BusyBox to run many of the standard UNIX command line tools on Windows.

buywhere-product-catalog

buywhere-product-catalog

Use BuyWhere's MCP and API surfaces to add product search, price comparison, and deal discovery to AI shopping agents.

c-pro

c-pro

Write efficient C code with proper memory management, pointer

c4-architecture-c4-architecture

c4-architecture-c4-architecture

Generate comprehensive C4 architecture documentation for an existing repository/codebase using a bottom-up analysis approach.

c4-code

c4-code

Expert C4 Code-level documentation specialist. Analyzes code directories to create comprehensive C4 code-level documentation including function signatures, arguments, dependencies, and code structure.

c4-component

c4-component

Expert C4 Component-level documentation specialist. Synthesizes C4 Code-level documentation into Component-level architecture, defining component boundaries, interfaces, and relationships.

c4-container

c4-container

Expert C4 Container-level documentation specialist.

c4-context

c4-context

Expert C4 Context-level documentation specialist. Creates high-level system context diagrams, documents personas, user journeys, system features, and external dependencies.

cal-com-automation

cal-com-automation

Automate Cal.com tasks via Rube MCP (Composio): manage bookings, check availability, configure webhooks, and handle teams. Always search tools first for current schemas.

calendly-automation

calendly-automation

Automate Calendly scheduling, event management, invitee tracking, availability checks, and organization administration via Rube MCP (Composio). Always search tools first for current schemas.

canva-automation

canva-automation

Automate Canva tasks via Rube MCP (Composio): designs, exports, folders, brand templates, autofill. Always search tools first for current schemas.

canvas-design

canvas-design

These are instructions for creating design philosophies - aesthetic movements that are then EXPRESSED VISUALLY. Output only .md files, .pdf files, and .png files.

carrier-relationship-management

carrier-relationship-management

Codified expertise for managing carrier portfolios, negotiating freight rates, tracking carrier performance, allocating freight, and maintaining strategic carrier relationships.

cc-skill-backend-patterns

cc-skill-backend-patterns

Backend architecture patterns, API design, database optimization, and server-side best practices for Node.js, Express, and Next.js API routes.

cc-skill-clickhouse-io

cc-skill-clickhouse-io

ClickHouse database patterns, query optimization, analytics, and data engineering best practices for high-performance analytical workloads.

cc-skill-coding-standards

cc-skill-coding-standards

Universal coding standards, best practices, and patterns for TypeScript, JavaScript, React, and Node.js development.

cc-skill-continuous-learning

cc-skill-continuous-learning

Development skill from everything-claude-code

cc-skill-frontend-patterns

cc-skill-frontend-patterns

Frontend development patterns for React, Next.js, state management, performance optimization, and UI best practices.

cc-skill-project-guidelines-example

cc-skill-project-guidelines-example

Project Guidelines Skill (Example)

cc-skill-security-review

cc-skill-security-review

This skill ensures all code follows security best practices and identifies potential vulnerabilities. Use when implementing authentication or authorization, handling user input or file uploads, or creating new API endpoints.

cc-skill-strategic-compact

cc-skill-strategic-compact

Development skill from everything-claude-code

cdk-patterns

cdk-patterns

Common AWS CDK patterns and constructs for building cloud infrastructure with TypeScript, Python, or Java. Use when designing reusable CDK stacks and L3 constructs.

changelog-automation

changelog-automation

Automate changelog generation from commits, PRs, and releases following Keep a Changelog format. Use when setting up release workflows, generating release notes, or standardizing commit conventions.

chat-widget

chat-widget

Build a real-time support chat system with a floating widget for users and an admin dashboard for support staff. Use when the user wants live chat, customer support chat, real-time messaging, or in-app support.

chrome-extension-developer

chrome-extension-developer

Expert in building Chrome Extensions using Manifest V3. Covers background scripts, service workers, content scripts, and cross-context communication.

churn-prevention

churn-prevention

Reduce voluntary and involuntary churn with cancel flows, save offers, dunning, win-back tactics, and retention strategy. Use when users are cancelling, failed payments are rising, or subscription retention needs improvement.

cicd-automation-workflow-automate

cicd-automation-workflow-automate

You are a workflow automation expert specializing in creating efficient CI/CD pipelines, GitHub Actions workflows, and automated development processes. Design and implement automation that reduces manual work, improves consistency, and accelerates delivery while maintaining quality and security.

circleci-automation

circleci-automation

Automate CircleCI tasks via Rube MCP (Composio): trigger pipelines, monitor workflows/jobs, retrieve artifacts and test metadata. Always search tools first for current schemas.

cirq

cirq

Cirq is Google Quantum AI's open-source framework for designing, simulating, and running quantum circuits on quantum computers and simulators.

citation-management

citation-management

Manage citations systematically throughout the research and writing process.

ckw-design

ckw-design

Frontend design entry point: direction, design system, visual philosophy. Use whenever building or touching the look of any web UI (components, pages, dashboards, React/Vue/HTML-CSS) or when the user says "make this look better", "fix the spacing/layout", or mentions styling, color, type, or polish.

claimable-postgres

claimable-postgres

Provision instant temporary Postgres databases via Claimable Postgres by Neon (pg.new). No login or credit card required. Use for quick Postgres environments and throwaway DATABASE_URL for prototyping.

clarity-gate

clarity-gate

>

clarvia-aeo-check

clarvia-aeo-check

Score any MCP server, API, or CLI for agent-readiness using Clarvia AEO (Agent Experience Optimization). Search 15,400+ indexed tools before adding them to your workflow.

claude-ally-health

claude-ally-health

A health assistant skill for medical information analysis, symptom tracking, and wellness guidance.

claude-api

claude-api

Build apps with the Claude API or Anthropic SDK. TRIGGER when: code imports ``anthropic``/``@anthropic-ai/sdk``/``claude_agent_sdk``, or user asks to use Claude API, Anthropic SDKs, or Agent SDK. DO NOT TRIGGER when: code imports ``openai``/other AI SDK, general programming, or ML/data-science tasks.

claude-code-expert

claude-code-expert

Especialista profundo em Claude Code - CLI da Anthropic. Maximiza produtividade com atalhos, hooks, MCPs, configuracoes avancadas, workflows, CLAUDE.md, memoria, sub-agentes, permissoes e integracao com ecossistemas.

claude-code-guide

claude-code-guide

To provide a comprehensive reference for configuring and using Claude Code (the agentic coding tool) to its full potential. This skill synthesizes best practices, configuration templates, and advanced usage patterns.

claude-d3js-skill

claude-d3js-skill

This skill provides guidance for creating sophisticated, interactive data visualisations using d3.js.

claude-in-chrome-troubleshooting

claude-in-chrome-troubleshooting

Diagnose and fix Claude in Chrome MCP extension connectivity issues. Use when mcp__claude-in-chrome__* tools fail, return "Browser extension is not connected", or behave erratically.

claude-monitor

claude-monitor

Monitor de performance do Claude Code e sistema local. Diagnostica lentidao, mede CPU/RAM/disco, verifica API latency e gera relatorios de saude do sistema.

claude-scientific-skills

claude-scientific-skills

Scientific research and analysis skills

claude-settings-audit

claude-settings-audit

Analyze a repository to generate recommended Claude Code settings.json permissions. Use when setting up a new project, auditing existing settings, or determining which read-only bash commands to allow. Detects tech stack, build tools, and monorepo structure.

claude-speed-reader

claude-speed-reader

-Speed read Claude's responses at 600+ WPM using RSVP with Spritz-style ORP highlighting

claude-win11-speckit-update-skill

claude-win11-speckit-update-skill

Windows 11 system management

clean-code

clean-code

This skill embodies the principles of \"Clean Code\" by Robert C. Martin (Uncle Bob). Use it to transform \"code that works\" into \"code that is clean.\"

clerk-auth

clerk-auth

Expert patterns for Clerk auth implementation, middleware,

clickup-automation

clickup-automation

Automate ClickUp project management including tasks, spaces, folders, lists, comments, and team operations via Rube MCP (Composio). Always search tools first for current schemas.

close-automation

close-automation

Automate Close CRM tasks via Rube MCP (Composio): create leads, manage calls/SMS, handle tasks, and track notes. Always search tools first for current schemas.

closed-loop-delivery

closed-loop-delivery

Use when a coding task must be completed against explicit acceptance criteria with minimal user re-intervention across implementation, review feedback, deployment, and runtime verification.

cloud-architect

cloud-architect

Expert cloud architect specializing in AWS/Azure/GCP multi-cloud infrastructure design, advanced IaC (Terraform/OpenTofu/CDK), FinOps cost optimization, and modern architectural patterns.

cloud-devops

cloud-devops

Cloud infrastructure and DevOps workflow covering AWS, Azure, GCP, Kubernetes, Terraform, CI/CD, monitoring, and cloud-native development.

cloud-penetration-testing

cloud-penetration-testing

Conduct comprehensive security assessments of cloud infrastructure across Microsoft Azure, Amazon Web Services (AWS), and Google Cloud Platform (GCP).

cloudflare-workers-expert

cloudflare-workers-expert

Expert in Cloudflare Workers and the Edge Computing ecosystem. Covers Wrangler, KV, D1, Durable Objects, and R2 storage.

cloudformation-best-practices

cloudformation-best-practices

CloudFormation template optimization, nested stacks, drift detection, and production-ready patterns. Use when writing or reviewing CF templates.

coda-automation

coda-automation

Automate Coda tasks via Rube MCP (Composio): manage docs, pages, tables, rows, formulas, permissions, and publishing. Always search tools first for current schemas.

code-documentation-code-explain

code-documentation-code-explain

You are a code education expert specializing in explaining complex code through clear narratives, visual diagrams, and step-by-step breakdowns. Transform difficult concepts into understandable explanations for developers at all levels.

code-documentation-doc-generate

code-documentation-doc-generate

You are a documentation expert specializing in creating comprehensive, maintainable documentation from code. Generate API docs, architecture diagrams, user guides, and technical references using AI-powered analysis and industry best practices.

code-refactoring-context-restore

code-refactoring-context-restore

Use when working with code refactoring context restore

code-refactoring-refactor-clean

code-refactoring-refactor-clean

You are a code refactoring expert specializing in clean code principles, SOLID design patterns, and modern software engineering best practices. Analyze and refactor the provided code to improve its quality, maintainability, and performance.

code-refactoring-tech-debt

code-refactoring-tech-debt

You are a technical debt expert specializing in identifying, quantifying, and prioritizing technical debt in software projects. Analyze the codebase to uncover debt, assess its impact, and create acti

code-review-ai-ai-review

code-review-ai-ai-review

You are an expert AI-powered code review specialist combining automated static analysis, intelligent pattern recognition, and modern DevOps practices. Leverage AI tools (GitHub Copilot, Qodo, GPT-5, C

code-review-checklist

code-review-checklist

Comprehensive checklist for conducting thorough code reviews covering functionality, security, performance, and maintainability

code-review-excellence

code-review-excellence

Transform code reviews from gatekeeping to knowledge sharing through constructive feedback, systematic analysis, and collaborative improvement.

code-reviewer

code-reviewer

Elite code review expert specializing in modern AI-powered code

code-simplifier

code-simplifier

Simplifies and refines code for clarity, consistency, and maintainability while preserving all functionality. Use when asked to "simplify code", "clean up code", "refactor for clarity", "improve readability", or review recently modified code for elegance. Focuses on project-specific best practices.

codebase-audit-pre-push

codebase-audit-pre-push

Deep audit before GitHub push: removes junk files, dead code, security holes, and optimization issues. Checks every file line-by-line for production readiness.

codebase-cleanup-deps-audit

codebase-cleanup-deps-audit

You are a dependency security expert specializing in vulnerability scanning, license compliance, and supply chain security. Analyze project dependencies for known vulnerabilities, licensing issues, outdated packages, and provide actionable remediation strategies.

codebase-cleanup-refactor-clean

codebase-cleanup-refactor-clean

You are a code refactoring expert specializing in clean code principles, SOLID design patterns, and modern software engineering best practices. Analyze and refactor the provided code to improve its quality, maintainability, and performance.

codebase-cleanup-tech-debt

codebase-cleanup-tech-debt

You are a technical debt expert specializing in identifying, quantifying, and prioritizing technical debt in software projects. Analyze the codebase to uncover debt, assess its impact, and create acti

codebase-design

codebase-design

Shared vocabulary for designing deep modules. Use when the user wants to design or improve a module's interface, find deepening opportunities, decide where a seam goes, make code more testable or AI-navigable, or when another skill needs the deep-module vocabulary.

codebase-to-wordpress-converter

codebase-to-wordpress-converter

Expert skill for converting any codebase (React/HTML/Next.js) into a pixel-perfect, SEO-optimized, and dynamic WordPress theme.

codex-fable5

codex-fable5

Apply Fable-inspired discipline to Codex work: inspect first, track goals and findings, ground conclusions in evidence, verify before completion, and adapt Claude/Fable prompt guidance without identity or provider claims.

codex-review

codex-review

Professional code review with auto CHANGELOG generation, integrated with Codex AI. Use when you want professional code review before commits, you need automatic CHANGELOG generation, or reviewing large-scale refactoring.

cold-email

cold-email

Write B2B cold emails and follow-up sequences that earn replies. Use when creating outbound prospecting emails, SDR outreach, personalized opening lines, subject lines, CTAs, and multi-touch follow-up sequences.

comfyui-gateway

comfyui-gateway

REST API gateway for ComfyUI servers. Workflow management, job queuing, webhooks, caching, auth, rate limiting, and image delivery (URL + base64).

commit

commit

ALWAYS use this skill when committing code changes — never commit directly without it. Creates commits following Sentry conventions with proper conventional commit format and issue references. Trigger on any commit, git commit, save changes, or commit message task.

competitive-landscape

competitive-landscape

Comprehensive frameworks for analyzing competition, identifying differentiation opportunities, and developing winning market positioning strategies.

competitor-alternatives

competitor-alternatives

You are an expert in creating competitor comparison and alternative pages. Your goal is to build pages that rank for competitive search terms, provide genuine value to evaluators, and position your product effectively.

competitor-analysis

competitor-analysis

Research competitors with Browserbase discovery, enrichment lanes, screenshots, matrices, and HTML reports.

complexity-cuts

complexity-cuts

Lower Big-O on existing code via a one-transformation-at-a-time playbook with verify-revert-stop. For new code use lemmaly; for math-level wins escalate to mathguard.

composition-patterns

composition-patterns

Use when working with composition-patterns tasks or workflows

comprehensive-review-full-review

comprehensive-review-full-review

Use when working with comprehensive review full review

comprehensive-review-pr-enhance

comprehensive-review-pr-enhance

>

computer-use-agents

computer-use-agents

Build AI agents that interact with computers like humans do -

computer-vision-expert

computer-vision-expert

SOTA Computer Vision Expert (2026). Specialized in YOLO26, Segment Anything 3 (SAM 3), Vision Language Models, and real-time spatial analysis.

concise-planning

concise-planning

Use when a user asks for a plan for a coding task, to generate a clear, actionable, and atomic checklist.

conductor-implement

conductor-implement

Execute tasks from a track's implementation plan following TDD workflow

conductor-manage

conductor-manage

Manage track lifecycle: archive, restore, delete, rename, and cleanup

conductor-new-track

conductor-new-track

Create a new track with specification and phased implementation plan

conductor-revert

conductor-revert

Git-aware undo by logical work unit (track, phase, or task)

conductor-setup

conductor-setup

Configure a Rails project to work with Conductor (parallel coding agents)

conductor-status

conductor-status

Display project status, active tracks, and next actions

conductor-validator

conductor-validator

Validates Conductor project artifacts for completeness,

confluence-automation

confluence-automation

Automate Confluence page creation, content search, space management, labels, and hierarchy navigation via Rube MCP (Composio). Always search tools first for current schemas.

constant-time-analysis

constant-time-analysis

Analyze cryptographic code to detect operations that leak secret data through execution timing variations.

container-security-hardening

container-security-hardening

>

content-creator

content-creator

Professional-grade brand voice analysis, SEO optimization, and platform-specific content frameworks.

content-marketer

content-marketer

Elite content marketing strategist specializing in AI-powered content creation, omnichannel distribution, SEO optimization, and data-driven performance marketing.

content-strategy

content-strategy

Plan a content strategy, topic clusters, editorial roadmap, and content mix for traffic, authority, and lead generation. Use when deciding what to publish, what topics to prioritize, or how to structure a content program.

context-agent

context-agent

Agente de contexto para continuidade entre sessoes. Salva resumos, decisoes, tarefas pendentes e carrega briefing automatico na sessao seguinte.

context-compression

context-compression

When agent sessions generate millions of tokens of conversation history, compression becomes mandatory. The naive approach is aggressive compression to minimize tokens per request.

context-degradation

context-degradation

Language models exhibit predictable degradation patterns as context length increases. Understanding these patterns is essential for diagnosing failures and designing resilient systems.

context-driven-development

context-driven-development

Guide for implementing and maintaining context as a managed artifact alongside code, enabling consistent AI interactions and team alignment through structured project documentation.

context-fundamentals

context-fundamentals

Context is the complete state available to a language model at inference time. It includes everything the model can attend to when generating responses: system instructions, tool definitions, retrieved documents, message history, and tool outputs.

context-guardian

context-guardian

Guardiao de contexto que preserva dados criticos antes da compactacao automatica. Snapshots, verificacao de integridade e zero perda de informacao.

context-management-context-restore

context-management-context-restore

Use when working with context management context restore

context-management-context-save

context-management-context-save

Use when working with context management context save

context-manager

context-manager

Elite AI context engineering specialist mastering dynamic context management, vector databases, knowledge graphs, and intelligent memory systems.

context-optimization

context-optimization

Context optimization extends the effective capacity of limited context windows through strategic compression, masking, caching, and partitioning. The goal is not to magically increase context windows but to make better use of available capacity.

context-window-management

context-window-management

Strategies for managing LLM context windows including

context7-auto-research

context7-auto-research

Automatically fetch latest library/framework documentation for Claude Code via Context7 API. Use when you need up-to-date documentation for libraries and frameworks or asking about React, Next.js, Prisma, or any other popular library.

conversation-memory

conversation-memory

Persistent memory systems for LLM conversations including

convertkit-automation

convertkit-automation

Automate ConvertKit (Kit) tasks via Rube MCP (Composio): manage subscribers, tags, broadcasts, and broadcast stats. Always search tools first for current schemas.

convex

convex

Convex reactive backend expert: schema design, TypeScript functions, real-time subscriptions, auth, file storage, scheduling, and deployment.

copilot-sdk

copilot-sdk

Build applications that programmatically interact with GitHub Copilot. The SDK wraps the Copilot CLI via JSON-RPC, providing session management, custom tools, hooks, MCP server integration, and streaming across Node.js, Python, Go, and .NET.

copy-editing

copy-editing

You are an expert copy editor specializing in marketing and conversion copy. Your goal is to systematically improve existing copy through focused editing passes while preserving the core message.

copywriting

copywriting

Write rigorous, conversion-focused marketing copy for landing pages and emails. Enforces brief confirmation and strict no-fabrication rules.

copywriting-psychologist

copywriting-psychologist

One sentence - what this skill does and when to invoke it

core-components

core-components

Core component library and design system patterns. Use when building UI, using design tokens, or working with the component library.

cost-optimization

cost-optimization

Strategies and patterns for optimizing cloud costs across AWS, Azure, and GCP.

cpp-pro

cpp-pro

Write idiomatic C++ code with modern features, RAII, smart pointers, and STL algorithms. Handles templates, move semantics, and performance optimization.

cqrs-implementation

cqrs-implementation

Implement Command Query Responsibility Segregation for scalable architectures. Use when separating read and write models, optimizing query performance, or building event-sourced systems.

create-branch

create-branch

Create a git branch following Sentry naming conventions. Use when asked to "create a branch", "new branch", "start a branch", "make a branch", "switch to a new branch", or when starting new work on the default branch.

create-issue-gate

create-issue-gate

Use when starting a new implementation task and an issue must be created with strict acceptance criteria gating before execution.

create-pr

create-pr

Alias for sentry-skills:pr-writer. Use when users explicitly ask for "create-pr" or reference the legacy skill name. Redirects to the canonical PR writing workflow.

cred-omega

cred-omega

CISO operacional enterprise para gestao total de credenciais e segredos.

crewai

crewai

Expert in CrewAI - the leading role-based multi-agent framework

crossframe

crossframe

Use when the user explicitly invokes CrossFrame or 跨尺度结构诊断 for Chinese-canonical structural diagnosis of complex relationships, organizations, institutions, public disputes, or long-term evolution.

crossframe-casebook

crossframe-casebook

Use when CrossFrame Suite routes explicit Chinese casebook work: turning materials into reusable cases, anonymized entries, mechanisms, and retrieval indexes.

crossframe-critical

crossframe-critical

Use only when the user explicitly names crossframe-critical for a Chinese structural critique dossier, article plan, or long-form critical essay.

crossframe-debate

crossframe-debate

Use when CrossFrame Suite routes explicit Chinese proposition testing, debate analysis, hidden-premise review, rebuttal design, or withdrawal condition checks.

crossframe-dialogue

crossframe-dialogue

Use when CrossFrame Suite routes explicit Chinese reader replies, editor responses, consultation-style short answers, or boundary-aware structural advice.

crossframe-essay

crossframe-essay

Use when explicit CrossFrame work needs a Chinese critical insight essay, commentary, concept essay, public piece, or structure-to-article draft after diagnosis.

crossframe-notebook

crossframe-notebook

Use when CrossFrame Suite routes explicit Chinese notes for books, theories, articles, excerpts, bidirectional reading, absorption, or conflict mapping.

crossframe-org

crossframe-org

Use when CrossFrame Suite routes explicit Chinese analysis of teams, projects, organizations, responsibility chains, feedback write-back, repair, or retrospectives.

crossframe-public

crossframe-public

Use when CrossFrame Suite routes explicit Chinese analysis of public issues, platform governance, policy, institutional responsibility, appeals, or compliance evidence.

crossframe-review

crossframe-review

Use when explicit CrossFrame output needs review for reasoning fidelity, evidence boundaries, source anchors, concept drift, article collapse, or repair steps.

crossframe-suite

crossframe-suite

Use when the user explicitly invokes CrossFrame Suite for Chinese structural diagnosis workflows across relationships, organizations, public issues, philosophy, research, or essay output.

crossframe-teach

crossframe-teach

Use when CrossFrame Suite routes explicit Chinese teaching of CrossFrame concepts, misreading boundaries, plain-language examples, signals, or exercises.

crypto-bd-agent

crypto-bd-agent

Production-tested patterns for building AI agents that autonomously discover, > evaluate, and acquire token listings for cryptocurrency exchanges.

csharp-pro

csharp-pro

Write modern C# code with advanced features like records, pattern matching, and async/await. Optimizes .NET applications, implements enterprise patterns, and ensures comprehensive testing.

customer-psychographic-profiler

customer-psychographic-profiler

One sentence - what this skill does and when to invoke it

customer-support

customer-support

Elite AI-powered customer support specialist mastering conversational AI, automated ticketing, sentiment analysis, and omnichannel support experiences.

customs-trade-compliance

customs-trade-compliance

Codified expertise for customs documentation, tariff classification, duty optimisation, restricted party screening, and regulatory compliance across multiple jurisdictions.

cv-generator

cv-generator

Generate professional, ATS-optimized CVs for FlowCV, Canva, Google Docs, or Word. Handles multi-source merging, JD targeting, seniority adaptation, and humanized rewriting. Outputs paste-ready text with an ATS flaw report and improvement suggestions.

daily

daily

Documentation and capabilities reference for Daily

daily-gift

daily-gift

Relationship-aware daily gift engine with five-stage creative pipeline — editorial judgment, synthesis, concept generation, visual strategy, and rendering in H5, image, or video

daily-news-report

daily-news-report

Scrapes content based on a preset URL list, filters high-quality technical information, and generates daily Markdown reports.

data-engineer

data-engineer

Build scalable data pipelines, modern data warehouses, and real-time streaming architectures. Implements Apache Spark, dbt, Airflow, and cloud-native data platforms.

data-engineering-data-driven-feature

data-engineering-data-driven-feature

Build features guided by data insights, A/B testing, and continuous measurement using specialized agents for analysis, implementation, and experimentation.

data-engineering-data-pipeline

data-engineering-data-pipeline

You are a data pipeline architecture expert specializing in scalable, reliable, and cost-effective data pipelines for batch and streaming data processing.

data-quality-frameworks

data-quality-frameworks

Implement data quality validation with Great Expectations, dbt tests, and data contracts. Use when building data quality pipelines, implementing validation rules, or establishing data contracts.

data-scientist

data-scientist

Expert data scientist for advanced analytics, machine learning, and statistical modeling. Handles complex data analysis, predictive modeling, and business intelligence.

data-storytelling

data-storytelling

Transform raw data into compelling narratives that drive decisions and inspire action.

data-structure-protocol

data-structure-protocol

Give agents persistent structural memory of a codebase — navigate dependencies, track public APIs, and understand why connections exist without re-reading the whole repo.

database

database

Database development and operations workflow covering SQL, NoSQL, database design, migrations, optimization, and data engineering.

database-admin

database-admin

Expert database administrator specializing in modern cloud databases, automation, and reliability engineering.

database-architect

database-architect

Expert database architect specializing in data layer design from scratch, technology selection, schema modeling, and scalable database architectures.

database-cloud-optimization-cost-optimize

database-cloud-optimization-cost-optimize

You are a cloud cost optimization expert specializing in reducing infrastructure expenses while maintaining performance and reliability. Analyze cloud spending, identify savings opportunities, and implement cost-effective architectures across AWS, Azure, and GCP.

database-design

database-design

Database design principles and decision-making. Schema design, indexing strategy, ORM selection, serverless databases.

database-migration

database-migration

Master database schema and data migrations across ORMs (Sequelize, TypeORM, Prisma), including rollback strategies and zero-downtime deployments.

database-migrations-migration-observability

database-migrations-migration-observability

Migration monitoring, CDC, and observability infrastructure

database-migrations-sql-migrations

database-migrations-sql-migrations

SQL database migrations with zero-downtime strategies for PostgreSQL, MySQL, and SQL Server. Focus on data integrity and rollback plans.

database-optimizer

database-optimizer

Expert database optimizer specializing in modern performance tuning, query optimization, and scalable architectures.

datadog-automation

datadog-automation

Automate Datadog tasks via Rube MCP (Composio): query metrics, search logs, manage monitors/dashboards, create events and downtimes. Always search tools first for current schemas.

dbos-golang

dbos-golang

Guide for building reliable, fault-tolerant Go applications with DBOS durable workflows. Use when adding DBOS to existing Go code, creating workflows and steps, or using queues for concurrency control.

dbos-python

dbos-python

Guide for building reliable, fault-tolerant Python applications with DBOS durable workflows. Use when adding DBOS to existing Python code, creating workflows and steps, or using queues for concurrency control.

dbos-typescript

dbos-typescript

Guide for building reliable, fault-tolerant TypeScript applications with DBOS durable workflows. Use when adding DBOS to existing TypeScript code, creating workflows and steps, or using queues for concurrency control.

dbt-transformation-patterns

dbt-transformation-patterns

Production-ready patterns for dbt (data build tool) including model organization, testing strategies, documentation, and incremental processing.

ddd-context-mapping

ddd-context-mapping

Map relationships between bounded contexts and define integration contracts using DDD context mapping patterns.

ddd-strategic-design

ddd-strategic-design

Design DDD strategic artifacts including subdomains, bounded contexts, and ubiquitous language for complex business domains.

ddd-tactical-patterns

ddd-tactical-patterns

Apply DDD tactical patterns in code using entities, value objects, aggregates, repositories, and domain events with explicit invariants.

debug-buttercup

debug-buttercup

All pods run in namespace crs. Use when pods in the crs namespace are in CrashLoopBackOff, OOMKilled, or restarting, multiple services restart simultaneously (cascade failure), or redis is unresponsive or showing AOF warnings.

debugger

debugger

Debugging specialist for errors, test failures, and unexpected

debugging-strategies

debugging-strategies

Transform debugging from frustrating guesswork into systematic problem-solving with proven strategies, powerful tools, and methodical approaches.

debugging-toolkit

debugging-toolkit

Use when working with debugging toolkit smart debug (Alias for debugging-toolkit-smart-debug)

debugging-toolkit-smart-debug

debugging-toolkit-smart-debug

Use when working with debugging toolkit smart debug

decision-navigator

decision-navigator

Guide stuck or overwhelmed users through targeted branching questions until they reach concrete next steps.

deep-research

deep-research

Run autonomous research tasks that plan, search, read, and synthesize information into comprehensive reports.

defi-protocol-templates

defi-protocol-templates

Implement DeFi protocols with production-ready templates for staking, AMMs, governance, and lending systems. Use when building decentralized finance applications or smart contract protocols.

defuddle

defuddle

Extract clean markdown content from web pages using Defuddle CLI, removing clutter and navigation to save tokens. Use instead of WebFetch when the user provides a URL to read or analyze, for online documentation, articles, blog posts, or any standard web page.

dependency-management-deps-audit

dependency-management-deps-audit

You are a dependency security expert specializing in vulnerability scanning, license compliance, and supply chain security. Analyze project dependencies for known vulnerabilities, licensing issues, outdated packages, and provide actionable remediation strategies.

dependency-upgrade

dependency-upgrade

Master major dependency version upgrades, compatibility analysis, staged upgrade strategies, and comprehensive testing approaches.

deploy-to-vercel

deploy-to-vercel

Deploy applications and websites to Vercel. Use when the user requests deployment actions like "deploy my app", "deploy and give me the link", "push this live", or "create a preview deployment".

deployment-engineer

deployment-engineer

Expert deployment engineer specializing in modern CI/CD pipelines, GitOps workflows, and advanced deployment automation.

deployment-pipeline-design

deployment-pipeline-design

Architecture patterns for multi-stage CI/CD pipelines with approval gates and deployment strategies.

deployment-procedures

deployment-procedures

Production deployment principles and decision-making. Safe deployment workflows, rollback strategies, and verification. Teaches thinking, not scripts.

deployment-validation-config-validate

deployment-validation-config-validate

You are a configuration management expert specializing in validating, testing, and ensuring the correctness of application configurations. Create comprehensive validation schemas, implement configurat

design-it

design-it

Routes frontend design tasks to 48 specific UI styles. Triggers for websites, app screens, or UI components requesting a specific aesthetic.

design-md

design-md

Analyze Stitch projects and synthesize a semantic design system into DESIGN.md files

design-orchestration

design-orchestration

Orchestrates design workflows by routing work through brainstorming, multi-agent review, and execution readiness in the correct order.

design-taste-frontend

design-taste-frontend

Use when building high-agency frontend interfaces with strict design taste, calibrated color, responsive layout, and motion rules.

deterministic-design

deterministic-design

Render the UI and prove it's balanced + usable: a deterministic layout audit (centroid / optical-center / pixel-oracle balance via explicit math + annotated screenshot) plus a vision-judged Nielsen usability audit by a separate fresh-eyes judge. The measurement layer taste-only design skills lack.

devcontainer-setup

devcontainer-setup

Creates devcontainers with Claude Code, language-specific tooling (Python/Node/Rust/Go), and persistent volumes. Use when adding devcontainer support to a project, setting up isolated development environments, or configuring sandboxed Claude Code workspaces.

development

development

Comprehensive web, mobile, and backend development workflow bundling frontend, backend, full-stack, and mobile development skills for end-to-end application delivery.

devops-deploy

devops-deploy

DevOps e deploy de aplicacoes — Docker, CI/CD com GitHub Actions, AWS Lambda, SAM, Terraform, infraestrutura como codigo e monitoramento.

devops-troubleshooter

devops-troubleshooter

Expert DevOps troubleshooter specializing in rapid incident response, advanced debugging, and modern observability.

diagnosing-bugs

diagnosing-bugs

Diagnosis loop for hard bugs and performance regressions. Use when the user says "diagnose"/"debug this", or reports something broken/throwing/failing/slow.

diary

diary

Unified Diary System: A context-preserving automated logger for multi-project development.

differential-review

differential-review

Security-focused code review for PRs, commits, and diffs.

discord-automation

discord-automation

Automate Discord tasks via Rube MCP (Composio): messages, channels, roles, webhooks, reactions. Always search tools first for current schemas.

discord-bot-architect

discord-bot-architect

Specialized skill for building production-ready Discord bots.

dispatching-parallel-agents

dispatching-parallel-agents

Use when facing 2+ independent tasks that can be worked on without shared state or sequential dependencies

distributed-debugging-debug-trace

distributed-debugging-debug-trace

You are a debugging expert specializing in setting up comprehensive debugging environments, distributed tracing, and diagnostic tools. Configure debugging workflows, implement tracing solutions, and establish troubleshooting practices for development and production environments.

distributed-tracing

distributed-tracing

Implement distributed tracing with Jaeger and Tempo for request flow visibility across microservices.

django-access-review

django-access-review

django-access-review

django-perf-review

django-perf-review

Django performance code review. Use when asked to "review Django performance", "find N+1 queries", "optimize Django", "check queryset performance", "database performance", "Django ORM issues", or audit Django code for performance problems.

django-pro

django-pro

Master Django 5.x with async views, DRF, Celery, and Django Channels. Build scalable web applications with proper architecture, testing, and deployment.

doc-coauthoring

doc-coauthoring

This skill provides a structured workflow for guiding users through collaborative document creation. Act as an active guide, walking users through three stages: Context Gathering, Refinement & Structure, and Reader Testing.

doc2math

doc2math

Convert narrative technical documents into grounded Mathematical Problem Specifications with variables, constraints, objectives, and uncertainty.

docker-expert

docker-expert

You are an advanced Docker containerization expert with comprehensive, practical knowledge of container optimization, security hardening, multi-stage builds, orchestration patterns, and production deployment strategies based on current industry best practices.

docs-architect

docs-architect

Creates comprehensive technical documentation from existing codebases. Analyzes architecture, design patterns, and implementation details to produce long-form technical manuals and ebooks.

documentation

documentation

Documentation generation workflow covering API docs, architecture docs, README files, code comments, and technical writing.

documentation-generation-doc-generate

documentation-generation-doc-generate

You are a documentation expert specializing in creating comprehensive, maintainable documentation from code. Generate API docs, architecture diagrams, user guides, and technical references using AI-powered analysis and industry best practices.

documentation-templates

documentation-templates

Documentation templates and structure guidelines. README, API docs, code comments, and AI-friendly documentation.

docusign-automation

docusign-automation

Automate DocuSign tasks via Rube MCP (Composio): templates, envelopes, signatures, document management. Always search tools first for current schemas.

docx-official

docx-official

A user may ask you to create, edit, or analyze the contents of a .docx file. A .docx file is essentially a ZIP archive containing XML files and other resources that you can read or edit. You have different tools and workflows available for different tasks.

domain-driven-design

domain-driven-design

Plan and route Domain-Driven Design work from strategic modeling to tactical implementation and evented architecture patterns.

domain-modeling

domain-modeling

Build and sharpen a project's domain model. Use when the user wants to pin down domain terminology or a ubiquitous language, record an architectural decision, or when another skill needs to maintain the domain model.

dos-verify-done-claims

dos-verify-done-claims

Before accepting an agent's 'done / shipped / fixed' claim, verify it against ground truth (git ancestry + the commit's own diff) using the DOS kernel's ``dos verify`` and ``dos commit-audit`` — never the agent's own narration.

dotnet-architect

dotnet-architect

Expert .NET backend architect specializing in C#, ASP.NET Core, Entity Framework, Dapper, and enterprise application patterns.

dotnet-backend

dotnet-backend

Build ASP.NET Core 8+ backend services with EF Core, auth, background jobs, and production API patterns.

dotnet-backend-patterns

dotnet-backend-patterns

Master C#/.NET patterns for building production-grade APIs, MCP servers, and enterprise backends with modern best practices (2024/2025).

drizzle-orm-expert

drizzle-orm-expert

Expert in Drizzle ORM for TypeScript — schema design, relational queries, migrations, and serverless database integration. Use when building type-safe database layers with Drizzle.

dropbox-automation

dropbox-automation

Automate Dropbox file management, sharing, search, uploads, downloads, and folder operations via Rube MCP (Composio). Always search tools first for current schemas.

dwarf-expert

dwarf-expert

Provides expertise for analyzing DWARF debug files and understanding the DWARF debug format/standard (v3-v5). Triggers when understanding DWARF information, interacting with DWARF files, answering DWARF-related questions, or working with code that parses DWARF data.

dx-optimizer

dx-optimizer

Developer Experience specialist. Improves tooling, setup, and workflows. Use PROACTIVELY when setting up new projects, after team feedback, or when development friction is noticed.

e2e-testing

e2e-testing

End-to-end testing workflow with Playwright for browser automation, visual regression, cross-browser testing, and CI/CD integration.

e2e-testing-patterns

e2e-testing-patterns

Build reliable, fast, and maintainable end-to-end test suites that provide confidence to ship code quickly and catch regressions before users do.

earllm-build

earllm-build

Build, maintain, and extend the EarLLM One Android project — a Kotlin/Compose app that connects Bluetooth earbuds to an LLM via voice pipeline.

ecl-harness-engineer

ecl-harness-engineer

Create or audit ECL Agent Harness infrastructure: AGENTS.md, change tracking, repository guidance, lint checks, CI gates, and agent handoff docs.

efficient-web-research

efficient-web-research

>

ejentum-reasoning-harness

ejentum-reasoning-harness

MCP server exposing four cognitive harness modes (reasoning, code, anti-deception, memory). Each call returns an engineered scaffold (failure pattern, procedure, suppression vectors, falsification test) the agent ingests before generating.

electron-development

electron-development

Master Electron desktop app development with secure IPC, contextIsolation, preload scripts, multi-process architecture, electron-builder packaging, code signing, and auto-update.

elixir-pro

elixir-pro

Write idiomatic Elixir code with OTP patterns, supervision trees, and Phoenix LiveView. Masters concurrency, fault tolerance, and distributed systems.

elon-musk

elon-musk

Agente que simula Elon Musk com profundidade psicologica e comunicacional de alta fidelidade. Ativado para: \"fale como Elon\", \"simule Elon Musk\", \"o que Elon diria sobre X\", \"first principles thinking\", \"think like Elon\", roleplay/simulacao do personagem.

email-sequence

email-sequence

You are an expert in email marketing and automation. Your goal is to create email sequences that nurture relationships, drive action, and move people toward conversion.

email-systems

email-systems

Email has the highest ROI of any marketing channel. \$36 for every

embedding-strategies

embedding-strategies

Guide to selecting and optimizing embedding models for vector search applications.

emblem-ai-crypto-wallet

emblem-ai-crypto-wallet

Crypto wallet management across 7 blockchains via EmblemAI Agent Hustle API. Balance checks, token swaps, portfolio analysis, and transaction execution for Solana, Ethereum, Base, BSC, Polygon, Hedera, and Bitcoin.

emergency-card

emergency-card

生成紧急情况下快速访问的医疗信息摘要卡片。当用户需要旅行、就诊准备、紧急情况或询问"紧急信息"、"医疗卡片"、"急救信息"时使用此技能。提取关键信息（过敏、用药、急症、植入物），支持多格式输出（JSON、文本、二维码），用于急救或快速就医。

emil-design-eng

emil-design-eng

Use when designing or reviewing polished product UI with Emil Kowalski-inspired animation, interaction, and component craft guidance.

emotional-arc-designer

emotional-arc-designer

One sentence - what this skill does and when to invoke it

employment-contract-templates

employment-contract-templates

Templates and patterns for creating legally sound employment documentation including contracts, offer letters, and HR policies.

energy-procurement

energy-procurement

Codified expertise for electricity and gas procurement, tariff optimisation, demand charge management, renewable PPA evaluation, and multi-facility energy cost management.

enhance-prompt

enhance-prompt

Transforms vague UI ideas into polished, Stitch-optimized prompts. Enhances specificity, adds UI/UX keywords, injects design system context, and structures output for better generation results.

environment-setup-guide

environment-setup-guide

Guide developers through setting up development environments with proper tools, dependencies, and configurations

error-debugging-error-analysis

error-debugging-error-analysis

You are an expert error analysis specialist with deep expertise in debugging distributed systems, analyzing production incidents, and implementing comprehensive observability solutions.

error-debugging-error-trace

error-debugging-error-trace

You are an error tracking and observability expert specializing in implementing comprehensive error monitoring solutions. Set up error tracking systems, configure alerts, implement structured logging, and ensure teams can quickly identify and resolve production issues.

error-debugging-multi-agent-review

error-debugging-multi-agent-review

Use when working with error debugging multi agent review

error-detective

error-detective

Search logs and codebases for error patterns, stack traces, and anomalies. Correlates errors across systems and identifies root causes.

error-diagnostics-error-analysis

error-diagnostics-error-analysis

You are an expert error analysis specialist with deep expertise in debugging distributed systems, analyzing production incidents, and implementing comprehensive observability solutions.

error-diagnostics-error-trace

error-diagnostics-error-trace

You are an error tracking and observability expert specializing in implementing comprehensive error monitoring solutions. Set up error tracking systems, configure alerts, implement structured logging,

error-diagnostics-smart-debug

error-diagnostics-smart-debug

Use when working with error diagnostics smart debug

error-handling-patterns

error-handling-patterns

Build resilient applications with robust error handling strategies that gracefully handle failures and provide excellent debugging experiences.

ethical-hacking-methodology

ethical-hacking-methodology

Master the complete penetration testing lifecycle from reconnaissance through reporting. This skill covers the five stages of ethical hacking methodology, essential tools, attack techniques, and professional reporting for authorized security assessments.

evaluation

evaluation

Build evaluation frameworks for agent systems. Use when testing agent performance systematically, validating context engineering choices, or measuring improvements over time.

event-sourcing-architect

event-sourcing-architect

Expert in event sourcing, CQRS, and event-driven architecture patterns. Masters event store design, projection building, saga orchestration, and eventual consistency patterns. Use PROACTIVELY for event-sourced systems, audit trail requirements, or complex domain modeling with temporal queries.

event-staffing-compliance

event-staffing-compliance

Assess worker-classification and compliance risk for temporary event staffing in the US and Canada — W-2 vs 1099, misclassification penalties, joint-employer liability, COI, and wage/hour rules. Includes live state-by-state lookups via MCP.

event-staffing-ordering

event-staffing-ordering

Order W-2 compliant temporary event staff for conventions, trade shows, festivals, concerts, sporting events, and brand activations across 300+ US and Canadian markets via TempGuru. Covers city coverage, role pricing, availability, state compliance lookups via MCP, and request submission.

event-store-design

event-store-design

Design and implement event stores for event-sourced systems. Use when building event sourcing infrastructure, choosing event store technologies, or implementing event persistence patterns.

evolution

evolution

This skill enables makepad-skills to self-improve continuously during development.

exa-search

exa-search

Semantic search, similar content discovery, and structured research using Exa API. Use when you need semantic/embeddings-based search, finding similar content, or searching by category (company, people, research papers, etc.).

examprep-ai

examprep-ai

Exam preparation assistant that converts syllabi, past papers, or notes into a ranked High Score Roadmap. Covers theory, numericals, MCQs, coding, and lab prep, ordered Easy → Medium → Hard. Use for last-minute revision, important topics, and question prediction.

executing-plans

executing-plans

Use when you have a written implementation plan to execute in a separate session with review checkpoints

explain-like-socrates

explain-like-socrates

>

expo-api-routes

expo-api-routes

Guidelines for creating API routes in Expo Router with EAS Hosting

expo-cicd-workflows

`expo-cicd-workflows`

Helps understand and write EAS workflow YAML files for Expo projects. Use this skill when the user asks about CI/CD or workflows in an Expo or EAS context, mentions .eas/workflows/, or wants help with EAS build pipelines or deployment automation.

expo-deployment

`expo-deployment`

Deploy Expo apps to production

expo-dev-client

`expo-dev-client`

Build and distribute Expo development clients locally or via TestFlight

expo-tailwind-setup

`expo-tailwind-setup`

Set up Tailwind CSS v4 in Expo with react-native-css and NativeWind v5 for universal styling

expo-ui-jetpack-compose

`expo-ui-jetpack-compose`

expo-ui-jetpack-compose

expo-ui-swift-ui

`expo-ui-swift-ui`

expo-ui-swift-ui

faf-expert

faf-expert

Advanced .faf (Foundational AI-context Format) specialist. IANA-registered format, MCP server config, championship scoring, bi-directional sync.

faf-wizard

faf-wizard

Done-for-you .faf generator. One-click AI context for any project - new, legacy, or famous. Auto-detects stack, scores readiness, works everywhere.

fal-audio

fal-audio

Text-to-speech and speech-to-text using fal.ai audio models

fal-generate

fal-generate

Generate images and videos using fal.ai AI models

fal-image-edit

fal-image-edit

AI-powered image editing with style transfer and object removal

fal-platform

fal-platform

Platform APIs for model management, pricing, and usage tracking

fal-upscale

fal-upscale

Upscale and enhance image and video resolution using AI

fal-workflow

fal-workflow

Generate workflow JSON files for chaining AI models

family-health-analyzer

family-health-analyzer

分析家族病史、评估遗传风险、识别家庭健康模式、提供个性化预防建议

fastapi-pro

fastapi-pro

Build high-performance async APIs with FastAPI, SQLAlchemy 2.0, and Pydantic V2. Master microservices, WebSockets, and modern Python async patterns.

fastapi-router-py

fastapi-router-py

Create FastAPI routers following established patterns with proper authentication, response models, and HTTP status codes.

fastapi-templates

fastapi-templates

Create production-ready FastAPI projects with async patterns, dependency injection, and comprehensive error handling. Use when building new FastAPI applications or setting up backend API projects.

favicon

favicon

Generate favicons from a source image

fda-food-safety-auditor

fda-food-safety-auditor

Expert AI auditor for FDA Food Safety (FSMA), HACCP, and PCQI compliance. Reviews food facility records and preventive controls.

fda-medtech-compliance-auditor

fda-medtech-compliance-auditor

Expert AI auditor for Medical Device (SaMD) compliance, IEC 62304, and 21 CFR Part 820. Reviews DHFs, technical files, and software validation.

ffuf-claude-skill

ffuf-claude-skill

Web fuzzing with ffuf

ffuf-web-fuzzing

ffuf-web-fuzzing

Expert guidance for ffuf web fuzzing during penetration testing, including authenticated fuzzing with raw requests, auto-calibration, and result analysis

figma-automation

figma-automation

Automate Figma tasks via Rube MCP (Composio): files, components, design tokens, comments, exports. Always search tools first for current schemas.

file-organizer

file-organizer

6. Reduces Clutter: Identifies old files you probably don't need anymore

file-path-traversal

file-path-traversal

Identify and exploit file path traversal (directory traversal) vulnerabilities that allow attackers to read arbitrary files on the server, potentially including sensitive configuration files, credentials, and source code.

file-uploads

file-uploads

Expert at handling file uploads and cloud storage. Covers S3,

filesystem-context

filesystem-context

Use for file-based context management, dynamic context discovery, and reducing context window bloat. Offload context to files for just-in-time loading.

find-bugs

find-bugs

Find bugs, security vulnerabilities, and code quality issues in local branch changes. Use when asked to review changes, find bugs, security review, or audit code on the current branch.

finishing-a-development-branch

finishing-a-development-branch

Use when implementation is complete, all tests pass, and you need to decide how to integrate the work - guides completion of development work by presenting structured options for merge, PR, or cleanup

firebase

firebase

Firebase gives you a complete backend in minutes - auth, database,

firecrawl-scraper

firecrawl-scraper

Deep web scraping, screenshots, PDF parsing, and website crawling using Firecrawl API. Use when you need deep content extraction from web pages, page interaction is required (clicking, scrolling, etc.), or you want screenshots or PDF parsing.

firmware-analyst

firmware-analyst

Expert firmware analyst specializing in embedded systems, IoT security, and hardware reverse engineering.

fitness-analyzer

fitness-analyzer

分析运动数据、识别运动模式、评估健身进展，并提供个性化训练建议。支持与慢性病数据的关联分析。

fix-review

fix-review

Verify fix commits address audit findings without new bugs

fixing-accessibility

fixing-accessibility

Audit and fix HTML accessibility issues including ARIA labels, keyboard navigation, focus management, color contrast, and form errors. Use when adding interactive controls, forms, dialogs, or reviewing WCAG compliance.

fixing-metadata

fixing-metadata

Audit and fix HTML metadata including page titles, meta descriptions, canonical URLs, Open Graph tags, Twitter cards, favicons, JSON-LD structured data, and robots directives. Use when adding or reviewing SEO and social metadata.

fixing-motion-performance

fixing-motion-performance

Audit and fix animation performance issues including layout thrashing, compositor properties, scroll-linked motion, and blur effects. Use when animations stutter, transitions jank, or reviewing CSS/JS animation performance.

flowhunt-skill

flowhunt-skill

Automation discovery audit skill. Walks through a 5-question workflow intake, then audits Gmail/Calendar/Slack/task trackers to identify automation opportunities. Use when a user wants to discover what processes in their business can be automated.

flutter-expert

flutter-expert

Master Flutter development with Dart 3, advanced widgets, and multi-platform deployment.

food-database-query

food-database-query

Food Database Query

form-cro

form-cro

Optimize any form that is NOT signup or account registration — including lead capture, contact, demo request, application, survey, quote, and checkout forms.

fp-async

fp-async

Practical async patterns using TaskEither - clean pipelines instead of try/catch hell, with real API examples

fp-backend

fp-backend

Functional programming patterns for Node.js/Deno backend development using fp-ts, ReaderTaskEither, and functional dependency injection

fp-data-transforms

fp-data-transforms

Everyday data transformations using functional patterns - arrays, objects, grouping, aggregation, and null-safe access

fp-either-ref

fp-either-ref

Quick reference for Either type. Use when user needs error handling, validation, or operations that can fail with typed errors.

fp-errors

fp-errors

Stop throwing everywhere - handle errors as values using Either and TaskEither for cleaner, more predictable code

fp-option-ref

fp-option-ref

Quick reference for Option type. Use when user needs to handle nullable values, optional data, or wants to avoid null checks.

fp-pipe-ref

fp-pipe-ref

Quick reference for pipe and flow. Use when user needs to chain functions, compose operations, or build data pipelines in fp-ts.

fp-pragmatic

fp-pragmatic

A practical, jargon-free guide to functional programming - the 80/20 approach that gets results without the academic overhead

fp-react

fp-react

Practical patterns for using fp-ts with React - hooks, state, forms, data fetching. Works with React 18/19, Next.js 14/15.

fp-refactor

fp-refactor

Comprehensive guide for refactoring imperative TypeScript code to fp-ts functional patterns

fp-taskeither-ref

fp-taskeither-ref

Quick reference for TaskEither. Use when user needs async error handling, API calls, or Promise-based operations that can fail.

fp-ts-errors

fp-ts-errors

Handle errors as values using fp-ts Either and TaskEither for cleaner, more predictable TypeScript code. Use when implementing error handling patterns with fp-ts.

fp-ts-pragmatic

fp-ts-pragmatic

A practical, jargon-free guide to fp-ts functional programming - the 80/20 approach that gets results without the academic overhead. Use when writing TypeScript with fp-ts library.

fp-ts-react

fp-ts-react

Practical patterns for using fp-ts with React - hooks, state, forms, data fetching. Use when building React apps with functional programming patterns. Works with React 18/19, Next.js 14/15.

fp-types-ref

fp-types-ref

Quick reference for fp-ts types. Use when user asks which type to use, needs Option/Either/Task decision help, or wants fp-ts imports.

framework-migration-code-migrate

framework-migration-code-migrate

You are a code migration expert specializing in transitioning codebases between frameworks, languages, versions, and platforms. Generate comprehensive migration plans, automated migration scripts, and

framework-migration-deps-upgrade

framework-migration-deps-upgrade

You are a dependency management expert specializing in safe, incremental upgrades of project dependencies. Plan and execute dependency updates with minimal risk, proper testing, and clear migration pa

framework-migration-legacy-modernize

framework-migration-legacy-modernize

Orchestrate a comprehensive legacy system modernization using the strangler fig pattern, enabling gradual replacement of outdated components while maintaining continuous business operations through ex

free-tool-strategy

free-tool-strategy

You are an expert in engineering-as-marketing strategy. Your goal is to help plan and evaluate free tools that generate leads, attract organic traffic, and build brand awareness.

freshdesk-automation

freshdesk-automation

Automate Freshdesk helpdesk operations including tickets, contacts, companies, notes, and replies via Rube MCP (Composio). Always search tools first for current schemas.

freshservice-automation

freshservice-automation

Automate Freshservice ITSM tasks via Rube MCP (Composio): create/update tickets, bulk operations, service requests, and outbound emails. Always search tools first for current schemas.

frontend-api-integration-patterns

frontend-api-integration-patterns

Production-ready patterns for integrating frontend applications with backend APIs, including race condition handling, request cancellation, retry strategies, error normalization, and UI state management.

frontend-design

frontend-design

You are a frontend designer-engineer, not a layout generator.

frontend-dev-guidelines

frontend-dev-guidelines

You are a senior frontend engineer operating under strict architectural and performance standards. Use when creating components or pages, adding new features, or fetching or mutating data.

frontend-developer

frontend-developer

Build React components, implement responsive layouts, and handle client-side state management. Masters React 19, Next.js 15, and modern frontend architecture.

frontend-mobile-development-component-scaffold

frontend-mobile-development-component-scaffold

You are a React component architecture expert specializing in scaffolding production-ready, accessible, and performant components. Generate complete component implementations with TypeScript, tests, s

frontend-mobile-security-xss-scan

frontend-mobile-security-xss-scan

You are a frontend security specialist focusing on Cross-Site Scripting (XSS) vulnerability detection and prevention. Analyze React, Vue, Angular, and vanilla JavaScript code to identify injection poi

frontend-security-coder

frontend-security-coder

Expert in secure frontend coding practices specializing in XSS prevention, output sanitization, and client-side security patterns.

frontend-slides

frontend-slides

Create stunning, animation-rich HTML presentations from scratch or by converting PowerPoint files.

frontend-ui-dark-ts

frontend-ui-dark-ts

A modern dark-themed React UI system using Tailwind CSS and Framer Motion. Designed for dashboards, admin panels, and data-rich applications with glassmorphism effects and tasteful animations.

fsi-compliance-checker

fsi-compliance-checker

Maps code, architecture, and infrastructure changes to specific control IDs in PCI-DSS v4.0 and MAS TRM (Singapore financial regulator), producing an audit-traceable findings report with per-control remediation.

full-output-enforcement

full-output-enforcement

Use when a task requires exhaustive unabridged output, complete files, or strict prevention of placeholders and skipped code.

full-stack-orchestration-full-stack-feature

full-stack-orchestration-full-stack-feature

Use when working with full stack orchestration full stack feature

game-development

game-development

Game development orchestrator. Routes to platform-specific skills based on project needs.

gcp-cloud-run

gcp-cloud-run

Specialized skill for building production-ready serverless

gdb-cli

gdb-cli

GDB debugging assistant for AI agents - analyze core dumps, debug live processes, investigate crashes and deadlocks with source code correlation

gdpr-data-handling

gdpr-data-handling

Practical implementation guide for GDPR-compliant data processing, consent management, and privacy controls.

gemini-api-dev

gemini-api-dev

The Gemini API provides access to Google's most advanced AI models. Key capabilities include:

gemini-api-integration

gemini-api-integration

Use when integrating Google Gemini API into projects. Covers model selection, multimodal inputs, streaming, function calling, and production best practices.

geminiignore-finops

geminiignore-finops

Configure and optimize .geminiignore files for AI context window efficiency and token cost reduction (FinOps).

geo-fundamentals

geo-fundamentals

Generative Engine Optimization for AI search engines (ChatGPT, Claude, Perplexity).

geoffrey-hinton

geoffrey-hinton

Agente que simula Geoffrey Hinton — Godfather of Deep Learning, Prêmio Turing 2018, criador do backpropagation e das Deep Belief Networks.

gh-image

gh-image

Upload local images to GitHub and get canonical user-attachments embed URLs; use when asked to attach a screenshot to a PR, issue, or comment, or to embed before/after images in a README.

gh-review-requests

gh-review-requests

Fetch unread GitHub notifications for open PRs where review is requested from a specified team or opened by a team member. Use when asked to "find PRs I need to review", "show my review requests", "what needs my review", "fetch GitHub review requests", or "check team review queue".

gha-security-review

gha-security-review

Find exploitable vulnerabilities in GitHub Actions workflows. Every finding **MUST** include a concrete exploitation scenario — if you can't build the attack, don't report it.

git-advanced-workflows

git-advanced-workflows

Master advanced Git techniques to maintain clean history, collaborate effectively, and recover from any situation with confidence.

git-hooks-automation

git-hooks-automation

Master Git hooks setup with Husky, lint-staged, pre-commit framework, and commitlint. Automate code quality gates, formatting, linting, and commit message enforcement before code reaches CI.

git-pr-review

git-pr-review

Generate a concise and structured PR description from commit history with minimal token usage

git-pr-workflows-git-workflow

git-pr-workflows-git-workflow

Orchestrate a comprehensive git workflow from code review through PR creation, leveraging specialized agents for quality assurance, testing, and deployment readiness. This workflow implements modern g

git-pr-workflows-onboard

git-pr-workflows-onboard

You are an **expert onboarding specialist and knowledge transfer architect** with deep experience in remote-first organizations, technical team integration, and accelerated learning methodologies. You

git-pr-workflows-pr-enhance

git-pr-workflows-pr-enhance

You are a PR optimization expert specializing in creating high-quality pull requests that facilitate efficient code reviews. Generate comprehensive PR descriptions, automate review processes, and ensu

git-pushing

git-pushing

Stage all changes, create a conventional commit, and push to the remote branch. Use when explicitly asks to push changes ("push this", "commit and push"), mentions saving work to remote ("save to github", "push to remote"), or completes a feature and wants to share it.

github

github

Use the `gh` CLI for issues, pull requests, Actions runs, and GitHub API queries.

github-actions-advanced

github-actions-advanced

>

github-actions-debugger

github-actions-debugger

Specialized skill for diagnosing, analyzing, and fixing failing GitHub Actions workflows by parsing run logs and pipeline definitions.

github-actions-templates

github-actions-templates

Production-ready GitHub Actions workflow patterns for testing, building, and deploying applications.

github-automation

github-automation

Automate GitHub repositories, issues, pull requests, branches, CI/CD, and permissions via Rube MCP (Composio). Manage code workflows, review PRs, search code, and handle deployments programmatically.

github-issue-creator

github-issue-creator

Turn error logs, screenshots, voice notes, and rough bug reports into crisp, developer-ready GitHub issues with repro steps, impact, and evidence.

github-workflow-automation

github-workflow-automation

Patterns for automating GitHub workflows with AI assistance, inspired by [Gemini CLI] (<https://github.com/google-gemini/gemini-cli>) and modern DevOps practices.

gitlab-automation

gitlab-automation

Automate GitLab project management, issues, merge requests, pipelines, branches, and user operations via Rube MCP (Composio). Always search tools first for current schemas.

gitlab-ci-patterns

gitlab-ci-patterns

Comprehensive GitLab CI/CD pipeline patterns for automated testing, building, and deployment.

gitops-workflow

gitops-workflow

Complete guide to implementing GitOps workflows with ArgoCD and Flux for automated Kubernetes deployments.

global-chat-agent-discovery

global-chat-agent-discovery

Discover and search 18K+ MCP servers and AI agents across 6+ registries using Global Chat's cross-protocol directory and MCP server.

gmail-automation

gmail-automation

Lightweight Gmail integration with standalone OAuth authentication. No MCP server required.

go-concurrency-patterns

go-concurrency-patterns

Master Go concurrency with goroutines, channels, sync primitives, and context. Use when building concurrent Go applications, implementing worker pools, or debugging race conditions.

go-playwright

go-playwright

Expert capability for robust, stealthy, and efficient browser automation using Playwright Go.

go-rod-master

go-rod-master

Comprehensive guide for browser automation and web scraping with go-rod (Chrome DevTools Protocol) including stealth anti-bot-detection patterns.

goal-analyzer

goal-analyzer

分析健康目标数据、识别目标模式、评估目标进度,并提供个性化目标管理建议。支持与营养、运动、睡眠等健康数据的关联分析。

godot-4-migration

godot-4-migration

Specialized guide for migrating Godot 3.x projects to Godot 4 (GDScript 2.0), covering syntax changes, Tweens, and exports.

godot-gdscript-patterns

godot-gdscript-patterns

Master Godot 4 GDScript patterns including signals, scenes, state machines, and optimization. Use when building Godot games, implementing game systems, or learning GDScript best practices.

golang-pro

golang-pro

Master Go 1.21+ with modern patterns, advanced concurrency, performance optimization, and production-ready microservices.

google-analytics-automation

google-analytics-automation

Automate Google Analytics tasks via Rube MCP (Composio): run reports, list accounts/properties, funnels, pivots, key events. Always search tools first for current schemas.

google-calendar-automation

google-calendar-automation

Lightweight Google Calendar integration with standalone OAuth authentication. No MCP server required.

google-docs-automation

google-docs-automation

Lightweight Google Docs integration with standalone OAuth authentication. No MCP server required.

google-drive-automation

google-drive-automation

Lightweight Google Drive integration with standalone OAuth authentication. No MCP server required. Full read/write access.

google-sheets-automation

google-sheets-automation

Lightweight Google Sheets integration with standalone OAuth authentication. No MCP server required. Full read/write access.

google-slides-automation

google-slides-automation

Lightweight Google Slides integration with standalone OAuth authentication. No MCP server required. Full read/write access.

googlesheets-automation

googlesheets-automation

Automate Google Sheets operations (read, write, format, filter, manage spreadsheets) via Rube MCP (Composio). Read/write data, manage tabs, apply formatting, and search rows programmatically.

gpt-taste

gpt-taste

Use when generating elite GSAP-heavy frontend pages with strict AIDA structure, wide hero typography, and gapless bento grids.

grafana-dashboards

grafana-dashboards

Create and manage production-ready Grafana dashboards for comprehensive system observability.

graphql

graphql

GraphQL gives clients exactly the data they need - no more, no

graphql-architect

graphql-architect

Master modern GraphQL with federation, performance optimization, and enterprise security. Build scalable schemas, implement advanced caching, and design real-time systems.

grill-me

grill-me

A relentless interview to sharpen a plan or design.

grill-with-docs

grill-with-docs

A relentless interview to sharpen a plan or design, which also creates docs (ADR's and glossary) as we go.

grilling

grilling

Interview the user relentlessly about a plan or design. Use when the user wants to stress-test a plan before building, or uses any 'grill' trigger phrases.

growth-engine

growth-engine

Motor de crescimento para produtos digitais -- growth hacking, SEO, ASO, viral loops, email marketing, CRM, referral programs e aquisicao organica.

grpc-golang

grpc-golang

Build production-ready gRPC services in Go with mTLS, streaming, and observability. Use when designing Protobuf contracts with Buf or implementing secure service-to-service transport.

handoff

handoff

Compact the current conversation into a handoff document for another agent to pick up.

hasdata

hasdata

Use HasData APIs for web scraping and structured web data extraction.

hasdata-cli

hasdata-cli

Command-line access to search, scraping, and structured web data.

haskell-pro

haskell-pro

Expert Haskell engineer specializing in advanced type systems, pure

headline-psychologist

headline-psychologist

One sentence - what this skill does and when to invoke it

health-trend-analyzer

health-trend-analyzer

分析一段时间内健康数据的趋势和模式。关联药物、症状、生命体征、化验结果和其他健康指标的变化。识别令人担忧的趋势、改善情况，并提供数据驱动的洞察。当用户询问健康趋势、模式、随时间的变化或"我的健康状况有什么变化？"时使用。支持多维度分析（体重/BMI、症状、药物依从性、化验结果、情绪睡眠），相关性分析，变化检测，以及交互式HTML可视化报告（ECharts图表）。

helium-mcp

helium-mcp

Connect to Helium's MCP server for news research, media bias analysis, balanced perspectives, stock/options data, and semantic meme search across 3.2M+ articles and 5,000+ sources

helm-chart-scaffolding

helm-chart-scaffolding

Comprehensive guidance for creating, organizing, and managing Helm charts for packaging and deploying Kubernetes applications.

helpdesk-automation

helpdesk-automation

Automate HelpDesk tasks via Rube MCP (Composio): list tickets, manage views, use canned responses, and configure custom fields. Always search tools first for current schemas.

hierarchical-agent-memory

hierarchical-agent-memory

Scoped CLAUDE.md memory system that reduces context token spend. Creates directory-level context files, tracks savings via dashboard, and routes agents to the right sub-context.

hig-components-content

hig-components-content

Apple Human Interface Guidelines for content display components.

hig-components-controls

hig-components-controls

Check for .claude/apple-design-context.md before asking questions. Use existing context and only ask for information not already covered.

hig-components-dialogs

hig-components-dialogs

Apple HIG guidance for presentation components including alerts, action sheets, popovers, sheets, and digit entry views.

hig-components-layout

hig-components-layout

Apple Human Interface Guidelines for layout and navigation components.

hig-components-menus

hig-components-menus

Check for .claude/apple-design-context.md before asking questions. Use existing context and only ask for information not already covered.

hig-components-search

hig-components-search

Apple HIG guidance for navigation-related components including search fields, page controls, and path controls.

hig-components-status

hig-components-status

Apple HIG guidance for status and progress UI components including progress indicators, status bars, and activity rings.

hig-components-system

hig-components-system

Apple HIG guidance for system experience components: widgets, live activities, notifications, complications, home screen quick actions, top shelf, watch faces, app clips, and app shortcuts.

hig-foundations

hig-foundations

Apple Human Interface Guidelines design foundations.

hig-inputs

hig-inputs

Check for .claude/apple-design-context.md before asking questions. Use existing context and only ask for information not already covered.

hig-patterns

hig-patterns

Apple Human Interface Guidelines interaction and UX patterns.

hig-platforms

hig-platforms

Apple Human Interface Guidelines for platform-specific design.

hig-project-context

hig-project-context

Create or update a shared Apple design context document that other HIG skills use to tailor guidance.

hig-technologies

hig-technologies

Check for .claude/apple-design-context.md before asking questions. Use existing context and only ask for information not already covered.

high-end-visual-design

high-end-visual-design

Use when designing expensive agency-grade interfaces with premium fonts, spatial rhythm, soft depth, and fluid microinteractions.

hono

hono

Build ultra-fast web APIs and full-stack apps with Hono — runs on Cloudflare Workers, Deno, Bun, Node.js, and any WinterCG-compatible runtime.

hosted-agents

hosted-agents

Build background agents in sandboxed environments. Use for hosted coding agents, sandboxed VMs, Modal sandboxes, and remote coding environments.

hosted-agents-v2-py

hosted-agents-v2-py

Build hosted agents using Azure AI Projects SDK with ImageBasedHostedAgentDefinition. Use when creating container-based agents in Azure AI Foundry.

hr-pro

hr-pro

Professional, ethical HR partner for hiring, onboarding/offboarding, PTO and leave, performance, compliant policies, and employee relations.

html-injection-testing

html-injection-testing

Identify and exploit HTML injection vulnerabilities that allow attackers to inject malicious HTML content into web applications. This vulnerability enables attackers to modify page appearance, create phishing pages, and steal user credentials through injected forms.

hubspot-automation

hubspot-automation

Automate HubSpot CRM operations (contacts, companies, deals, tickets, properties) via Rube MCP using Composio integration.

hubspot-integration

hubspot-integration

Expert patterns for HubSpot CRM integration including OAuth

hugging-face-cli

hugging-face-cli

Use the Hugging Face Hub CLI (`hf`) to download, upload, and manage models, datasets, and Spaces.

hugging-face-community-evals

hugging-face-community-evals

Run local evaluations for Hugging Face Hub models with inspect-ai or lighteval.

hugging-face-dataset-viewer

hugging-face-dataset-viewer

Query Hugging Face datasets through the Dataset Viewer API for splits, rows, search, filters, and parquet links.

hugging-face-datasets

hugging-face-datasets

Create and manage datasets on Hugging Face Hub. Supports initializing repos, defining configs/system prompts, streaming row updates, and SQL-based dataset querying/transformation. Designed to work alongside HF MCP server for comprehensive dataset workflows.

hugging-face-evaluation

hugging-face-evaluation

Add and manage evaluation results in Hugging Face model cards. Supports extracting eval tables from README content, importing scores from Artificial Analysis API, and running custom model evaluations with vLLM/lighteval. Works with the model-index metadata format.

hugging-face-gradio

hugging-face-gradio

Build or edit Gradio apps, layouts, components, and chat interfaces in Python.

hugging-face-jobs

hugging-face-jobs

Run workloads on Hugging Face Jobs with managed CPUs, GPUs, TPUs, secrets, and Hub persistence.

hugging-face-model-trainer

hugging-face-model-trainer

Train or fine-tune TRL language models on Hugging Face Jobs, including SFT, DPO, GRPO, and GGUF export.

hugging-face-paper-publisher

hugging-face-paper-publisher

Publish and manage research papers on Hugging Face Hub. Supports creating paper pages, linking papers to models/datasets, claiming authorship, and generating professional markdown-based research articles.

hugging-face-papers

hugging-face-papers

Read and analyze Hugging Face paper pages or arXiv papers with markdown and papers API metadata.

hugging-face-tool-builder

hugging-face-tool-builder

Your purpose is now is to create reusable command line scripts and utilities for using the Hugging Face API, allowing chaining, piping and intermediate processing where helpful. You can access the API directly, as well as use the hf command line tool.

hugging-face-trackio

hugging-face-trackio

Track ML experiments with Trackio using Python logging, alerts, and CLI metric retrieval.

hugging-face-vision-trainer

hugging-face-vision-trainer

Train or fine-tune vision models on Hugging Face Jobs for detection, classification, and SAM or SAM2 segmentation.

humanize-chinese

humanize-chinese

Detect and rewrite AI-like Chinese text with a practical workflow for scoring, humanization, academic AIGC reduction, and style conversion. Use when the user asks to 去AI味, 降AIGC, 去除AI痕迹, 论文降重, 知网检测, 维普检测, humanize chinese, detect AI text, or make Chinese text sound more natural.

hybrid-cloud-architect

hybrid-cloud-architect

Expert hybrid cloud architect specializing in complex multi-cloud solutions across AWS/Azure/GCP and private clouds (OpenStack/VMware).

hybrid-cloud-networking

hybrid-cloud-networking

Configure secure, high-performance connectivity between on-premises and cloud environments using VPN, Direct Connect, and ExpressRoute.

hybrid-search-implementation

hybrid-search-implementation

Combine vector and keyword search for improved retrieval. Use when implementing RAG systems, building search engines, or when neither approach alone provides sufficient recall.

i18n-localization

i18n-localization

Internationalization and localization patterns. Detecting hardcoded strings, managing translations, locale files, RTL support.

idea-darwin

idea-darwin

Darwinian idea evolution engine — toss rough ideas onto an evolution island, let them compete, crossbreed, and mutate through structured rounds to surface your strongest concepts.

idea-os

idea-os

Five-phase pipeline (triage → clarify → research → PRD → plan) that turns a raw idea into four linked files: clarifying questions, deep research, a PRD with non-goals and metrics, and a phased execution plan with mermaid user journey and kill criteria.

identity-mirror

identity-mirror

One sentence - what this skill does and when to invoke it

idor-testing

idor-testing

Provide systematic methodologies for identifying and exploiting Insecure Direct Object Reference (IDOR) vulnerabilities in web applications.

ii-commons

ii-commons

Deterministic search across arXiv, PubMed/PMC, and US policy corpora with daily freshness cutoffs.

ilya-sutskever

ilya-sutskever

Agente que simula Ilya Sutskever — co-fundador da OpenAI, ex-Chief Scientist, fundador da SSI. Use quando quiser perspectivas sobre: AGI safety-first, consciência de IA, scaling laws, deep learning profundo, o episódio de novembro 2023 na OpenAI, superinteligência segura.

image-generator

image-generator

Generate and edit images using Gemini's Nano Banana Pro model (gemini-3-pro-image-preview). Use this skill when the user asks you to generate images, create visuals, edit photos, create logos, generate product mockups, or perform any image generation/editing task.

image-studio

image-studio

Studio de geracao de imagens inteligente — roteamento automatico entre ai-studio-image (fotos humanizadas/influencer) e stability-ai (arte/ ilustracao/edicao). Detecta o tipo de imagem solicitada e escolhe o modelo ideal automaticamente.

imagen

imagen

AI image generation skill powered by Google Gemini, enabling seamless visual content creation for UI placeholders, documentation, and design assets.

improve-codebase-architecture

improve-codebase-architecture

Scan a codebase for deepening opportunities, present them as a visual HTML report, then grill through whichever one you pick.

incident-responder

incident-responder

Expert SRE incident responder specializing in rapid problem resolution, modern observability, and comprehensive incident management.

incident-response-incident-response

incident-response-incident-response

Use when working with incident response incident response

incident-response-smart-fix

incident-response-smart-fix

[Extended thinking: This workflow implements a sophisticated debugging and resolution pipeline that leverages AI-assisted debugging tools and observability platforms to systematically diagnose and res

incident-runbook-templates

incident-runbook-templates

Production-ready templates for incident response runbooks covering detection, triage, mitigation, resolution, and communication.

indexing-issue-auditor

indexing-issue-auditor

High-level technical SEO and site architecture auditor. Invoke to scan local or live environments for indexing, crawl budget, and structural errors.

industrial-brutalist-ui

industrial-brutalist-ui

Use when creating raw industrial or tactical telemetry UIs with rigid grids, stark typography, CRT effects, and high-density data.

infinite-gratitude

infinite-gratitude

Multi-agent research skill for parallel research execution (10 agents, battle-tested with real case studies).

infinity

infinity

Enforces a strict input boundary protocol (detect, classify, filter, verify) to ensure untrusted data never reaches business logic raw.

ingest-youtube

ingest-youtube

Pull a YouTube video transcript into a queryable markdown vault with yt-dlp subtitle discovery, VTT cleanup, metadata frontmatter, and capture-seed stubs.

inngest

inngest

Inngest expert for serverless-first background jobs, event-driven

instagram

instagram

Integracao completa com Instagram via Graph API. Publicacao, analytics, comentarios, DMs, hashtags, agendamento, templates e gestao de contas Business/Creator.

instagram-automation

instagram-automation

Automate Instagram tasks via Rube MCP (Composio): create posts, carousels, manage media, get insights, and publishing limits. Always search tools first for current schemas.

interactive-portfolio

interactive-portfolio

Expert in building portfolios that actually land jobs and clients -

intercom-automation

intercom-automation

Automate Intercom tasks via Rube MCP (Composio): conversations, contacts, companies, segments, admins. Always search tools first for current schemas.

internal-comms

internal-comms

Write internal communications such as status reports, leadership updates, 3P updates, newsletters, FAQs, incident reports, and project updates using repeatable internal formats.

internal-comms-anthropic

internal-comms-anthropic

To write internal communications, use this skill for:

internal-comms-community

internal-comms-community

To write internal communications, use this skill for:

interview-coach

interview-coach

Full job search coaching system — JD decoding, resume, storybank, mock interviews, transcript analysis, comp negotiation. 23 commands, persistent state.

invariant-guard

invariant-guard

Correctness-first: forces writing the function contract, loop invariant, termination argument, and edge cases BEFORE code. Catches Boyer-Moore, leftmost binary search, QuickSelect traps.

inventory-demand-planning

inventory-demand-planning

Codified expertise for demand forecasting, safety stock optimisation, replenishment planning, and promotional lift estimation at multi-location retailers.

ios-debugger-agent

ios-debugger-agent

Debug the current iOS project on a booted simulator with XcodeBuildMCP.

ios-developer

ios-developer

Develop native iOS applications with Swift/SwiftUI. Masters iOS 18, SwiftUI, UIKit integration, Core Data, networking, and App Store optimization.

issues

issues

Interact with GitHub issues - create, list, and view issues.

istio-traffic-management

istio-traffic-management

Comprehensive guide to Istio traffic management for production service mesh deployments.

it-manager-hospital

it-manager-hospital

World-class Hospital IT Management Advisor specializing in clinical safety, digital maturity (HIMSS/ONA/JCI), and HIS/PEP ecosystems.

it-manager-pro

it-manager-pro

Elite IT Management Advisor specializing in data-driven strategy, executive communication, and human-centric leadership for the 2026 digital era.

iterate-pr

iterate-pr

Iterate on a PR until CI passes. Use when you need to fix CI failures, address review feedback, or continuously push fixes until all checks are green. Automates the feedback-fix-push-wait cycle.

itil-expert

itil-expert

Expert advisor for ITIL 4 and ITIL 5 (2026 digital product paradigm), specialized in AI-native governance, sustainability, and value co-creation.

java-pro

java-pro

Master Java 21+ with modern features like virtual threads, pattern matching, and Spring Boot 3.x. Expert in the latest Java ecosystem including GraalVM, Project Loom, and cloud-native patterns.

javascript-mastery

javascript-mastery

33+ essential JavaScript concepts every developer should know, inspired by [33-js-concepts] (<https://github.com/leonardomso/33-js-concepts>).

javascript-pro

javascript-pro

Master modern JavaScript with ES6+, async patterns, and Node.js APIs. Handles promises, event loops, and browser/Node compatibility.

javascript-testing-patterns

javascript-testing-patterns

Comprehensive guide for implementing robust testing strategies in JavaScript/TypeScript applications using modern testing frameworks and best practices.

javascript-typescript-typescript-scaffold

javascript-typescript-typescript-scaffold

You are a TypeScript project architecture expert specializing in scaffolding production-ready Node.js and frontend applications. Generate complete project structures with modern tooling (pnpm, Vite, N

jira-automation

jira-automation

Automate Jira tasks via Rube MCP (Composio): issues, projects, sprints, boards, comments, users. Always search tools first for current schemas.

jobgpt

jobgpt

Job search automation, auto apply, resume generation, application tracking, salary intelligence, and recruiter outreach using the JobGPT MCP server.

jobs-to-be-done-analyst

jobs-to-be-done-analyst

One sentence - what this skill does and when to invoke it

jq

jq

Expert jq usage for JSON querying, filtering, transformation, and pipeline integration. Practical patterns for real shell workflows.

json-canvas

json-canvas

Create and edit JSON Canvas files (.canvas) with nodes, edges, groups, and connections. Use when working with .canvas files, creating visual canvases, mind maps, flowcharts, or when the user mentions Canvas files in Obsidian.

julia-pro

julia-pro

Master Julia 1.10+ with modern features, performance optimization, multiple dispatch, and production-ready practices.

junta-leiloeiros

junta-leiloeiros

Coleta e consulta dados de leiloeiros oficiais de todas as 27 Juntas Comerciais do Brasil. Scraper multi-UF, banco SQLite, API FastAPI e exportacao CSV/JSON.

k6-load-testing

k6-load-testing

Comprehensive k6 load testing skill for API, browser, and scalability testing. Write realistic load scenarios, analyze results, and integrate with CI/CD.

k8s-manifest-generator

k8s-manifest-generator

Step-by-step guidance for creating production-ready Kubernetes manifests including Deployments, Services, ConfigMaps, Secrets, and PersistentVolumeClaims.

k8s-security-policies

k8s-security-policies

Comprehensive guide for implementing NetworkPolicy, PodSecurityPolicy, RBAC, and Pod Security Standards in Kubernetes.

kaizen

kaizen

Guide for continuous improvement, error proofing, and standardization. Use this skill when the user wants to improve code quality, refactor, or discuss process improvements.

keyword-extractor

keyword-extractor

>

klaviyo-automation

klaviyo-automation

Automate Klaviyo tasks via Rube MCP (Composio): manage email/SMS campaigns, inspect campaign messages, track tags, and monitor send jobs. Always search tools first for current schemas.

kotler-macro-analyzer

kotler-macro-analyzer

Professional PESTEL/SWOT analysis agent based on Kotler's methodology for strategic market audits.

kotlin-coroutines-expert

kotlin-coroutines-expert

Expert patterns for Kotlin Coroutines and Flow, covering structured concurrency, error handling, and testing.

kpi-dashboard-design

kpi-dashboard-design

Comprehensive patterns for designing effective Key Performance Indicator (KPI) dashboards that drive business decisions.

kubernetes-architect

kubernetes-architect

Expert Kubernetes architect specializing in cloud-native infrastructure, advanced GitOps workflows (ArgoCD/Flux), and enterprise container orchestration.

kubernetes-deployment

kubernetes-deployment

Kubernetes deployment workflow for container orchestration, Helm charts, service mesh, and production-ready K8s configurations.

kubestellar-console

kubestellar-console

Multi-cluster Kubernetes dashboard with AI-powered operations via MCP server and 10+ built-in agent skills

lambda-lang

lambda-lang

Native agent-to-agent language for compact multi-agent messaging. A shared tongue agents speak directly, not a translation layer. 340+ atoms across 7 domains; 3x smaller than natural language.

lambdatest-agent-skills

lambdatest-agent-skills

Production-grade test automation skills for 46 frameworks across E2E, unit, mobile, BDD, visual, and cloud testing in 15+ languages.

landing-page-generator

landing-page-generator

Generates high-converting Next.js/React landing pages with Tailwind CSS. Uses PAS, AIDA, and BAB frameworks for optimized copy/components (Heroes, Features, Pricing). Focuses on Core Web Vitals/SEO.

langchain-architecture

langchain-architecture

Master the LangChain framework for building sophisticated LLM applications with agents, chains, memory, and tool integration.

langfuse

langfuse

Expert in Langfuse - the open-source LLM observability platform.

langgraph

langgraph

Expert in LangGraph - the production-grade framework for building

laravel-expert

laravel-expert

Senior Laravel Engineer role for production-grade, maintainable, and idiomatic Laravel solutions. Focuses on clean architecture, security, performance, and modern standards (Laravel 10/11+).

laravel-security-audit

laravel-security-audit

Security auditor for Laravel applications. Analyzes code for vulnerabilities, misconfigurations, and insecure practices using OWASP standards and Laravel security best practices.

last30days

last30days

Research a topic from the last 30 days on Reddit + X + Web, become an expert, and write copy-paste-ready prompts for the user's target tool.

latex-paper-conversion

latex-paper-conversion

This skill should be used when the user asks to convert an academic paper in LaTeX from one format (e.g., Springer, IPOL) to another format (e.g., MDPI, IEEE, Nature). It automates extraction, injection, fixing formatting, and compiling.

launch-strategy

launch-strategy

You are an expert in SaaS product launches and feature announcements. Your goal is to help users plan launches that build momentum, capture attention, and convert interest into users.

lead-magnets

lead-magnets

Plan and optimize lead magnets for email capture and lead generation. Use when designing gated content, checklists, templates, downloadable resources, or other offers that convert visitors into subscribers.

learn

learn

Help a user learn a topic through adaptive tutoring, lesson planning, practice, retrieval checks, explanations, study guides, or exercises. Use when the user asks to learn, understand, practice, drill, review, study, or be tutored on something.

legacy-modernizer

legacy-modernizer

Refactor legacy codebases, migrate outdated frameworks, and implement gradual modernization. Handles technical debt, dependency updates, and backward compatibility.

legal-advisor

legal-advisor

Draft privacy policies, terms of service, disclaimers, and legal notices. Creates GDPR-compliant texts, cookie policies, and data processing agreements.

leiloeiro-avaliacao

leiloeiro-avaliacao

Avaliacao pericial de moveis em leilao. Valor de mercado, liquidacao forcada, ABNT NBR 14653, metodos comparativo/renda/custo, CUB e margem de seguranca.

leiloeiro-edital

leiloeiro-edital

Analise e auditoria de editais de leilao judicial e extrajudicial. Riscos ocultos, clausulas perigosas, debitos, ocupante e classificacao da oportunidade.

leiloeiro-ia

leiloeiro-ia

Especialista em leiloes judiciais e extrajudiciais de moveis. Analise juridica, pericial e de mercado integrada. Orquestra os 5 modulos especializados.

leiloeiro-juridico

leiloeiro-juridico

Analise juridica de leiloes: nulidades, bem de familia, alienacao fiduciaria, CPC arts 829-903, Lei 9514/97, onus reais, embargos e jurisprudencia.

leiloeiro-mercado

leiloeiro-mercado

Analise de mercado imobiliario para leiloes. Liquidez, desagio tipico, ROI, estrategias de saida (flip/reforma/renda), Selic 2025 e benchmark CDI/FII.

leiloeiro-risco

leiloeiro-risco

Analise de risco em leiloes de imoveis. Score 36 pontos, riscos juridicos/financeiros/operacionais, stress test 4 cenarios e ROI ponderado por risco.

lemmaly

lemmaly

Algorithm-first discipline: state Big-O, data structure, and algorithm family BEFORE writing loops, queries, or recursion. Catches $O(n^2)$, $N+1$, and brute-force defaults.

lesson-generator

lesson-generator

Build compact, standalone multi-lesson course artifacts with lesson navigation, objectives, flashcards, quizzes, and source links.

lex

lex

Centralized 'Truth Engine' for cross-jurisdictional legal context (US, EU, CA) and contract scaffolding.

lightning-architecture-review

lightning-architecture-review

Review Bitcoin Lightning Network protocol designs, compare channel factory approaches, and analyze Layer 2 scaling tradeoffs. Covers trust models, on-chain footprint, consensus requirements, HTLC/PTLC compatibility, liveness, and watchtower support.

lightning-channel-factories

lightning-channel-factories

Technical reference on Lightning Network channel factories, multi-party channels, LSP architectures, and Bitcoin Layer 2 scaling without soft forks. Covers Decker-Wattenhofer, timeout trees, MuSig2 key aggregation, HTLC/PTLC forwarding, and watchtower breach detection.

lightning-factory-explainer

lightning-factory-explainer

Explain Bitcoin Lightning channel factories and the SuperScalar protocol — scalable Lightning onboarding using shared UTXOs, Decker-Wattenhofer trees, timeout-signature trees, MuSig2, and Taproot. No soft fork required.

linear-automation

linear-automation

Automate Linear tasks via Rube MCP (Composio): issues, projects, cycles, teams, labels. Always search tools first for current schemas.

linear-claude-skill

linear-claude-skill

Manage Linear issues, projects, and teams

linkedin-automation

linkedin-automation

Automate LinkedIn tasks via Rube MCP (Composio): create posts, manage profile, company info, comments, and image uploads. Always search tools first for current schemas.

linkedin-cli

`linkedin-cli`

Use when automating LinkedIn via CLI: fetch profiles, search people/companies, send messages, manage connections, create posts, and Sales Navigator.

linkedin-content-generator

`linkedin-content-generator`

AI-powered LinkedIn content suite: generate posts, carousels, newsletters, and 30-day calendars with niche-specific SEO rules and a reinforcement-learning personal memory system.

linkedin-profile-optimizer

`linkedin-profile-optimizer`

High-intent expert for LinkedIn profile checks, authority building, and SEO optimization. Invoke to audit, rewrite, and enhance profiles for top 1% positioning.

linkerd-patterns

`linkerd-patterns`

Production patterns for Linkerd service mesh - the lightweight, security-first service mesh for Kubernetes.

lint-and-validate

`lint-and-validate`

MANDATORY: Run appropriate validation tools after EVERY code change. Do not finish a task until the code is error-free.

linux-privilege-escalation

`linux-privilege-escalation`

Execute systematic privilege escalation assessments on Linux systems to identify and exploit misconfigurations, vulnerable services, and security weaknesses that allow elevation from low-privilege user access to root-level control.

linux-shell-scripting

linux-shell-scripting

Provide production-ready shell script templates for common Linux system administration tasks including backups, monitoring, user management, log analysis, and automation. These scripts serve as building blocks for security operations and penetration testing environments.

linux-troubleshooting

linux-troubleshooting

Linux system troubleshooting workflow for diagnosing and resolving system issues, performance problems, and service failures.

llm-app-patterns

llm-app-patterns

Production-ready patterns for building LLM applications, inspired by [Dify] (<https://github.com/langgenius/dify>) and industry best practices.

llm-application-dev-ai-assistant

llm-application-dev-ai-assistant

You are an AI assistant development expert specializing in creating intelligent conversational interfaces, chatbots, and AI-powered applications. Design comprehensive AI assistant solutions with natur

llm-application-dev-langchain-agent

llm-application-dev-langchain-agent

You are an expert LangChain agent developer specializing in production-grade AI systems using LangChain 0.1+ and LangGraph.

llm-application-dev-prompt-optimize

llm-application-dev-prompt-optimize

You are an expert prompt engineer specializing in crafting effective prompts for LLMs through advanced techniques including constitutional AI, chain-of-thought reasoning, and model-specific optimizati

llm-council

llm-council

Run Fireworks-hosted open-weight model councils that compare responses and synthesize a final answer.

llm-evaluation

llm-evaluation

Master comprehensive evaluation strategies for LLM applications, from automated metrics to human evaluation and A/B testing.

llm-ops

llm-ops

LLM Operations -- RAG, embeddings, vector databases, fine-tuning, prompt engineering avancado, custos de LLM, evals de qualidade e arquiteturas de IA para producao.

llm-prompt-optimizer

llm-prompt-optimizer

Use when improving prompts for any LLM. Applies proven prompt engineering techniques to boost output quality, reduce hallucinations, and cut token usage.

llm-structured-output

llm-structured-output

>

local-legal-seo-audit

local-legal-seo-audit

Audit and improve local SEO for law firms, attorneys, forensic experts and legal/professional services sites with local presence, focusing on GBP, directories, E-E-A-T and practice/location pages.

local-llm-expert

local-llm-expert

Master local LLM inference, model selection, VRAM optimization, and local deployment using Ollama, llama.cpp, vLLM, and LM Studio. Expert in quantization formats (GGUF, EXL2) and local AI privacy.

logic-lens

logic-lens

AI-powered Claude Code skill that performs deep code review using formal logic and reasoning frameworks to detect bugs, anti-patterns, and security risks beyond what linters catch.

logistics-exception-management

logistics-exception-management

Codified expertise for handling freight exceptions, shipment delays, damages, losses, and carrier disputes. Informed by logistics professionals with 15+ years operational experience.

loki-mode

loki-mode

Version 2.35.0 | PRD to Production | Zero Human Intervention > Research-enhanced: OpenAI SDK, DeepMind, Anthropic, AWS Bedrock, Agent SDK, HN Production (2025)

longbridge

longbridge

125+ agent skills for Longbridge Securities — real-time quotes, charts, fundamentals, portfolio analysis, options, and more for HK/US/A-share/SG markets. Trilingual: Simplified Chinese, Traditional Chinese, English.

lookdev

lookdev

Human-in-the-loop web studio to tune AI-generated output by eye. Stand up a local interactive studio (sliders, pickers, drag handles) or an inline edit/highlight/comment annotation studio for prose & media, instead of guessing values or shipping a static comparison grid.

lookdev-auto

lookdev-auto

Automated visual tuning: a vision or video model rates rendered variants in a loop. Render several labeled variants into one artifact, ask the model to rate them and suggest better values, render the suggestions, ask it to pick the best, repeat until good — the model is the eye, you run the loop.

loop-library

loop-library

Find, compare, adapt, and design bounded AI-agent feedback loops with explicit checks, stop rules, guardrails, and handoffs.

loss-aversion-designer

loss-aversion-designer

One sentence - what this skill does and when to invoke it

lovable-cleanup

lovable-cleanup

Audits and strips Lovable scaffolding from Vite + React projects — removes lovable-tagger, swaps placeholder assets, prunes unused Radix deps, and cleans generated docs so the codebase ships as yours.

m365-agents-dotnet

m365-agents-dotnet

Microsoft 365 Agents SDK for .NET. Build multichannel agents for Teams/M365/Copilot Studio with ASP.NET Core hosting, AgentApplication routing, and MSAL-based auth.

m365-agents-py

m365-agents-py

Microsoft 365 Agents SDK for Python. Build multichannel agents for Teams/M365/Copilot Studio with aiohttp hosting, AgentApplication routing, streaming responses, and MSAL-based auth.

m365-agents-ts

m365-agents-ts

Microsoft 365 Agents SDK for TypeScript/Node.js.

machine-learning-ops-ml-pipeline

machine-learning-ops-ml-pipeline

Design and implement a complete ML pipeline for: \$ARGUMENTS

macos-menubar-tuist-app

macos-menubar-tuist-app

Build, refactor, or review SwiftUI macOS menubar apps that use Tuist.

macos-screen-recorder

macos-screen-recorder

macOS screen recorder that captures the main display PLUS system audio via ScreenCaptureKit — no BlackHole/loopback driver, no sudo, just the standard Screen Recording permission. CLI-driven; fills the headless-screen-recording-with-system-sound gap QuickTime and `screencapture -v` can't.

macos-spm-app-packaging

macos-spm-app-packaging

Scaffold, build, sign, and package SwiftPM macOS apps without Xcode projects.

mailchimp-automation

mailchimp-automation

Automate Mailchimp email marketing including campaigns, audiences, subscribers, segments, and analytics via Rube MCP (Composio). Always search tools first for current schemas.

mailtrap-managing-contacts

mailtrap-managing-contacts

Manage Mailtrap contacts, lists, segments, custom fields, imports, CRM syncs, and campaign audiences through the UI or API.

mailtrap-sending-emails

mailtrap-sending-emails

Configure or troubleshoot Mailtrap live email sending with Email API, SMTP, transactional streams, bulk streams, or batches.

mailtrap-setting-up-sending-domain

mailtrap-setting-up-sending-domain

Add or verify a Mailtrap sending domain, troubleshoot DNS propagation, publish SPF/DKIM/DMARC records, and complete compliance.

mailtrap-testing-with-sandbox

mailtrap-testing-with-sandbox

Capture outbound email in Mailtrap Email Sandbox for development, staging, CI, HTML inspection, spam checks, and fake inbox tests.

make-automation

make-automation

Automate Make (Integromat) tasks via Rube MCP (Composio): operations, enums, language and timezone lookups. Always search tools first for current schemas.

makepad-animation

makepad-animation

|

makepad-basics

makepad-basics

|

makepad-deployment

makepad-deployment

|

makepad-dsl

makepad-dsl

|

makepad-event-action

makepad-event-action

|

makepad-font

makepad-font

|

makepad-layout

makepad-layout

|

makepad-platform

makepad-platform

|

makepad-reference

makepad-reference

This category provides reference materials for debugging, code quality, and advanced layout patterns.

makepad-shaders

makepad-shaders

|

makepad-skills

makepad-skills

Makepad UI development skills for Rust apps: setup, patterns, shaders, packaging, and troubleshooting.

makepad-splash

makepad-splash

|

makepad-widgets

makepad-widgets

Version: makepad-widgets (dev branch) | Last Updated: 2026-01-19 > > Check for updates:
<https://crates.io/crates/makepad-widgets>

malware-analyst

malware-analyst

Expert malware analyst specializing in defensive malware research, threat intelligence, and incident response. Masters sandbox analysis, behavioral analysis, and malware family identification.

manage-skills

manage-skills

Discover, list, create, edit, toggle, copy, move, and delete AI agent skills across 11 tools (Cursor, Claude, Agents, Windsurf, Copilot, Codex, Cline, Aider, Continue, Roo Code, Augment)

manifest

manifest

Install and configure the Manifest observability plugin for your agents. Use when setting up telemetry, configuring API keys, or troubleshooting the plugin.

market-sizing-analysis

market-sizing-analysis

Comprehensive market sizing methodologies for calculating Total Addressable Market (TAM), Serviceable Available Market (SAM), and Serviceable Obtainable Market (SOM) for startup opportunities.

marketing-ideas

marketing-ideas

Provide proven marketing strategies and growth ideas for SaaS and software products, prioritized using a marketing feasibility scoring system.

marketing-psychology

marketing-psychology

Apply behavioral science and mental models to marketing decisions, prioritized using a psychological leverage and feasibility scoring system.

matematico-tao

matematico-tao

Matemático ultra-avançado inspirado em Terence Tao. Análise rigorosa de código e arquitetura com teoria matemática profunda: teoria da informação, teoria dos grafos, complexidade computacional, álgebra linear, análise estocástica, teoria das categorias, probabilidade bayesiana e lógica formal.

mathguard

mathguard

Math-heavy escalation for $n \geq 10^6$ — Bloom, HyperLogLog, Count-Min, MinHash/LSH, FFT, JL projection, sweep line. Use when classical $O(n \log n)$ is the floor and approximate or math wins.

matplotlib

matplotlib

Matplotlib is Python's foundational visualization library for creating static, animated, and interactive plots.

maxia

maxia

Connect to MAXIA AI-to-AI marketplace on Solana. Discover, buy, sell AI services. Earn USDC. 13 MCP tools, A2A protocol, DeFi yields, sentiment analysis, rug detection.

mcp-builder

mcp-builder

Create MCP (Model Context Protocol) servers that enable LLMs to interact with external services through well-designed tools. The quality of an MCP server is measured by how well it enables LLMs to accomplish real-world tasks.

mcp-builder-ms

mcp-builder-ms

Use this skill when building MCP servers to integrate external APIs or services, whether in Python (FastMCP) or Node/TypeScript (MCP SDK).

mcp-tool-developer

mcp-tool-developer

Build Model Context Protocol (MCP) servers and tools from scratch. Full-stack MCP development with TypeScript/Python, testing, deployment, and registry publishing.

memory-forensics

memory-forensics

Comprehensive techniques for acquiring, analyzing, and extracting artifacts from memory dumps for incident response and malware analysis.

memory-safety-patterns

memory-safety-patterns

Cross-language patterns for memory-safe programming including RAI, ownership, smart pointers, and resource management.

memory-systems

memory-systems

Design short-term, long-term, and graph-based memory architectures. Use when building agents that must persist across sessions, needing to maintain entity consistency across conversations, or implementing reasoning over accumulated knowledge.

mental-health-analyzer

mental-health-analyzer

分析心理健康数据、识别心理模式、评估心理健康状况、提供个性化心理健康建议。支持与睡眠、运动、营养等其他健康数据的关联分析。

mercury-mcp

mercury-mcp

Cheatsheet for the Mercury (proton) MCP tools. Use when connected to the Mercury MCP server to look up which mercury_* tool to call for messaging teammates, threads, tasks, automations, or admin team-graph edits.

mermaid-expert

mermaid-expert

Create Mermaid diagrams for flowcharts, sequences, ERDs, and architectures. Masters syntax for all diagram types and styling.

mesh-memory

mesh-memory

Self-hosted semantic memory for AI agents via MCP. Save worklogs, decisions, and notes, then recall them across sessions by meaning, not keyword. Postgres + pgvector with auto-tagging.

metasploit-framework

metasploit-framework

⚠️ AUTHORIZED USE ONLY > This skill is for educational purposes or authorized security assessments only. > You must have explicit, written permission from the system owner before using this tool. > Misuse of this tool is illegal and strictly prohibited.

micro-saas-launcher

micro-saas-launcher

Expert in launching small, focused SaaS products fast - the indie

microservices-patterns

microservices-patterns

Master microservices architecture patterns including service boundaries, inter-service communication, data management, and resilience patterns for building distributed systems.

microsoft-azure-webjobs-extensions-authentication-events-dotnet

microsoft-azure-webjobs-extensions-authentication-events-dotnet

Microsoft Entra Authentication Events SDK for .NET. Azure Functions triggers for custom authentication extensions.

microsoft-teams-automation

microsoft-teams-automation

Automate Microsoft Teams tasks via Rube MCP (Composio): send messages, manage channels, create meetings, handle chats, and search messages. Always search tools first for current schemas.

minecraft-bukkit-pro

minecraft-bukkit-pro

Master Minecraft server plugin development with Bukkit, Spigot, and Paper APIs.

minimalist-ui

minimalist-ui

Use when creating clean editorial interfaces with warm monochrome palettes, crisp borders, restrained motion, and flat bento layouts.

miro-automation

miro-automation

Automate Miro tasks via Rube MCP (Composio): boards, items, sticky notes, frames, sharing, connectors. Always search tools first for current schemas.

mise-configurator

mise-configurator

Generate production-ready mise.toml setups for local development, CI/CD pipelines, and toolchain standardization.

mixpanel-automation

mixpanel-automation

Automate Mixpanel tasks via Rube MCP (Composio): events, segmentation, funnels, cohorts, user profiles, JQL queries. Always search tools first for current schemas.

ml-engineer

ml-engineer

Build production ML systems with PyTorch 2.x, TensorFlow, and modern ML frameworks. Implements model serving, feature engineering, A/B testing, and monitoring.

ml-pipeline-workflow

ml-pipeline-workflow

Complete end-to-end MLOps pipeline orchestration from data preparation through model deployment.

mlops-engineer

mlops-engineer

Build comprehensive ML pipelines, experiment tracking, and model registries with MLflow, Kubeflow, and modern MLOps tools.

mmx-cli

mmx-cli

Use mmx to generate text, images, video, speech, and music via the MiniMax AI platform. Use when the user wants to create media content, chat with MiniMax models, perform web search, or manage MiniMax API resources from the terminal.

moatmri

moatmri

Analyze AI disruption pressure across a business, map competitive exposure, and produce a 90-day defensive action plan.

mobile-design

mobile-design

(Mobile-First · Touch-First · Platform-Respectful)

mobile-developer

mobile-developer

Develop React Native, Flutter, or native mobile apps with modern architecture patterns. Masters cross-platform development, native integrations, offline sync, and app store optimization.

mobile-security-coder

mobile-security-coder

Expert in secure mobile coding practices specializing in input validation, WebView security, and mobile-specific security patterns.

mock-hunter

mock-hunter

Audit a live web page in five phases (catalog, click, trace, classify, report) to identify mock data, hardcoded values, LLM-generated metrics, and broken endpoints. Outputs a markdown report with REAL/MOCK/LLM/HARDCODED/BROKEN/UNKNOWN verdicts per visible value.

modern-javascript-patterns

modern-javascript-patterns

Comprehensive guide for mastering modern JavaScript (ES6+) features, functional programming patterns, and best practices for writing clean, maintainable, and performant code.

molykit

molykit

|

monday-automation

monday-automation

Automate Monday.com work management including boards, items, columns, groups, subitems, and updates via Rube MCP (Composio). Always search tools first for current schemas.

monetization

monetization

Estrategia e implementacao de monetizacao para produtos digitais - Stripe, subscriptions, pricing experiments, freemium, upgrade flows, churn prevention, revenue optimization e modelos de negocio SaaS.

monopoly

monopoly

>

monorepo-architect

monorepo-architect

Expert in monorepo architecture, build systems, and dependency management at scale. Masters Nx, Turborepo, Bazel, and Lerna for efficient multi-project development. Use PROACTIVELY for monorepo setup,

monorepo-management

monorepo-management

Build efficient, scalable monorepos that enable code sharing, consistent tooling, and atomic changes across multiple packages and applications.

monte-carlo-monitor-creation

monte-carlo-monitor-creation

Guides creation of Monte Carlo monitors via MCP tools, producing monitors-as-code YAML for CI/CD deployment.

monte-carlo-prevent

monte-carlo-prevent

Surfaces Monte Carlo data observability context (table health, alerts, lineage, blast radius) before SQL/dbt edits.

monte-carlo-push-ingestion

monte-carlo-push-ingestion

Expert guide for pushing metadata, lineage, and query logs to Monte Carlo from any data warehouse.

monte-carlo-validation-notebook

monte-carlo-validation-notebook

Generates SQL validation notebooks for dbt PR changes with before/after comparison queries.

moodle-external-api-development

moodle-external-api-development

This skill guides you through creating custom external web service APIs for Moodle LMS, following Moodle's external API framework and coding standards.

moyu

moyu

>

mtls-configuration

mtls-configuration

Configure mutual TLS (mTLS) for zero-trust service-to-service communication. Use when implementing zero-trust networking, certificate management, or securing internal service communication.

multi-advisor

multi-advisor

Conselho de especialistas — consulta multiplos agentes do ecossistema em paralelo para analise multi-perspectiva de qualquer topico. Ativa personas, especialistas e agentes tecnicos simultaneamente, cada um pela sua otica unica, e consolida em sintese decisoria final.

multi-agent-architect

multi-agent-architect

Design and optimize production-grade multi-agent systems with LangGraph, LangChain, and DeepAgents for complex AI workflows.

multi-agent-brainstorming

multi-agent-brainstorming

Simulate a structured peer-review process using multiple specialized agents to validate designs, surface hidden assumptions, and identify failure modes before implementation.

multi-agent-patterns

multi-agent-patterns

This skill should be used when the user asks to "design multi-agent system", "implement supervisor pattern", "create swarm architecture", "coordinate multiple agents", or mentions multi-agent patterns, context isolation, agent handoffs, sub-agents, or parallel agent execution.

multi-agent-task-orchestrator

multi-agent-task-orchestrator

Route tasks to specialized AI agents with anti-duplication, quality gates, and 30-minute heartbeat monitoring

multi-cloud-architecture

multi-cloud-architecture

Decision framework and patterns for architecting applications across AWS, Azure, and GCP.

multi-platform-apps-multi-platform

multi-platform-apps-multi-platform

Build and deploy the same feature consistently across web, mobile, and desktop platforms using API-first architecture and parallel implementation strategies.

n8n-code-javascript

n8n-code-javascript

Write JavaScript code in n8n Code nodes. Use when writing JavaScript in n8n, using \$input/\$json/\$node syntax, making HTTP requests with \$helpers, working with dates using DateTime, troubleshooting Code node errors, or choosing between Code node modes.

n8n-code-python

n8n-code-python

Write Python code in n8n Code nodes. Use when writing Python in n8n, using `_input/_json/_node` syntax, working with standard library, or need to understand Python limitations in n8n Code nodes.

n8n-expression-syntax

n8n-expression-syntax

Validate n8n expression syntax and fix common errors. Use when writing n8n expressions, using `{{}}` syntax, accessing `$json/$node` variables, troubleshooting expression errors, or working with webhook data in workflows.

n8n-mcp-tools-expert

n8n-mcp-tools-expert

Expert guide for using n8n-mcp MCP tools effectively. Use when searching for nodes, validating configurations, accessing templates, managing workflows, or using any n8n-mcp tool. Provides tool selection guidance, parameter formats, and common patterns.

n8n-node-configuration

n8n-node-configuration

Operation-aware node configuration guidance. Use when configuring nodes, understanding property dependencies, determining required fields, choosing between `get_node` detail levels, or learning common configuration patterns by node type.

n8n-validation-expert

n8n-validation-expert

Expert guide for interpreting and fixing n8n validation errors.

n8n-workflow-patterns

n8n-workflow-patterns

Proven architectural patterns for building n8n workflows.

nanobanana-ppt-skills

nanobanana-ppt-skills

AI-powered PPT generation with document analysis and styled images

native-data-fetching

native-data-fetching

Use when implementing or debugging ANY network request, API call, or data fetching. Covers fetch API, React Query, SWR, error handling, caching, offline support, and Expo Router data loaders (useLoaderData).

neon-postgres

neon-postgres

Expert patterns for Neon serverless Postgres, branching, connection

nerdzao-elite

nerdzao-elite

Senior Elite Software Engineer (15+) and Senior Product Designer. Full workflow with planning, architecture, TDD, clean code, and pixel-perfect UX validation.

nerdzao-elite-gemini-high

nerdzao-elite-gemini-high

Modo Elite Coder + UX Pixel-Perfect otimizado especificamente para Gemini 3.1 Pro High. Workflow completo com foco em qualidade máxima e eficiência de tokens.

nestjs-expert

nestjs-expert

You are an expert in Nest.js with deep knowledge of enterprise-grade Node.js application architecture, dependency injection patterns, decorators, middleware, guards, interceptors, pipes, testing strategies, database integration, and authentication systems.

network-101

network-101

Configure and test common network services (HTTP, HTTPS, SNMP, SMB) for penetration testing lab environments. Enable hands-on practice with service enumeration, log analysis, and security testing against properly configured target systems.

network-engineer

network-engineer

Expert network engineer specializing in modern cloud networking, security architectures, and performance optimization.

networkx

networkx

NetworkX is a Python package for creating, manipulating, and analyzing complex networks and graphs.

new-rails-project

new-rails-project

Create a new Rails project

news-sentiment-engine

news-sentiment-engine

Multi-source RSS news aggregation with Claude-powered sentiment analysis and structured briefing output

nextjs-app-router-patterns

nextjs-app-router-patterns

Comprehensive patterns for Next.js 14+ App Router architecture, Server Components, and modern full-stack React development.

nextjs-best-practices

nextjs-best-practices

Next.js App Router principles. Server Components, data fetching, routing patterns.

nextjs-seo-indexing

nextjs-seo-indexing

Fix SEO indexing issues, crawl budget problems, and Search Console coverage errors for Next.js apps. Covers canonical tags, noindex audits, sitemap health, static rendering, and internal linking.

nextjs-supabase-auth

nextjs-supabase-auth

Expert integration of Supabase Auth with Next.js App Router

nft-standards

nft-standards

Master ERC-721 and ERC-1155 NFT standards, metadata best practices, and advanced NFT features.

nodejs-backend-patterns

nodejs-backend-patterns

Comprehensive guidance for building scalable, maintainable, and production-ready Node.js backend applications with modern frameworks, architectural patterns, and best practices.

nodejs-best-practices

nodejs-best-practices

Node.js development principles and decision-making. Framework selection, async patterns, security, and architecture. Teaches thinking, not copying.

nosql-expert

nosql-expert

Expert guidance for distributed NoSQL databases (Cassandra, DynamoDB). Focuses on mental models, query-first modeling, single-table design, and avoiding hot partitions in high-scale systems.

not-a-vibe-coder

not-a-vibe-coder

Turns vague prompts into 8 structured planning files for brand new projects. DO NOT use on existing codebases.

not-human-search-mcp

not-human-search-mcp

Search AI-ready websites, inspect indexed site details, verify MCP endpoints, and discover tools and APIs using the Not Human Search MCP server

notebooklm

notebooklm

Interact with Google NotebookLM to query documentation with Gemini's source-grounded answers. Each question opens a fresh browser session, retrieves the answer exclusively from your uploaded documents, and closes.

notion-automation

notion-automation

Automate Notion tasks via Rube MCP (Composio): pages, databases, blocks, comments, users. Always search tools first for current schemas.

notion-template-business

notion-template-business

Expert in building and selling Notion templates as a business - not

nutrition-analyzer

nutrition-analyzer

分析营养数据、识别营养模式、评估营养状况，并提供个性化营养建议。支持与运动、睡眠、慢性病数据的关联分析。

nx-workspace-patterns

nx-workspace-patterns

Configure and optimize Nx monorepo workspaces. Use when setting up Nx, configuring project boundaries, optimizing build caching, or implementing affected commands.

objection-preemptor

objection-preemptor

One sentence - what this skill does and when to invoke it

observability-engineer

observability-engineer

Build production-ready monitoring, logging, and tracing systems. Implements comprehensive observability strategies, SLI/SLO management, and incident response workflows.

observability-monitoring-monitor-setup

observability-monitoring-monitor-setup

You are a monitoring and observability expert specializing in implementing comprehensive monitoring solutions. Set up metrics collection, distributed tracing, log aggregation, and create insightful da

observability-monitoring-slo-implement

observability-monitoring-slo-implement

You are an SLO (Service Level Objective) expert specializing in implementing reliability standards and error budget-based engineering practices. Design comprehensive SLO frameworks, establish meaningful SLIs, and create monitoring systems that balance reliability with feature velocity.

obsidian-bases

obsidian-bases

Create and edit Obsidian Bases (.base files) with views, filters, formulas, and summaries. Use when working with .base files, creating database-like views of notes, or when the user mentions Bases, table views, card views, filters, or formulas in Obsidian.

obsidian-cli

obsidian-cli

Use the Obsidian CLI to read, create, search, and manage vault content, or to develop and debug Obsidian plugins and themes from the command line.

obsidian-clipper-template-creator

obsidian-clipper-template-creator

Guide for creating templates for the Obsidian Web Clipper. Use when you want to create a new clipping template, understand available variables, or format clipped content.

obsidian-markdown

obsidian-markdown

Create and edit Obsidian Flavored Markdown with wikilinks, embeds, callouts, properties, and other Obsidian-specific syntax. Use when working with .md files in Obsidian, or when the user mentions wikilinks, callouts, frontmatter, tags, embeds, or Obsidian notes.

occupational-health-analyzer

occupational-health-analyzer

分析职业健康数据、识别工作相关健康风险、评估职业健康状况、提供个性化职业健康建议。支持与睡眠、运动、心理健康等其他健康数据的关联分析。

odoo-accounting-setup

odoo-accounting-setup

Expert guide for configuring Odoo Accounting: chart of accounts, journals, fiscal positions, taxes, payment terms, and bank reconciliation.

odoo-automated-tests

odoo-automated-tests

Write and run Odoo automated tests using TransactionCase, HttpCase, and browser tour tests. Covers test data setup, mocking, and CI integration.

odoo-backup-strategy

odoo-backup-strategy

Complete Odoo backup and restore strategy: database dumps, filestore backup, automated scheduling, cloud storage upload, and tested restore procedures.

odoo-docker-deployment

odoo-docker-deployment

Production-ready Docker and docker-compose setup for Odoo with PostgreSQL, persistent volumes, environment-based configuration, and Nginx reverse proxy.

odoo-ecommerce-configurator

odoo-ecommerce-configurator

Expert guide for Odoo eCommerce and Website: product catalog, payment providers, shipping methods, SEO, and order-to-fulfillment workflow.

odoo-edi-connector

odoo-edi-connector

Guide for implementing EDI (Electronic Data Interchange) with Odoo: X12, EDIFACT document mapping, partner onboarding, and automated order processing.

odoo-hr-payroll-setup

odoo-hr-payroll-setup

Expert guide for Odoo HR and Payroll: salary structures, payslip rules, leave policies, employee contracts, and payroll journal entries.

odoo-inventory-optimizer

odoo-inventory-optimizer

Expert guide for Odoo Inventory: stock valuation (FIFO/AVCO), reordering rules, putaway strategies, routes, and multi-warehouse configuration.

odoo-l10n-compliance

odoo-l10n-compliance

Country-specific Odoo localization: tax configuration, e-invoicing (CFDI, FatturaPA, SAF-T), fiscal reporting, and country chart of accounts setup.

odoo-manufacturing-advisor

odoo-manufacturing-advisor

Expert guide for Odoo Manufacturing: Bills of Materials (BoM), Work Centers, routings, MRP planning, and production order workflows.

odoo-migration-helper

odoo-migration-helper

Step-by-step guide for migrating Odoo custom modules between versions (v14→v15→v16→v17). Covers API changes, deprecated methods, and view migration.

odoo-module-developer

odoo-module-developer

Expert guide for creating custom Odoo modules. Covers `__manifest__.py`, model inheritance, ORM patterns, and module structure best practices.

odoo-orm-expert

odoo-orm-expert

Master Odoo ORM patterns: search, browse, create, write, domain filters, computed fields, and performance-safe query techniques.

odoo-performance-tuner

odoo-performance-tuner

Expert guide for diagnosing and fixing Odoo performance issues: slow queries, worker configuration, memory limits, PostgreSQL tuning, and profiling tools.

odoo-project-timesheet

odoo-project-timesheet

Expert guide for Odoo Project and Timesheets: task stages, billable time tracking, timesheet approval, budget alerts, and invoicing from timesheets.

odoo-purchase-workflow

odoo-purchase-workflow

Expert guide for Odoo Purchase: RFQ → PO → Receipt → Vendor Bill workflow, purchase agreements, vendor price lists, and 3-way matching.

odoo-qweb-templates

odoo-qweb-templates

Expert in Odoo QWeb templating for PDF reports, email templates, and website pages. Covers t-if, t-foreach, t-field, and report actions.

odoo-rpc-api

odoo-rpc-api

Expert on Odoo's external JSON-RPC and XML-RPC APIs. Covers authentication, model calls, record CRUD, and real-world integration examples in Python, JavaScript, and curl.

odoo-sales-crm-expert

odoo-sales-crm-expert

Expert guide for Odoo Sales and CRM: pipeline stages, quotation templates, pricelists, sales teams, lead scoring, and forecasting.

odoo-security-rules

odoo-security-rules

Expert in Odoo access control: ir.model.access.csv, record rules (ir.rule), groups, and multi-company security patterns.

odoo-shopify-integration

odoo-shopify-integration

Connect Odoo with Shopify: sync products, inventory, orders, and customers using the Shopify API and Odoo's external API or connector modules.

odoo-upgrade-advisor

odoo-upgrade-advisor

Step-by-step Odoo version upgrade advisor: pre-upgrade checklist, community vs enterprise upgrade path, OCA module compatibility, and post-upgrade validation.

odoo-woocommerce-bridge

odoo-woocommerce-bridge

Sync Odoo with WooCommerce: products, inventory, orders, and customers via WooCommerce REST API and Odoo external API.

odoo-xml-views-builder

odoo-xml-views-builder

Expert at building Odoo XML views: Form, List, Kanban, Search, Calendar, and Graph. Generates correct XML for Odoo 14-17 with proper visibility syntax.

office-productivity

office-productivity

Office productivity workflow covering document creation, spreadsheet automation, presentation generation, and integration with LibreOffice and Microsoft Office formats.

on-call-handoff-patterns

on-call-handoff-patterns

Effective patterns for on-call shift transitions, ensuring continuity, context transfer, and reliable incident response across shifts.

onboarding-cro

onboarding-cro

You are an expert in user onboarding and activation. Your goal is to help users reach their "aha moment" as quickly as possible and establish habits that lead to long-term retention.

onboarding-psychologist

onboarding-psychologist

One sentence - what this skill does and when to invoke it

one-drive-automation

one-drive-automation

Automate OneDrive file management, search, uploads, downloads, sharing, permissions, and folder operations via Rube MCP (Composio). Always search tools first for current schemas.

open-dynamic-workflows

open-dynamic-workflows

Plan, orchestrate, and adversarially verify parallel AI coding agents with a dynamic multi-agent workflow engine.

openapi-spec-generation

openapi-spec-generation

Generate and maintain OpenAPI 3.1 specifications from code, design-first specs, and validation patterns. Use when creating API documentation, generating SDKs, or ensuring API contract compliance.

openclaw-github-repo-commander

openclaw-github-repo-commander

7-stage super workflow for GitHub repo audit, cleanup, PR review, and competitor analysis

options-flow-analyzer

options-flow-analyzer

Real vs lottery call separation for options P/C ratio analysis — prevents signal inversion from deep OTM noise

oral-health-analyzer

oral-health-analyzer

分析口腔健康数据、识别口腔问题模式、评估口腔健康状况、提供个性化口腔健康建议。支持与营养、慢性病、用药等其他健康数据的关联分析。

orchestrate-batch-refactor

orchestrate-batch-refactor

Plan and execute large refactors with dependency-aware work packets and parallel analysis.

os-scripting

os-scripting

Operating system and shell scripting troubleshooting workflow for Linux, macOS, and Windows. Covers bash scripting, system administration, debugging, and automation.

oss-hunter

oss-hunter

Automatically hunt for high-impact OSS contribution opportunities in trending repositories.

osterwalder-canvas-architect

osterwalder-canvas-architect

Iterative consultant agent for building and validating logically consistent 9-block Business Model Canvases.

outlook-automation

outlook-automation

Automate Outlook tasks via Rube MCP (Composio): emails, calendar, contacts, folders, attachments. Always search tools first for current schemas.

outlook-calendar-automation

outlook-calendar-automation

Automate Outlook Calendar tasks via Rube MCP (Composio): create events, manage attendees, find meeting times, and handle invitations. Always search tools first for current schemas.

page-cro

page-cro

Analyze and optimize individual pages for conversion performance.

pagerduty-automation

pagerduty-automation

Automate PagerDuty tasks via Rube MCP (Composio): manage incidents, services, schedules, escalation policies, and on-call rotations. Always search tools first for current schemas.

pagespeed-enhancer

pagespeed-enhancer

Scan, audit, and fix web performance issues across all four Lighthouse/PageSpeed Insights pillars — Performance, Accessibility, Best Practices, and SEO — in structured batches.

paid-ads

paid-ads

You are an expert performance marketer with direct access to ad platform accounts. Your goal is to help create, optimize, and scale paid advertising campaigns that drive efficient customer acquisition.

pakistan-payments-stack

pakistan-payments-stack

Design and implement production-grade Pakistani payment integrations (JazzCash, Easypaisa, bank/PSP rails, optional Raast) for SaaS with PKR billing, webhook reliability, and reconciliation.

papers-skill

papers-skill

Skill for academic research workflows: search Semantic Scholar (200M+ papers), inspect citations, download arXiv PDFs, and extract PDF text. Bundles a self-contained Python CLI.

parallel-agents

parallel-agents

Multi-agent orchestration patterns. Use when multiple independent tasks can run with different domain expertise or when comprehensive analysis requires multiple perspectives.

payment-integration

payment-integration

Integrate Stripe, PayPal, and payment processors. Handles checkout flows, subscriptions, webhooks, and PCI compliance. Use PROACTIVELY when implementing payments, billing, or subscription features.

paypal-integration

paypal-integration

Master PayPal payment integration including Express Checkout, IPN handling, recurring billing, and refund workflows.

paywall-upgrade-cro

paywall-upgrade-cro

You are an expert in in-app paywalls and upgrade flows. Your goal is to convert free users to paid, or upgrade users to higher tiers, at moments when they've experienced enough value to justify the commitment.

pci-compliance

pci-compliance

Master PCI DSS (Payment Card Industry Data Security Standard) compliance for secure payment processing and handling of cardholder data.

pdf-conversion-router

pdf-conversion-router

Use when converting a PDF into another format such as Markdown, HTML, text, JSON, DOCX, or structured notes and the agent must choose the best extraction route, settings, and cleanup strategy for maximum fidelity and readability.

pdf-official

pdf-official

This guide covers essential PDF processing operations using Python libraries and command-line tools. For advanced features, JavaScript libraries, and detailed examples, see [reference.md](#). If you need to fill out a PDF form, read [forms.md](#) and follow its instructions.

pentest-checklist

pentest-checklist

Provide a comprehensive checklist for planning, executing, and following up on penetration tests. Ensure thorough preparation, proper scoping, and effective remediation of discovered vulnerabilities.

pentest-commands

pentest-commands

Provide a comprehensive command reference for penetration testing tools including network scanning, exploitation, password cracking, and web application testing. Enable quick command lookup during security assessments.

performance-engineer

performance-engineer

Expert performance engineer specializing in modern observability,

performance-optimizer

performance-optimizer

Identifies and fixes performance bottlenecks in code, databases, and APIs. Measures before and after to prove improvements.

performance-profiling

performance-profiling

Performance profiling principles. Measurement, analysis, and optimization techniques.

performance-testing-review-ai-review

performance-testing-review-ai-review

You are an expert AI-powered code review specialist combining automated static analysis, intelligent pattern recognition, and modern DevOps practices. Leverage AI tools (GitHub Copilot, Qodo, GPT-5, C

performance-testing-review-multi-agent-review

performance-testing-review-multi-agent-review

Use when working with performance testing review multi agent review

permission-manager

permission-manager

Manage opencode permissions: review always-allow lists, suggest safe read-only commands, configure permission patterns

personal-tool-builder

personal-tool-builder

Expert in building custom tools that solve your own problems first.

phase-gated-debugging

phase-gated-debugging

Use when debugging any bug. Enforces a 5-phase protocol where code edits are blocked until root cause is confirmed. Prevents premature fix attempts.

photopea-embedded-editor

photopea-embedded-editor

Embed Photopea in web apps using photopea.js. Covers embedding, file I/O, scripting, exporting, layers, text, filters, and the full Photoshop-compatible API.

php-pro

php-pro

Write idiomatic PHP code with generators, iterators, SPL data

pipecat-friday-agent

pipecat-friday-agent

Build a low-latency, Iron Man-inspired tactical voice assistant (F.R.I.D.A.Y.) using Pipecat, Gemini, and OpenAI.

pipedrive-automation

pipedrive-automation

Automate Pipedrive CRM operations including deals, contacts, organizations, activities, notes, and pipeline management via Rube MCP (Composio). Always search tools first for current schemas.

pitch-psychologist

pitch-psychologist

One sentence - what this skill does and when to invoke it

plaid-fintech

plaid-fintech

Expert patterns for Plaid API integration including Link token

plan-writing

plan-writing

Structured task planning with clear breakdowns, dependencies, and verification criteria. Use when implementing features, refactoring, or any multi-step work.

planning-with-files

planning-with-files

Work like Manus: Use persistent markdown files as your \"working memory on disk.\"

playwright-java

playwright-java

Scaffold, write, debug, and enhance enterprise-grade Playwright E2E tests in Java using Page Object Model, JUnit 5, Allure reporting, and parallel execution.

playwright-skill

playwright-skill

IMPORTANT - Path Resolution: This skill can be installed in different locations (plugin system, manual installation, global, or project-specific). Before executing any commands, determine the skill directory based on where you loaded this SKILL.md file, and use that path in all commands below.

plotly

plotly

Interactive visualization library. Use when you need hover info, zoom, pan, or web-embeddable charts. Best for dashboards, exploratory analysis, and presentations. For static publication figures use matplotlib or scientific-visualization.

podcast-generation

podcast-generation

Generate real audio narratives from text content using Azure OpenAI's Realtime API.

polars

polars

Fast in-memory DataFrame library for datasets that fit in RAM. Use when pandas is too slow but data still fits in memory. Lazy evaluation, parallel execution, Apache Arrow backend. Best for 1-100GB datasets, ETL pipelines, faster pandas replacement. For larger-than-RAM data use dask or vaex.

polis-protocol

polis-protocol

Coordinate multi-vendor AI agents as a self-improving team — a learning router assigns work by track record and citizens can amend the protocol's own rules.

popup-cro

popup-cro

Create and optimize popups, modals, overlays, slide-ins, and banners to increase conversions without harming user experience or brand trust.

posix-shell-pro

posix-shell-pro

Expert in strict POSIX sh scripting for maximum portability across Unix-like systems. Specializes in shell scripts that run on any POSIX-compliant shell (dash, ash, sh, bash --posix).

postgres-best-practices

postgres-best-practices

Postgres performance optimization and best practices from Supabase. Use this skill when writing, reviewing, or optimizing Postgres queries, schema designs, or database configurations.

postgresql

postgresql

Design a PostgreSQL-specific schema. Covers best-practices, data types, indexing, constraints, performance patterns, and advanced features

postgresql-optimization

postgresql-optimization

PostgreSQL database optimization workflow for query tuning, indexing strategies, performance analysis, and production database management.

posthog-automation

posthog-automation

Automate PostHog tasks via Rube MCP (Composio): events, feature flags, projects, user profiles, annotations. Always search tools first for current schemas.

postmark-automation

postmark-automation

Automate Postmark email delivery tasks via Rube MCP (Composio): send templated emails, manage templates, monitor delivery stats and bounces. Always search tools first for current schemas.

postmortem-writing

postmortem-writing

Comprehensive guide to writing effective, blameless postmortems that drive organizational learning and prevent incident recurrence.

powershell-windows

powershell-windows

PowerShell Windows patterns. Critical pitfalls, operator syntax, error handling.

pptx-official

pptx-official

A user may ask you to create, edit, or analyze the contents of a .pptx file. A .pptx file is essentially a ZIP archive containing XML files and other resources that you can read or edit. You have different tools and workflows available for different tasks.

pr-merge-champion

pr-merge-champion

Optimize pull requests for quick approval and merging by ensuring clean diffs, comprehensive self-reviews, and structured documentation.

pr-writer

pr-writer

Create pull requests following Sentry's engineering practices.

premium-3d-website

premium-3d-website

Guidelines for building premium 3D websites, focusing on custom WebGL shaders, post-processing, physics-based interactions, smooth animations, preloaders, and device optimization.

price-psychology-strategist

price-psychology-strategist

One sentence - what this skill does and when to invoke it

pricing-strategy

pricing-strategy

Design pricing, packaging, and monetization strategies based on value, customer willingness to pay, and growth objectives.

prisma-expert

prisma-expert

You are an expert in Prisma ORM with deep knowledge of schema design, migrations, query optimization, relations modeling, and database operations across PostgreSQL, MySQL, and SQLite.

privacy-by-design

privacy-by-design

Use when building apps that collect user data. Ensures privacy protections are built in from the start—data minimization, consent, encryption.

privilege-escalation-methods

privilege-escalation-methods

Provide comprehensive techniques for escalating privileges from a low-privileged user to root/administrator access on compromised Linux and Windows systems. Essential for penetration testing post-exploitation phase and red team operations.

product-design

product-design

Design de produto nível Apple — sistemas visuais, UX flows, acessibilidade, linguagem visual proprietária, design tokens, prototipagem e handoff. Cobre Figma, design systems, tipografia, cor, espaçamento, motion design e princípios de design cognitivo.

product-inventor

product-inventor

Product Inventor e Design Alchemist de nível máximo — combina Product Thinking, Design Systems, UI Engineering, Psicologia Cognitiva, Storytelling e execução impecável nível Jobs/Apple.

product-manager

product-manager

Senior PM agent with 6 knowledge domains, 30+ frameworks, 12 templates, and 32 SaaS metrics with formulas. Pure Markdown, zero scripts.

product-manager-toolkit

product-manager-toolkit

Essential tools and frameworks for modern product management, from discovery to delivery.

product-marketing-context

product-marketing-context

Create or update a reusable product marketing context document with positioning, audience, ICP, use cases, and messaging. Use at the start of a project to avoid repeating core marketing context across tasks.

production-audit

production-audit

Audit a shipped repo for production-readiness gaps across RLS, webhooks, secrets, grants, Stripe idempotency, mobile UX, and deployment health.

production-code-audit

production-code-audit

Autonomously deep-scan entire codebase line-by-line, understand architecture and patterns, then systematically transform it to production-grade, corporate-level professional quality with optimizations

production-scheduling

production-scheduling

Codified expertise for production scheduling, job sequencing, line balancing, changeover optimisation, and bottleneck resolution in discrete and batch manufacturing.

professional-proofreader

professional-proofreader

>

programmatic-seo

programmatic-seo

Design and evaluate programmatic SEO strategies for creating SEO-driven pages at scale using templates and structured data.

progressive-estimation

progressive-estimation

Estimate AI-assisted and hybrid human+agent development work with research-backed PERT statistics and calibration feedback loops

progressive-web-app

progressive-web-app

Build Progressive Web Apps (PWAs) with offline support, installability, and caching strategies. Trigger whenever the user mentions PWA, service workers, web app manifests, Workbox, 'add to home screen', or wants their web app to work offline, feel native, or be installable.

project-development

project-development

This skill covers the principles for identifying tasks suited to LLM processing, designing effective project architectures, and iterating rapidly using agent-assisted development.

project-skill-audit

project-skill-audit

Audit a project and recommend the highest-value skills to add or update.

projection-patterns

projection-patterns

Build read models and projections from event streams. Use when implementing CQRS read sides, building materialized views, or optimizing query performance in event-sourced systems.

prometheus-configuration

prometheus-configuration

Complete guide to Prometheus setup, metric collection, scrape configuration, and recording rules.

prompt-caching

prompt-caching

Caching strategies for LLM prompts including Anthropic prompt

prompt-engineer

prompt-engineer

Transforms user prompts into optimized prompts using frameworks (RTF, RISEN, Chain of Thought, RODES, Chain of Density, RACE, RISE, STAR, SOAP, CLEAR, GROW)

prompt-engineering

prompt-engineering

Expert guide on prompt engineering patterns, best practices, and optimization techniques. Use when user wants to improve prompts, learn prompting strategies, or debug agent behavior.

prompt-engineering-patterns

prompt-engineering-patterns

Master advanced prompt engineering techniques to maximize LLM performance, reliability, and controllability.

prompt-library

prompt-library

A comprehensive collection of battle-tested prompts inspired by [awesome-chatgpt-prompts] (<https://github.com/f/awesome-chatgpt-prompts>) and community best practices.

protect-mcp-governance

protect-mcp-governance

Agent governance skill for MCP tool calls — Cedar policy authoring, shadow-to-enforce rollout, and Ed25519 receipt verification.

protocol-reverse-engineering

protocol-reverse-engineering

Comprehensive techniques for capturing, analyzing, and documenting network protocols for security research, interoperability, and debugging.

prototype

prototype

Build a throwaway prototype to flesh out a design — a runnable terminal app for state/business-logic questions, or several radically different UI variations toggleable from one route.

pubmed-database

pubmed-database

Direct REST API access to PubMed. Advanced Boolean/MeSH queries, E-utilities API, batch processing, citation management. For Python workflows, prefer biopython (Bio.Entrez). Use this for direct HTTP/REST work or custom API implementations.

puzzle-activity-planner

puzzle-activity-planner

Plan puzzle-based activities for classrooms, parties, and events with pre-configured generator links

pydantic-ai

pydantic-ai

Build production-ready AI agents with PydanticAI — type-safe tool use, structured outputs, dependency injection, and multi-model support.

pydantic-models-py

pydantic-models-py

Create Pydantic models following the multi-model pattern for clean API contracts.

pypict-skill

pypict-skill

Pairwise test generation

python-development

python-development

You are a Python project architecture expert specializing in scaffolding production-ready Python applications. Generate complete project structures with modern tooling (uv, FastAPI, Django), type hint (Alias for python-development-python-scaffold)

python-development-python-scaffold

python-development-python-scaffold

You are a Python project architecture expert specializing in scaffolding production-ready Python applications. Generate complete project structures with modern tooling (uv, FastAPI, Django), type hint

python-fastapi-development

python-fastapi-development

Python FastAPI backend development with async patterns, SQLAlchemy, Pydantic, authentication, and production API patterns.

python-packaging

python-packaging

Comprehensive guide to creating, structuring, and distributing Python packages using modern packaging tools, pyproject.toml, and publishing to PyPI.

python-patterns

python-patterns

Python development principles and decision-making. Framework selection, async patterns, type hints, project structure. Teaches thinking, not copying.

python-performance-optimization

python-performance-optimization

Profile and optimize Python code using cProfile, memory profilers, and performance best practices. Use when debugging slow Python code, optimizing bottlenecks, or improving application performance.

python-pptx-generator

python-pptx-generator

Generate complete Python scripts that build polished PowerPoint decks with python-pptx and real slide content.

python-pro

python-pro

Master Python 3.12+ with modern features, async programming, performance optimization, and production-ready practices. Expert in the latest Python ecosystem including uv, ruff, pydantic, and FastAPI.

python-testing-patterns

python-testing-patterns

Implement comprehensive testing strategies with pytest, fixtures, mocking, and test-driven development. Use when writing Python tests, setting up test suites, or implementing testing best practices.

qiskit

qiskit

Qiskit is the world's most popular open-source quantum computing framework with 13M+ downloads. Build quantum circuits, optimize for hardware, execute on simulators or real quantum computers, and analyze results. Supports IBM Quantum (100+ qubit systems), IonQ, Amazon Braket, and other providers.

quality-nonconformance

quality-nonconformance

Codified expertise for quality control, non-conformance investigation, root cause analysis, corrective action, and supplier quality management in regulated manufacturing.

quant-analyst

quant-analyst

Build financial models, backtest trading strategies, and analyze market data. Implements risk metrics, portfolio optimization, and statistical arbitrage.

radix-ui-design-system

radix-ui-design-system

Build accessible design systems with Radix UI primitives. Headless component customization, theming strategies, and compound component patterns for production-grade UI libraries.

rag-engineer

rag-engineer

Expert in building Retrieval-Augmented Generation systems. Masters

rag-implementation

rag-implementation

RAG (Retrieval-Augmented Generation) implementation workflow covering embedding selection, vector database setup, chunking strategies, and retrieval optimization.

rayden-code

rayden-code

Generate React code with Rayden UI components using correct props, tokens, and premium layout patterns

rayden-use

rayden-use

Build and maintain Rayden UI components and screens in Figma via Figma MCP with full design token enforcement

react-best-practices

react-best-practices

Comprehensive performance optimization guide for React and Next.js applications, maintained by Vercel. Use when writing new React components or Next.js pages, implementing data fetching (client or server-side), or reviewing code for performance issues.

react-component-performance

react-component-performance

Diagnose slow React components and suggest targeted performance fixes.

react-flow-architect

react-flow-architect

Build production-ready ReactFlow applications with hierarchical navigation, performance optimization, and advanced state management.

react-flow-node-ts

react-flow-node-ts

Create React Flow node components following established patterns with proper TypeScript types and store integration.

react-modernization

react-modernization

Master React version upgrades, class to hooks migration, concurrent features adoption, and codemods for automated transformation.

react-native-architecture

react-native-architecture

Production-ready patterns for React Native development with Expo, including navigation, state management, native modules, and offline-first architecture.

react-native-skills

react-native-skills

Use when working with react-native-skills tasks or workflows

react-nextjs-development

react-nextjs-development

React and Next.js 14+ application development with App Router, Server Components, TypeScript, Tailwind CSS, and modern frontend patterns.

react-patterns

react-patterns

Modern React patterns and principles. Hooks, composition, performance, TypeScript best practices.

react-state-management

react-state-management

Master modern React state management with Redux Toolkit, Zustand, Jotai, and React Query. Use when setting up global state, managing server state, or choosing between state management solutions.

react-ui-patterns

react-ui-patterns

Modern React UI patterns for loading states, error handling, and data fetching. Use when building UI components, handling async data, or managing UI states.

readme

readme

You are an expert technical writer creating comprehensive project documentation. Your goal is to write a README.md that is absurdly thorough—the kind of documentation you wish every project had.

recallmax

recallmax

FREE — God-tier long-context memory for AI agents. Injects 500K-1M clean tokens, auto-summarizes with tone/intent preservation, compresses 14-turn history into 800 tokens.

receiving-code-review

receiving-code-review

Code review requires technical evaluation, not emotional performance.

recsys-pipeline-architect

recsys-pipeline-architect

Designs composable recommendation, ranking, and feed pipelines using the six-stage Source→Hydrator→Filter→Scorer→Selector→SideEffect framework

recursive-context-pruning-token-budgeting

recursive-context-pruning-token-budgeting

Optimizes AI agent performance by pruning redundant context, managing token usage, and enforcing ultra-concise, direct-to-value responses.

red-team-tactics

red-team-tactics

Red team tactics principles based on MITRE ATT&CK. Attack phases, detection evasion, reporting.

red-team-tools

red-team-tools

Implement proven methodologies and tool workflows from top security researchers for effective reconnaissance, vulnerability discovery, and bug bounty hunting. Automate common tasks while maintaining thorough coverage of attack surfaces.

reddit-automation

reddit-automation

Automate Reddit tasks via Rube MCP (Composio): search subreddits, create posts, manage comments, and browse top content. Always search tools first for current schemas.

redesign-existing-projects

redesign-existing-projects

Use when upgrading existing websites or apps by auditing generic UI patterns and applying premium design fixes without rewrites.

reference-builder

reference-builder

Creates exhaustive technical references and API documentation. Generates comprehensive parameter listings, configuration guides, and searchable reference materials.

referral-program

referral-program

You are an expert in viral growth and referral marketing with access to referral program data and third-party tools. Your goal is to help design and optimize programs that turn customers into growth engines.

rehabilitation-analyzer

rehabilitation-analyzer

分析康复训练数据、识别康复模式、评估康复进展，并提供个性化康复建议

remote-gpu-trainer

remote-gpu-trainer

Deploy, monitor, and debug long GPU jobs on RENTED/remote instances (AutoDL, RunPod, vast.ai, Lambda, Slurm, K8s): teardown/billing safety, spot resilience, resumable checkpointing, OOM/NaN triage.

remotion

remotion

Generate walkthrough videos from Stitch projects using Remotion with smooth transitions, zooming, and text overlays

remotion-best-practices

remotion-best-practices

Best practices for Remotion - Video creation in React

render-automation

render-automation

Automate Render tasks via Rube MCP (Composio): services, deployments, projects. Always search tools first for current schemas.

requesting-code-review

requesting-code-review

Use when completing tasks, implementing major features, or before merging to verify work meets requirements

returns-reverse-logistics

returns-reverse-logistics

Codified expertise for returns authorisation, receipt and inspection, disposition decisions, refund processing, fraud detection, and warranty claims management.

reverse-engineer

reverse-engineer

Expert reverse engineer specializing in binary analysis, disassembly, decompilation, and software analysis. Masters IDA Pro, Ghidra, radare2, x64dbg, and modern RE toolchains.

review-animations

review-animations

Use when reviewing animation and motion code against a strict craft, performance, accessibility, and interaction-quality bar.

revops

revops

Design and improve revenue operations, lead lifecycle rules, scoring, routing, handoffs, and CRM process automation. Use when marketing, sales, and customer success workflows need clearer operational structure.

rich-elicitation

rich-elicitation

Asks clarifying questions in multiple rounds before starting ambiguous tasks. Fires when 2+ task dimensions each have 3+ viable answers.

risk-manager

risk-manager

Monitor portfolio risk, R-multiples, and position limits. Creates hedging strategies, calculates expectancy, and implements stop-losses.

risk-metrics-calculation

risk-metrics-calculation

Calculate portfolio risk metrics including VaR, CVaR, Sharpe, Sortino, and drawdown analysis. Use when measuring portfolio risk, implementing risk limits, or building risk monitoring systems.

robious-app-architecture

robious-app-architecture

|

robious-event-action

robious-event-action

|

robious-matrix-integration

robious-matrix-integration

|

robious-state-management

robious-state-management

|

robious-widget-patterns

robious-widget-patterns

|

ruby-pro

ruby-pro

Write idiomatic Ruby code with metaprogramming, Rails patterns, and performance optimization. Specializes in Ruby on Rails, gem development, and testing frameworks.

runapi-cli

runapi-cli

Generate AI images, videos, and music/audio from agents using the RunAPI CLI.

runaway-guard

runaway-guard

Cost-safety discipline for paid AI / inference APIs: treat \$-cost as a third complexity dimension alongside time and space. Forces a written per-run \$-cap, per-day \$-cap, max-iterations bound, concurrency limit, and a matching provider-dashboard hard cap BEFORE any call site is written.

rust-async-patterns

rust-async-patterns

Master Rust async programming with Tokio, async traits, error handling, and concurrent patterns. Use when building async Rust applications, implementing concurrent systems, or debugging async code.

rust-pro

rust-pro

Master Rust 1.75+ with modern async patterns, advanced type system features, and production-ready systems programming.

saas-multi-tenant

saas-multi-tenant

Design and implement multi-tenant SaaS architectures with row-level security, tenant-scoped queries, shared-schema isolation, and safe cross-tenant admin patterns in PostgreSQL and TypeScript.

saas-mvp-launcher

saas-mvp-launcher

Use when planning or building a SaaS MVP from scratch. Provides a structured roadmap covering tech stack, architecture, auth, payments, and launch checklist.

saga-orchestration

saga-orchestration

Patterns for managing distributed transactions and long-running business processes.

sales-automator

sales-automator

Draft cold emails, follow-ups, and proposal templates. Creates pricing pages, case studies, and sales scripts. Use PROACTIVELY for sales outreach or lead nurturing.

sales-enablement

sales-enablement

Create sales collateral such as decks, one-pagers, objection docs, demo scripts, playbooks, and proposal templates. Use when a sales team needs assets that help reps move deals forward and close.

salesforce-automation

salesforce-automation

Automate Salesforce tasks via Rube MCP (Composio): leads, contacts, accounts, opportunities, SOQL queries. Always search tools first for current schemas.

salesforce-development

salesforce-development

Expert patterns for Salesforce platform development including

sam-altman

sam-altman

Agente que simula Sam Altman — CEO da OpenAI, ex-presidente da Y Combinator, arquiteto da era AGI.

sankhya-dashboard-html-jsp-custom-best-practices

sankhya-dashboard-html-jsp-custom-best-practices

This skill should be used when the user asks for patterns, best practices, creation, or fixing of Sankhya dashboards using HTML, JSP, Java, and SQL.

sast-configuration

sast-configuration

Static Application Security Testing (SAST) tool setup, configuration, and custom rule creation for comprehensive security scanning across multiple programming languages.

satori

satori

Clinically informed wisdom companion blending psychology and philosophy into a structured thinking partner

scala-pro

scala-pro

Master enterprise-grade Scala development with functional programming, distributed systems, and big data processing. Expert in Apache Pekko, Akka, Spark, ZIO/Cats Effect, and reactive architectures.

scanning-tools

scanning-tools

Master essential security scanning tools for network discovery, vulnerability assessment, web application testing, wireless security, and compliance validation. This skill covers tool selection, configuration, and practical usage across different scanning categories.

scanpy

scanpy

Scanpy is a scalable Python toolkit for analyzing single-cell RNA-seq data, built on AnnData. Apply this skill for complete single-cell workflows including quality control, normalization, dimensionality reduction, clustering, marker gene identification, visualization, and trajectory analysis.

scarcity-urgency-psychologist

scarcity-urgency-psychologist

One sentence - what this skill does and when to invoke it

schema-markup

schema-markup

Design, validate, and optimize schema.org structured data for eligibility, correctness, and measurable SEO impact.

schema-markup-generator

schema-markup-generator

Generate and implement JSON-LD structured data for web apps, blogs, FAQs, and SaaS sites. Supports WebSite, SoftwareApplication, BlogPosting, FAQPage, HowTo, and more.

scientific-writing

scientific-writing

This is the core skill for the deep research and writing tool—combining AI-driven deep research with well-formatted written outputs. Every document produced is backed by comprehensive literature search and verified citations through the research-lookup skill.

scikit-learn

scikit-learn

Machine learning in Python with scikit-learn. Use for classification, regression, clustering, model evaluation, and ML pipelines.

screen-reader-testing

screen-reader-testing

Practical guide to testing web applications with screen readers for comprehensive accessibility validation.

screenshots

screenshots

Generate marketing screenshots of your app using Playwright. Use when the user wants to create screenshots for Product Hunt, social media, landing pages, or documentation.

screenstudio-alt

screenstudio-alt

Open-source headless Screen Studio alternative: auto speed-up of idle, auto-zoom on click clusters, keystroke overlay chips, smoothed synthetic cursor, and 9:16 vertical export that follows the action — post-production for screen recordings from the CLI.

scroll-experience

scroll-experience

Expert in building immersive scroll-driven experiences - parallax

seaborn

seaborn

Seaborn is a Python visualization library for creating publication-quality statistical graphics. Use this skill for dataset-oriented plotting, multivariate analysis, automatic statistical estimation, and complex multi-panel figures with minimal code.

search-specialist

search-specialist

Expert web researcher using advanced search techniques and

secrets-management

secrets-management

Secure secrets management practices for CI/CD pipelines using Vault, AWS Secrets Manager, and other tools.

security-audit

security-audit

Comprehensive security auditing workflow covering web application testing, API security, penetration testing, vulnerability scanning, and security hardening.

security-auditor

security-auditor

Expert security auditor specializing in DevSecOps, comprehensive cybersecurity, and compliance frameworks.

security-bluebook-builder

security-bluebook-builder

Build a minimal but real security policy for sensitive apps. The output is a single, coherent Blue Book document using MUST/SHOULD/CAN language, with explicit assumptions, scope, and security gates.

security-compliance-compliance-check

security-compliance-compliance-check

You are a compliance expert specializing in regulatory requirements for software systems including GDPR, HIPAA, SOC2, PCI-DSS, and other industry standards. Perform comprehensive compliance audits and provide implementation guidance for achieving and maintaining compliance.

security-requirement-extraction

security-requirement-extraction

Derive security requirements from threat models and business context. Use when translating threats into actionable requirements, creating security user stories, or building security test cases.

security-scanning-security-dependencies

security-scanning-security-dependencies

You are a security expert specializing in dependency vulnerability analysis, SBOM generation, and supply chain security. Scan project dependencies across multiple ecosystems to identify vulnerabilities, assess risks, and provide automated remediation strategies.

security-scanning-security-hardening

security-scanning-security-hardening

Coordinate multi-layer security scanning and hardening across application, infrastructure, and compliance controls.

security-scanning-security-sast

security-scanning-security-sast

Static Application Security Testing (SAST) for code vulnerability

seek-and-analyze-video

seek-and-analyze-video

Seek and analyze video content using Memories.ai Large Visual Memory Model for persistent video intelligence

segment-automation

segment-automation

Automate Segment tasks via Rube MCP (Composio): track events, identify users, manage groups, page views, aliases, batch operations. Always search tools first for current schemas.

segment-cdp

segment-cdp

Expert patterns for Segment Customer Data Platform including

semgrep-rule-creator

semgrep-rule-creator

Creates custom Semgrep rules for detecting security vulnerabilities, bug patterns, and code patterns. Use when writing Semgrep rules or building custom static analysis detections.

semgrep-rule-variant-creator

semgrep-rule-variant-creator

Creates language variants of existing Semgrep rules. Use when porting a Semgrep rule to specified target languages. Takes an existing rule and target languages as input, produces independent rule+test directories for each language.

sendgrid-automation

sendgrid-automation

Automate SendGrid email delivery workflows including marketing campaigns (Single Sends), contact and list management, sender identity setup, and email analytics through Composio's SendGrid toolkit.

senior-architect

senior-architect

Complete toolkit for senior architect with modern tools and best practices.

senior-frontend

senior-frontend

Frontend development skill for React, Next.js, TypeScript, and Tailwind CSS applications. Use when building React components, optimizing Next.js performance, analyzing bundle sizes, scaffolding frontend projects, implementing accessibility, or reviewing frontend code quality.

senior-fullstack

senior-fullstack

Complete toolkit for senior fullstack with modern tools and best practices.

sentry-automation

sentry-automation

Automate Sentry tasks via Rube MCP (Composio): manage issues/events, configure alerts, track releases, monitor projects and teams. Always search tools first for current schemas.

seo

seo

Run a broad SEO audit across technical SEO, on-page SEO, schema, sitemaps, content quality, AI search readiness, and GEO. Use as the umbrella skill when the user asks for a full SEO analysis or strategy.

seo-aeo-blog-writer

seo-aeo-blog-writer

Writes long-form blog posts with TL;DR block, definition sentence, comparison table, and 5-question FAQ for SEO ranking and AEO citation. Activate when the user wants to write a blog post, article, or long-form content piece.

seo-aeo-content-cluster

seo-aeo-content-cluster

Builds a topical authority map with a pillar page, prioritised cluster articles, content types, internal link map, and content gap analysis. Activate when the user wants to build a content cluster, topic map, or content strategy.

seo-aeo-content-quality-auditor

seo-aeo-content-quality-auditor

Audits content for SEO and AEO performance with scored reports, severity-ranked fix lists, and projected scores after fixes. Activate when the user wants to audit, review, or score content for SEO or AEO compliance.

seo-aeo-internal-linking

seo-aeo-internal-linking

Maps internal link opportunities between pages with anchor text, placement instructions, orphan page detection, and cannibalization checks. Activate when the user wants to build an internal linking strategy or find link opportunities.

seo-aeo-keyword-research

seo-aeo-keyword-research

Researches and prioritises SEO keywords with AEO question queries, difficulty tiers, cannibalization checks, and a content map. Activate when the user wants to find keywords, research search terms, or build a keyword strategy.

seo-aeo-landing-page-writer

seo-aeo-landing-page-writer

Writes complete, structured landing pages optimized for SEO ranking, AEO citation, and visitor conversion. Activate when the user wants to write or generate a landing page for a product, service, or offer.

seo-aeo-meta-description-generator

seo-aeo-meta-description-generator

Writes 3 title tag variants and 3 meta description variants per page with SERP preview, OG tags, and Twitter Card tags. Activate when the user wants to write meta tags, title tags, or social sharing tags for any page.

seo-aeo-schema-generator

seo-aeo-schema-generator

Generates valid JSON-LD structured data for 10 schema types with rich result eligibility validation and implementation-ready script blocks. Activate when the user wants to generate schema markup, JSON-LD, or structured data for any page.

seo-audit

seo-audit

Diagnose and audit SEO issues affecting crawlability, indexation, rankings, and organic performance.

seo-authority-builder

seo-authority-builder

Analyzes content for E-E-A-T signals and suggests improvements to

seo-cannibalization-detector

seo-cannibalization-detector

Analyzes multiple provided pages to identify keyword overlap and potential cannibalization issues. Suggests differentiation strategies. Use PROACTIVELY when reviewing similar content.

seo-competitor-pages

seo-competitor-pages

>

seo-content

seo-content

>

seo-content-auditor

seo-content-auditor

Analyzes provided content for quality, E-E-A-T signals, and SEO best practices. Scores content and provides improvement recommendations based on established guidelines.

seo-content-planner

seo-content-planner

Creates comprehensive content outlines and topic clusters for SEO.

seo-content-refresher

seo-content-refresher

Identifies outdated elements in provided content and suggests updates to maintain freshness. Finds statistics, dates, and examples that need updating. Use PROACTIVELY for older content.

seo-content-writer

seo-content-writer

Writes SEO-optimized content based on provided keywords and topic briefs. Creates engaging, comprehensive content following best practices. Use PROACTIVELY for content creation tasks.

seo-dataforseo

seo-dataforseo

Use DataForSEO for live SERPs, keyword metrics, backlinks, competitor analysis, on-page checks, and AI visibility data. Trigger when the user needs real SEO data rather than static guidance.

seo-forensic-incident-response

seo-forensic-incident-response

Investigate sudden drops in organic traffic or rankings and run a structured forensic SEO incident response with triage, root-cause analysis and recovery plan.

seo-fundamentals

seo-fundamentals

Core principles of SEO including E-E-A-T, Core Web Vitals, technical foundations, content quality, and how modern search engines evaluate pages.

seo-geo

seo-geo

Optimize content for AI Overviews, ChatGPT, Perplexity, and other AI search systems. Use when improving GEO, AI citations, llms.txt readiness, crawler accessibility, and passage-level citability.

seo-hreflang

seo-hreflang

>

seo-image-gen

seo-image-gen

Generate SEO-focused images such as OG cards, hero images, schema assets, product visuals, and infographics. Use when image generation is part of an SEO workflow or content publishing task.

seo-images

seo-images

>

seo-keyword-strategist

seo-keyword-strategist

Analyzes keyword usage in provided content, calculates density, suggests semantic variations and LSI keywords based on the topic. Prevents over-optimization. Use PROACTIVELY for content optimization.

seo-meta-optimizer

seo-meta-optimizer

Creates optimized meta titles, descriptions, and URL suggestions based on character limits and best practices. Generates compelling, keyword-rich metadata. Use PROACTIVELY for new content.

seo-page

seo-page

>

seo-plan

seo-plan

>

seo-programmatic

seo-programmatic

Plan and audit programmatic SEO pages generated at scale from structured data. Use when designing templates, URL systems, internal linking, quality gates, and index-bloat safeguards for pages at scale.

seo-schema

seo-schema

>

seo-sitemap

seo-sitemap

>

seo-snippet-hunter

seo-snippet-hunter

Formats content to be eligible for featured snippets and SERP features. Creates snippet-optimized content blocks based on best practices. Use PROACTIVELY for question-based content.

seo-structure-architect

seo-structure-architect

Analyzes and optimizes content structure including header hierarchy, suggests schema markup, and internal linking opportunities. Creates search-friendly content organization.

seo-technical

seo-technical

Audit technical SEO across crawlability, indexability, security, URLs, mobile, Core Web Vitals, structured data, JavaScript rendering, and related platform signals like robots.txt and AI crawler access.

sequence-psychologist

sequence-psychologist

One sentence - what this skill does and when to invoke it

server-management

server-management

Server management principles and decision-making. Process management, monitoring strategy, and scaling decisions. Teaches thinking, not commands.

service-mesh-expert

service-mesh-expert

Expert service mesh architect specializing in Istio, Linkerd, and cloud-native networking patterns. Masters traffic management, security policies, observability integration, and multi-cluster mesh con

service-mesh-observability

service-mesh-observability

Complete guide to observability patterns for Istio, Linkerd, and service mesh deployments.

setup-matt-pocock-skills

setup-matt-pocock-skills

Configure this repo for the engineering skills — set up its issue tracker, triage label vocabulary, and domain doc layout. Run once before first use of the other engineering skills.

sexual-health-analyzer

sexual-health-analyzer

Sexual Health Analyzer

shadcn

shadcn

Manages shadcn/ui components and projects, providing context, documentation, and usage patterns for building modern design systems.

shader-programming-glsl

shader-programming-glsl

Expert guide for writing efficient GLSL shaders (Vertex/Fragment) for web and game engines, covering syntax, uniforms, and common effects.

sharp-coder

sharp-coder

>

sharp-edges

sharp-edges

sharp-edges

shellcheck-configuration

shellcheck-configuration

Master ShellCheck static analysis configuration and usage for shell script quality. Use when setting up linting infrastructure, fixing code issues, or ensuring script portability.

shodan-reconnaissance

shodan-reconnaissance

Provide systematic methodologies for leveraging Shodan as a reconnaissance tool during penetration testing engagements.

shopify-apps

shopify-apps

Expert patterns for Shopify app development including Remix/React

shopify-automation

shopify-automation

Automate Shopify tasks via Rube MCP (Composio): products, orders, customers, inventory, collections. Always search tools first for current schemas.

shopify-development

shopify-development

Build Shopify apps, extensions, themes using GraphQL Admin API, Shopify CLI, Polaris UI, and Liquid.

signup-flow-cro

signup-flow-cro

You are an expert in optimizing signup and registration flows. Your goal is to reduce friction, increase completion rates, and set users up for successful activation.

similarity-search-patterns

similarity-search-patterns

Implement efficient similarity search with vector databases. Use when building semantic search, implementing nearest neighbor queries, or optimizing retrieval performance.

simplify-code

simplify-code

Review a diff for clarity and safe simplifications, then optionally apply low-risk fixes.

site-architecture

site-architecture

Plan or restructure website hierarchy, navigation, URL patterns, breadcrumbs, and internal linking. Use when mapping pages, sections, and site structure, but not for XML sitemap auditing or schema markup.

skill-audit

skill-audit

Pre-install security scanner for AI agent skills. 7.5% of 14,706 skills are malicious. Audit before you trust.

skill-check

skill-check

Validate Claude Code skills against the agentskills specification. Catches structural, semantic, and naming issues before users do.

skill-creator

skill-creator

To create new CLI skills following Anthropic's official best practices with zero manual configuration. This skill automates brainstorming, template application, validation, and installation processes while maintaining progressive disclosure patterns and writing style standards.

skill-creator-ms

skill-creator-ms

Guide for creating effective skills for AI coding agents working with Azure SDKs and Microsoft Foundry services. Use when creating new skills or updating existing skills.

skill-developer

skill-developer

Comprehensive guide for creating and managing skills in Claude Code with auto-activation system, following Anthropic's official best practices including the 500-line rule and progressive disclosure pattern.

skill-improver

skill-improver

Iteratively improve a Claude Code skill using the skill-reviewer agent until it meets quality standards. Use when improving a skill with multiple quality issues, iterating on a new skill until it meets standards, or automated fix-review cycles instead of manual editing.

skill-installer

skill-installer

Instala, valida, registra e verifica novas skills no ecossistema. 10 checks de segurança, copia, registro no orchestrator e verificacao pos-instalacao.

skill-issue

skill-issue

Find out why a coding-agent skill won't fire — grade each SKILL.md A–F on activation, simulate which skill a prompt triggers, and flag collisions where one silently shadows another.

skill-optimizer

skill-optimizer

Diagnose and optimize Agent Skills (SKILL.md) with real session data and research-backed static analysis. Works with Claude Code, Codex, and any Agent Skills-compatible agent.

skill-rails-upgrade

skill-rails-upgrade

Analyze Rails apps and provide upgrade assessments

skill-router

skill-router

Use when the user is unsure which skill to use or where to start. Interviews the user with targeted questions and recommends the best skill(s) from the installed library for their goal.

skill-scanner

skill-scanner

Scan agent skills for security issues before adoption. Detects prompt injection, malicious code, excessive permissions, secret exposure, and supply chain risks.

skill-seekers

skill-seekers

-Automatically convert documentation websites, GitHub repositories, and PDFs into Claude AI skills in minutes.

skill-sentinel

skill-sentinel

Auditoria e evolucao do ecossistema de skills. Qualidade de codigo, seguranca, custos, gaps, duplicacoes, dependencias e relatorios de saude.

skill-suggester

skill-suggester

Scan prompt history for recurring patterns and unmet needs, then propose new skills or command templates

skill-writer

skill-writer

Create and improve agent skills following the Agent Skills specification. Use when asked to create, write, or update skills.

skin-health-analyzer

skin-health-analyzer

Analyze skin health data, identify skin problem patterns, assess skin health status. Supports correlation analysis with nutrition, chronic diseases, and medication data.

skyvern-browser-automation

skyvern-browser-automation

AI-powered browser automation — navigate sites, fill forms, extract structured data, log in with stored credentials, and build reusable workflows.

slack-automation

slack-automation

Automate Slack workspace operations including messaging, search, channel management, and reaction workflows through Composio's Slack toolkit.

slack-bot-builder

slack-bot-builder

Build Slack apps using the Bolt framework across Python,

slack-gif-creator

slack-gif-creator

A toolkit providing utilities and knowledge for creating animated GIFs optimized for Slack.

sleep-analyzer

sleep-analyzer

分析睡眠数据、识别睡眠模式、评估睡眠质量，并提供个性化睡眠改善建议。支持与其他健康数据的关联分析。

slo-implementation

slo-implementation

Framework for defining and implementing Service Level Indicators (SLIs), Service Level Objectives (SLOs), and error budgets.

smart-git-automation

smart-git-automation

Smart change detection, auto branch naming, and streamlined commit/PR workflow

smtp-penetration-testing

smtp-penetration-testing

Conduct comprehensive security assessments of SMTP (Simple Mail Transfer Protocol) servers to identify vulnerabilities including open relays, user enumeration, weak authentication, and misconfiguration.

snowflake-development

snowflake-development

Comprehensive Snowflake development assistant covering SQL best practices, data pipeline design (Dynamic Tables, Streams, Tasks, Snowpipe), Cortex AI functions, Cortex Agents, Snowpark Python, dbt integration, performance tuning, and security hardening.

social-content

social-content

You are an expert social media strategist with direct access to a scheduling platform that publishes to all major social networks. Your goal is to help create engaging content that builds audience, drives engagement, and supports business goals.

social-metadata-hardening

social-metadata-hardening

Fix social sharing previews so URLs render as rich cards on Facebook, LinkedIn, X/Twitter, WhatsApp, Telegram, and more. Covers OG tags, Twitter cards, absolute image URLs, and debugging.

social-orchestrator

social-orchestrator

Orquestrador unificado de canais sociais — coordena Instagram, Telegram e WhatsApp em um unico fluxo de trabalho. Publicacao cross-channel, metricas unificadas, reutilizacao de conteudo por formato, agendamento sincronizado e gestao centralizada de campanhas em todos os canais simultaneamente.

social-post-writer-seo

social-post-writer-seo

Social Media Strategist and Content Writer. Creates clear, engaging social media posts for Instagram, LinkedIn, and Facebook.

social-proof-architect

social-proof-architect

One sentence - what this skill does and when to invoke it

socialclaw

socialclaw

Agent-first social media publishing skill — schedule and publish posts across 13 platforms (X, LinkedIn, Instagram, Facebook Pages, TikTok, Discord, Telegram, YouTube, Reddit, WordPress, Pinterest) via a single workspace API key.

software-architecture

software-architecture

Guide for quality focused software architecture. This skill should be used when users want to write code, design architecture, analyze code, in any case that relates to software development.

solidity-security

solidity-security

Master smart contract security best practices, vulnerability prevention, and secure Solidity development patterns.

spark-optimization

spark-optimization

Optimize Apache Spark jobs with partitioning, caching, shuffle optimization, and memory tuning. Use when improving Spark performance, debugging slow jobs, or scaling data processing pipelines.

spec-to-code-compliance

spec-to-code-compliance

Verifies code implements exactly what documentation specifies for blockchain audits. Use when comparing code against whitepapers, finding gaps between specs and implementation, or performing compliance checks for protocol implementations.

speckit-updater

speckit-updater

SpecKit Safe Update

speed

speed

Launch RSVP speed reader for text

spline-3d-integration

spline-3d-integration

Use when adding interactive 3D scenes from Spline.design to web projects, including React embedding and runtime control API.

sql-injection-testing

sql-injection-testing

Execute comprehensive SQL injection vulnerability assessments on web applications to identify database security flaws, demonstrate exploitation techniques, and validate input sanitization mechanisms.

sql-optimization-patterns

sql-optimization-patterns

Transform slow database queries into lightning-fast operations through systematic optimization, proper indexing, and query plan analysis.

sql-pro

sql-pro

Master modern SQL with cloud-native databases, OLTP/OLAP optimization, and advanced query techniques. Expert in performance tuning, data modeling, and hybrid analytical systems.

sqlmap-database-pentesting

sqlmap-database-pentesting

Provide systematic methodologies for automated SQL injection detection and exploitation using SQLMap.

square-automation

square-automation

Automate Square tasks via Rube MCP (Composio): payments, orders, invoices, locations. Always search tools first for current schemas.

squirrel

squirrel

Full-cycle AI coding skill: plans, builds, tests, lints, fixes bugs, and writes production-grade docs. Auto-detects project state and adapts its 8-phase pipeline.

sred-project-organizer

sred-project-organizer

Take a list of projects and their related documentation, and organize them into the SRED format for submission.

sred-work-summary

sred-work-summary

Go back through the previous year of work and create a Notion doc that groups relevant links into projects that can then be documented as SRED projects.

ssh-penetration-testing

ssh-penetration-testing

Conduct comprehensive SSH security assessments including enumeration, credential attacks, vulnerability exploitation, tunneling techniques, and post-exploitation activities. This skill covers the complete methodology for testing SSH service security.

stability-ai

stability-ai

Geracao de imagens via Stability AI (SD3.5, Ultra, Core). Text-to-image, img2img, inpainting, upscale, remove-bg, search-replace. 15 estilos artisticos.

startup-analyst

startup-analyst

Expert startup business analyst specializing in market sizing, financial modeling, competitive analysis, and strategic planning for early-stage companies.

startup-business-analyst-business-case

startup-business-analyst-business-case

Generate comprehensive investor-ready business case document with

startup-business-analyst-financial-projections

startup-business-analyst-financial-projections

Create detailed 3-5 year financial model with revenue, costs, cash

startup-business-analyst-market-opportunity

startup-business-analyst-market-opportunity

Generate comprehensive market opportunity analysis with TAM/SAM/SOM

startup-financial-modeling

startup-financial-modeling

Build comprehensive 3-5 year financial models with revenue projections, cost structures, cash flow analysis, and scenario planning for early-stage startups.

startup-metrics-framework

startup-metrics-framework

Comprehensive guide to tracking, calculating, and optimizing key performance metrics for different startup business models from seed through Series A.

statsmodels

statsmodels

Statsmodels is Python's premier library for statistical modeling, providing tools for estimation, inference, and diagnostics across a wide range of statistical methods.

steve-jobs

steve-jobs

Agente que simula Steve Jobs — cofundador da Apple, CEO da Pixar, fundador da NeXT, o maior designer de produtos tecnologicos da historia e o mais influente apresentador de produtos do mundo.

stitch-design-taste

stitch-design-taste

Use when generating Google Stitch DESIGN.md systems for premium typography, color, layout, motion intent, and anti-generic UI rules.

stitch-loop

stitch-loop

Teaches agents to iteratively build websites using Stitch with an autonomous baton-passing loop pattern

stitch-ui-design

stitch-ui-design

Expert guidance for crafting effective prompts in Google Stitch, the AI-powered UI design tool by Google Labs. This skill helps create precise, actionable prompts that generate high-quality UI designs for web and mobile applications.

stride-analysis-patterns

stride-analysis-patterns

Apply STRIDE methodology to systematically identify threats. Use when analyzing system security, conducting threat modeling sessions, or creating security documentation.

stripe-automation

stripe-automation

Automate Stripe tasks via Rube MCP (Composio): customers, charges, subscriptions, invoices, products, refunds. Always search tools first for current schemas.

stripe-integration

stripe-integration

Master Stripe payment processing integration for robust, PCI-compliant payment flows including checkout, subscriptions, webhooks, and refunds.

subagent-driven-development

subagent-driven-development

Use when executing implementation plans with independent tasks in the current session

subagent-orchestrator

subagent-orchestrator

Coordinate quota-aware parallel subagents for large, multi-file Antigravity tasks.

subject-line-psychologist

subject-line-psychologist

One sentence - what this skill does and when to invoke it

supabase-automation

supabase-automation

Automate Supabase database queries, table management, project administration, storage, edge functions, and SQL execution via Rube MCP (Composio). Always search tools first for current schemas.

super-code

super-code

Standing house style to enforce dense, correct, and idiomatic code on all coding tasks. Minimizes code bloat and agent operation overhead.

superpowers-lab

superpowers-lab

Lab environment for Claude superpowers

supply-chain-risk-auditor

supply-chain-risk-auditor

Identifies dependencies at heightened risk of exploitation or takeover. Use when assessing supply chain attack surface, evaluating dependency health, or scoping security engagements.

survey-generator

survey-generator

Generate source-backed AI/ML survey paper artifacts with curated bibliographies and Fireworks/Kimi HTML rendering.

sveltekit

sveltekit

Build full-stack web applications with SvelteKit — file-based routing, SSR, SSG, API routes, and form actions in one framework.

swift-concurrency-expert

swift-concurrency-expert

Review and fix Swift concurrency issues such as actor isolation and Sendable violations.

swiftui-expert-skill

swiftui-expert-skill

Write, review, or improve SwiftUI code following best practices for state management, view composition, performance, and iOS 26+ Liquid Glass adoption. Use when building new SwiftUI features, refactoring existing views, reviewing code quality, or adopting modern SwiftUI patterns.

swiftui-liquid-glass

swiftui-liquid-glass

Implement or review SwiftUI Liquid Glass APIs with correct fallbacks and modifier order.

swiftui-performance-audit

swiftui-performance-audit

Audit SwiftUI performance issues from code review and profiling evidence.

swiftui-ui-patterns

swiftui-ui-patterns

Apply proven SwiftUI UI patterns for navigation, sheets, async state, and reusable screens.

swiftui-view-refactor

swiftui-view-refactor

Refactor SwiftUI views into smaller components with stable, explicit data flow.

sympy

sympy

SymPy is a Python library for symbolic mathematics that enables exact computation using mathematical symbols rather than numerical approximations.

systematic-debugging

systematic-debugging

Use when encountering any bug, test failure, or unexpected behavior, before proposing fixes

systems-programming-rust-project

systems-programming-rust-project

You are a Rust project architecture expert specializing in scaffolding production-ready Rust applications. Generate complete project structures with cargo tooling, proper module organization, testing

tailwind-design-system

tailwind-design-system

Build production-ready design systems with Tailwind CSS, including design tokens, component variants, responsive patterns, and accessibility.

tailwind-patterns

tailwind-patterns

Tailwind CSS v4 principles. CSS-first configuration, container queries, modern patterns, design token architecture.

tanstack-query-expert

tanstack-query-expert

Expert in TanStack Query (React Query) — asynchronous state management. Covers data fetching, stale time configuration, mutations, optimistic updates, and Next.js App Router (SSR) integration.

task-intelligence

task-intelligence

Protocolo de Inteligência Pré-Tarefa — ativa TODOS os agentes relevantes do ecossistema ANTES de executar qualquer tarefa solicitada pelo usuário.

tavily-web

tavily-web

Web search, content extraction, crawling, and research capabilities using Tavily API. Use when you need to search the web for current information, extracting content from URLs, or crawling websites.

tcm-constitution-analyzer

tcm-constitution-analyzer

分析中医体质数据、识别体质类型、评估体质特征,并提供个性化养生建议。支持与营养、运动、睡眠等健康数据的关联分析。

tdd

tdd

Test-driven development. Use when the user wants to build features or fix bugs test-first, mentions "red-green-refactor", or wants integration tests.

tdd-orchestrator

tdd-orchestrator

Master TDD orchestrator specializing in red-green-refactor discipline, multi-agent workflow coordination, and comprehensive test-driven development practices.

tdd-workflow

tdd-workflow

Test-Driven Development workflow principles. RED-GREEN-REFACTOR cycle.

tdd-workflows

tdd-workflows

Use when working with tdd workflows tdd cycle (Alias for tdd-workflows-tdd-cycle)

tdd-workflows-tdd-cycle

tdd-workflows-tdd-cycle

Use when working with tdd workflows tdd cycle

tdd-workflows-tdd-green

tdd-workflows-tdd-green

Implement the minimal code needed to make failing tests pass in the TDD green phase.

tdd-workflows-tdd-red

tdd-workflows-tdd-red

Generate failing tests for the TDD red phase to define expected behavior and edge cases.

tdd-workflows-tdd-refactor

tdd-workflows-tdd-refactor

Use when working with tdd workflows tdd refactor

teach

teach

Teach the user a new skill or concept, within this workspace.

team-collaboration-issue

team-collaboration-issue

You are a GitHub issue resolution expert specializing in systematic bug investigation, feature implementation, and collaborative development workflows. Your expertise spans issue triage, root cause an

team-collaboration-standup-notes

team-collaboration-standup-notes

You are an expert team communication specialist focused on async-first standup practices, AI-assisted note generation from commit history, and effective remote team coordination patterns.

team-composition-analysis

team-composition-analysis

Design optimal team structures, hiring plans, compensation strategies, and equity allocation for early-stage startups from pre-seed through Series A.

technical-change-tracker

technical-change-tracker

Track code changes with structured JSON records, state machine enforcement, and AI session handoff for bot continuity

telegram

telegram

Integracao completa com Telegram Bot API. Setup com BotFather, mensagens, webhooks, inline keyboards, grupos, canais. Boilerplates Node.js e Python.

telegram-automation

telegram-automation

Automate Telegram tasks via Rube MCP (Composio): send messages, manage chats, share photos/documents, and handle bot commands. Always search tools first for current schemas.

telegram-bot-builder

telegram-bot-builder

Expert in building Telegram bots that solve real problems - from

telegram-mini-app

telegram-mini-app

Expert in building Telegram Mini Apps (TWA) - web apps that run

temporal-golang-pro

temporal-golang-pro

Use when building durable distributed systems with Temporal Go SDK. Covers deterministic workflow rules, mTLS worker configs, and advanced patterns.

temporal-python-pro

temporal-python-pro

Master Temporal workflow orchestration with Python SDK. Implements durable workflows, saga patterns, and distributed transactions. Covers async/await, testing strategies, and production deployment.

temporal-python-testing

temporal-python-testing

Comprehensive testing approaches for Temporal workflows using pytest, progressive disclosure resources for specific testing scenarios.

terraform-aws-modules

terraform-aws-modules

Terraform module creation for AWS — reusable modules, state management, and HCL best practices. Use when building or reviewing Terraform AWS infrastructure.

terraform-infrastructure

terraform-infrastructure

Terraform infrastructure as code workflow for provisioning cloud resources, creating reusable modules, and managing infrastructure at scale.

terraform-module-library

terraform-module-library

Production-ready Terraform module patterns for AWS, Azure, and GCP infrastructure.

terraform-skill

terraform-skill

Terraform infrastructure as code best practices

terraform-specialist

terraform-specialist

Expert Terraform/OpenTofu specialist mastering advanced IaC automation, state management, and enterprise infrastructure patterns.

test-automator

test-automator

Master AI-powered test automation with modern frameworks, self-healing tests, and comprehensive quality engineering. Build scalable testing strategies with advanced CI/CD integration.

test-driven-development

test-driven-development

Use when implementing any feature or bugfix, before writing implementation code

test-fixing

test-fixing

Systematically identify and fix all failing tests using smart grouping strategies. Use when explicitly asks to fix tests ("fix these tests", "make tests pass"), reports test failures ("tests are failing", "test suite is broken"), or completes implementation and wants tests passing.

testing-patterns

testing-patterns

Jest testing patterns, factory functions, mocking strategies, and TDD workflow. Use when writing unit tests, creating test factories, or following TDD red-green-refactor cycle.

testing-qa

testing-qa

Comprehensive testing and QA workflow covering unit testing, integration testing, E2E testing, browser automation, and quality assurance.

the-honoured-one

the-honoured-one

Forces the AI to fully load context and read relevant files before performing complex, multi-file tasks, architectural changes, or debugging. Prevents acting on assumptions.

theme-factory

theme-factory

This skill provides a curated collection of professional font and color themes themes, each with carefully selected color palettes and font pairings. Once a theme is chosen, it can be applied to any artifact.

threat-mitigation-mapping

threat-mitigation-mapping

Map identified threats to appropriate security controls and mitigations. Use when prioritizing security investments, creating remediation plans, or validating control effectiveness.

threat-modeling-expert

threat-modeling-expert

Expert in threat modeling methodologies, security architecture review, and risk assessment. Masters STRIDE, PASTA, attack trees, and security requirement extraction. Use PROACTIVELY for security architecture reviews, threat identification, or building secure-by-design systems.

threejs-animation

threejs-animation

Three.js animation - keyframe animation, skeletal animation, morph targets, animation mixing. Use when animating objects, playing GLTF animations, creating procedural motion, or blending animations.

threejs-fundamentals

threejs-fundamentals

Three.js scene setup, cameras, renderer, Object3D hierarchy, coordinate systems. Use when setting up 3D scenes, creating cameras, configuring renderers, managing object hierarchies, or working with transforms.

threejs-geometry

threejs-geometry

Three.js geometry creation - built-in shapes, BufferGeometry, custom geometry, instancing. Use when creating 3D shapes, working with vertices, building custom meshes, or optimizing with instanced rendering.

threejs-interaction

threejs-interaction

Three.js interaction - raycasting, controls, mouse/touch input, object selection. Use when handling user input, implementing click detection, adding camera controls, or creating interactive 3D experiences.

threejs-lighting

threejs-lighting

Three.js lighting - light types, shadows, environment lighting. Use when adding lights, configuring shadows, setting up IBL, or optimizing lighting performance.

threejs-loaders

threejs-loaders

Three.js asset loading - GLTF, textures, images, models, async patterns. Use when loading 3D models, textures, HDR environments, or managing loading progress.

threejs-materials

threejs-materials

Three.js materials - PBR, basic, phong, shader materials, material properties. Use when styling meshes, working with textures, creating custom shaders, or optimizing material performance.

threejs-postprocessing

threejs-postprocessing

Three.js post-processing - EffectComposer, bloom, DOF, screen effects. Use when adding visual effects, color grading, blur, glow, or creating custom screen-space shaders.

threejs-shaders

threejs-shaders

Three.js shaders - GLSL, ShaderMaterial, uniforms, custom effects. Use when creating custom visual effects, modifying vertices, writing fragment shaders, or extending built-in materials.

threejs-skills

threejs-skills

Create 3D scenes, interactive experiences, and visual effects using Three.js. Use when user requests 3D graphics, WebGL experiences, 3D visualizations, animations, or interactive 3D elements.

threejs-textures

threejs-textures

Three.js textures - texture types, UV mapping, environment maps, texture settings. Use when working with images, UV coordinates, cubemaps, HDR environments, or texture optimization.

tiktok-automation

tiktok-automation

Automate TikTok tasks via Rube MCP (Composio): upload/publish videos, post photos, manage content, and view user profiles/stats. Always search tools first for current schemas.

tmux

tmux

Expert tmux session, window, and pane management for terminal multiplexing, persistent remote workflows, and shell scripting automation.

to-issues

to-issues

Break a plan, spec, or PRD into independently-grabbable issues on the project issue tracker using tracer-bullet vertical slices.

to-prd

to-prd

Turn the current conversation into a PRD and publish it to the project issue tracker — no interview, just synthesis of what you've already discussed.

todoist-automation

todoist-automation

Automate Todoist task management, projects, sections, filtering, and bulk operations via Rube MCP (Composio). Always search tools first for current schemas.

tokenwise

tokenwise

Measurement-driven model router for Claude Code. Routes Haiku/Sonnet/Opus per task class, logs every routed task with real \$ numbers, and A/B tests cheaper tiers before you trust the savings.

tool-design

tool-design

Build tools that agents can use effectively, including architectural reduction patterns. Use when creating new tools for agent systems, debugging tool-related failures or misuse, or optimizing existing tool sets for better agent performance.

tool-use-guardian

tool-use-guardian

FREE — Intelligent tool-call reliability wrapper. Monitors, retries, fixes, and learns from tool failures. Auto-recovers from truncated JSON, timeouts, rate limits, and mid-chain failures.

tools-page-seo-optimizer

tools-page-seo-optimizer

Framework-agnostic SEO workflow for any site with multiple tool, product, or feature pages. Covers duplicate content, unique meta tags, heading hierarchy, internal linking, URL slugs, E-E-A-T, content registry pattern for scaling 50–500 pages, and blog content strategy for position 50–68 keywords.

top-web-vulnerabilities

top-web-vulnerabilities

Provide a comprehensive, structured reference for the 100 most critical web application vulnerabilities organized by category. This skill enables systematic vulnerability identification, impact assessment, and remediation guidance across the full spectrum of web security threats.

track-management

track-management

Use this skill when creating, managing, or working with Conductor tracks - the logical work units for features, bugs, and refactors. Applies to spec.md, plan.md, and track lifecycle operations.

transformers-js

transformers-js

Run Hugging Face models in JavaScript or TypeScript with Transformers.js in Node.js or the browser.

travel-health-analyzer

travel-health-analyzer

分析旅行健康数据、评估目的地健康风险、提供疫苗接种建议、生成多语言紧急医疗信息卡片。支持 WHO/CDC 数据集成的专业级旅行健康风险评估。

trello-automation

trello-automation

Automate Trello boards, cards, and workflows via Rube MCP (Composio). Create cards, manage lists, assign members, and search across boards programmatically.

triage

triage

Move issues and external PRs through a state machine of triage roles — categorise, verify, grill if needed, and write agent-ready briefs.

trigger-dev

`trigger-dev`

Trigger.dev expert for background jobs, AI workflows, and reliable

trpc-fullstack

`trpc-fullstack`

Build end-to-end type-safe APIs with tRPC — routers, procedures, middleware, subscriptions, and Next.js/React integration patterns.

trust-calibrator

`trust-calibrator`

One sentence - what this skill does and when to invoke it

turborepo-caching

`turborepo-caching`

Configure Turborepo for efficient monorepo builds with local and remote caching. Use when setting up Turborepo, optimizing build pipelines, or implementing distributed caching.

tutorial-engineer

`tutorial-engineer`

Creates step-by-step tutorials and educational content from code. Transforms complex concepts into progressive learning experiences with hands-on examples.

twilio-communications

`twilio-communications`

Build communication features with Twilio: SMS messaging, voice

twitter-automation

twitter-automation

Automate Twitter/X tasks via Rube MCP (Composio): posts, search, users, bookmarks, lists, media. Always search tools first for current schemas.

typescript-advanced-types

typescript-advanced-types

Comprehensive guidance for mastering TypeScript's advanced type system including generics, conditional types, mapped types, template literal types, and utility types for building robust, type-safe applications.

typescript-expert

typescript-expert

TypeScript and JavaScript expert with deep knowledge of type-level programming, performance optimization, monorepo management, migration strategies, and modern tooling.

typescript-pro

typescript-pro

Master TypeScript with advanced types, generics, and strict type safety. Handles complex type systems, decorators, and enterprise-grade patterns.

ui-a11y

ui-a11y

Audit a StyleSeed-based component or page for WCAG 2.2 AA issues and apply practical accessibility fixes where the code makes them safe.

ui-component

ui-component

Generate a new UI component that follows StyleSeed Toss conventions for structure, tokens, accessibility, and component ergonomics.

ui-page

ui-page

Scaffold a new mobile-first page using StyleSeed Toss layout patterns, section rhythm, and existing shell components.

ui-pattern

ui-pattern

Generate reusable UI patterns such as card sections, grids, lists, forms, and chart wrappers using StyleSeed Toss primitives.

ui-review

ui-review

Review UI code for StyleSeed design-system compliance, accessibility, mobile ergonomics, spacing discipline, and implementation quality.

ui-setup

ui-setup

Interactive StyleSeed setup wizard for choosing app type, brand color, visual style, typography, and the first screen scaffold.

ui-skills

ui-skills

Opinionated, evolving constraints to guide agents when building interfaces

ui-tokens

ui-tokens

List, add, and update StyleSeed design tokens while keeping JSON sources, CSS variables, and dark-mode values in sync.

ui-ux-designer

ui-ux-designer

Create interface designs, wireframes, and design systems. Masters user research, accessibility standards, and modern design tools.

ui-ux-pro-max

ui-ux-pro-max

Comprehensive design guide for web and mobile applications. Use when designing new UI components or pages, choosing color palettes and typography, or reviewing code for UX issues.

ui-visual-validator

ui-visual-validator

Rigorous visual validation expert specializing in UI testing, design system compliance, and accessibility verification.

uncle-bob-craft

uncle-bob-craft

Use when performing code review, writing or refactoring code, or discussing architecture; complements clean-code and does not replace project linter/formatter.

uniprot-database

uniprot-database

Direct REST API access to UniProt. Protein searches, FASTA retrieval, ID mapping, Swiss-Prot/TrEMBL. For Python workflows with multiple databases, prefer bioservices (unified interface to 40+ services). Use this for direct HTTP/REST work or UniProt-specific control.

unit-testing-test-generate

unit-testing-test-generate

Generate comprehensive, maintainable unit tests across languages with strong coverage and edge case focus.

unity-ai-game-creator

unity-ai-game-creator

Transform raw game ideas into complete Unity projects with AI-powered asset generation, scene blueprints, music/SFX prompts, and step-by-step development procedures using Unity 6+ and modern AI tools.

unity-developer

unity-developer

Build Unity games with optimized C# scripts, efficient rendering, and proper asset management. Masters Unity 6 LTS, URP/HDRP pipelines, and cross-platform deployment.

unity-ecs-patterns

unity-ecs-patterns

Production patterns for Unity's Data-Oriented Technology Stack (DOTS) including Entity Component System, Job System, and Burst Compiler.

unreal-engine-cpp-pro

unreal-engine-cpp-pro

Expert guide for Unreal Engine 5.x C++ development, covering UObject hygiene, performance patterns, and best practices.

unship

unship

Compare AI agent-made UI variants locally in a real app, then keep one and clean up unused temporary code.

unslop

unslop

Post-process AI-generated text through the unslop CLI to strip AI writing patterns before publishing

upgrading-expo

upgrading-expo

Upgrade Expo SDK versions

upstash-qstash

upstash-qstash

Upstash QStash expert for serverless message queues, scheduled

user-thoughts

user-thoughts

>-

using-git-worktrees

using-git-worktrees

Git worktrees create isolated workspaces sharing the same repository, allowing work on multiple branches simultaneously without switching.

using-neon

using-neon

Neon is a serverless Postgres platform that separates compute and storage to offer autoscaling, branching, instant restore, and scale-to-zero. It's fully compatible with Postgres and works with any language, framework, or ORM that supports Postgres.

using-superpowers

using-superpowers

Use when starting any conversation - establishes how to find and use skills, requiring Skill tool invocation before ANY response including clarifying questions

uv-package-manager

uv-package-manager

Comprehensive guide to using uv, an extremely fast Python package installer and resolver written in Rust, for modern Python project management and dependency workflows.

ux-audit

ux-audit

Audit screens against Nielsen's heuristics and mobile UX best practices using the StyleSeed Toss design language as the implementation context.

ux-copy

ux-copy

Generate UX microcopy in StyleSeed's Toss-inspired voice for buttons, empty states, errors, toasts, confirmations, and form guidance.

ux-feedback

ux-feedback

Add loading, empty, error, and success feedback states to StyleSeed components and pages with practical mobile-first rules.

ux-flow

ux-flow

Design user flows and screen structure using StyleSeed UX patterns such as progressive disclosure, hub-and-spoke navigation, and information pyramids.

ux-persuasion-engineer

ux-persuasion-engineer

One sentence - what this skill does and when to invoke it

uxui-principles

uxui-principles

Evaluate interfaces against 168 research-backed UX/UI principles, detect antipatterns, and inject UX context into AI coding sessions.

variant-analysis

variant-analysis

Find similar vulnerabilities and bugs across codebases using pattern-based analysis. Use when hunting bug variants, building CodeQL/Semgrep queries, analyzing security vulnerabilities, or performing systematic code audits after finding an initial issue.

varlock

varlock

Secure-by-default environment variable management for Claude Code sessions.

varlock-claude-skill

varlock-claude-skill

Secure environment variable management ensuring secrets are never exposed in Claude sessions, terminals, logs, or git commits

vector-database-engineer

vector-database-engineer

Expert in vector databases, embedding strategies, and semantic search implementation. Masters Pinecone, Weaviate, Qdrant, Milvus, and pgvector for RAG applications, recommendation systems, and similar

vector-index-tuning

vector-index-tuning

Optimize vector index performance for latency, recall, and memory. Use when tuning HNSW parameters, selecting quantization strategies, or scaling vector search infrastructure.

vercel-ai-sdk-expert

vercel-ai-sdk-expert

Expert in the Vercel AI SDK. Covers Core API (generateText, streamText), UI hooks (useChat, useCompletion), tool calling, and streaming UI components with React and Next.js.

vercel-automation

vercel-automation

Automate Vercel tasks via Rube MCP (Composio): manage deployments, domains, DNS, env vars, projects, and teams. Always search tools first for current schemas.

vercel-cli-with-tokens

vercel-cli-with-tokens

Deploy and manage projects on Vercel using token-based authentication. Use when working with Vercel CLI using access tokens rather than interactive login — e.g. `\\"deploy to vercel\\", \\"set up vercel\\", \\"add environment variables to vercel\\"`.

vercel-deployment

vercel-deployment

Expert knowledge for deploying to Vercel with Next.js

vercel-optimize

vercel-optimize

Audit deployed Vercel apps for cost and performance issues using metrics, project config, code scans, and version-aware recommendations.

vercel-react-view-transitions

vercel-react-view-transitions

Guide React and Next.js view transitions, shared element animations, route transitions, transition types, and reduced-motion-safe UI state animation.

verification-before-completion

verification-before-completion

Claiming work is complete without verification is dishonesty, not efficiency. Use when ANY variation of success/completion claims, ANY expression of satisfaction, or ANY positive statement about work state.

vexor

vexor

Vector-powered CLI for semantic file search with a Claude/Codex skill

vexor-cli

`vexor-cli`

Semantic file discovery via `vexor`. Use whenever locating where something is implemented/loaded/defined in a medium or large repo, or when the file location is unclear. Prefer this over manual browsing.

vibe-code-auditor

`vibe-code-auditor`

Audit rapidly generated or AI-produced code for structural flaws, fragility, and production risks.

vibe-code-cleanup

`vibe-code-cleanup`

Safe production cleanup and hardening for vibe-coded fullstack apps (Next.js, React, Node.js, etc.). Removes dead imports, unused files, and broken references without breaking routes or APIs.

vibecode-production-qa-validator

`vibecode-production-qa-validator`

13-phase production QA for fullstack Next.js apps: build verification, SEO tags, OG images, favicon, route regression, API auth, page speed, lazy load, vulnerability scan, UI/UX cards, error boundaries, database, secure rendering, and cleanup.

vibers-code-review

`vibers-code-review`

Human review workflow for AI-generated GitHub projects with spec-based feedback, security review, and follow-up PRs from the Vibers service.

viboscope

viboscope

Psychological compatibility matching — find cofounders, collaborators, and friends through validated psychometrics

video-content-extractor

video-content-extractor

Extract key frames from MP4 videos at configurable intervals, run Tesseract OCR, and generate structured Markdown reports with video metadata and timestamped text transcripts.

videodb

videodb

Video and audio perception, indexing, and editing. Ingest files/URLs/live streams, build visual/spoken indexes, search with timestamps, edit timelines, add overlays/subtitles, generate media, and create real-time alerts.

videodb-skills

videodb-skills

Upload, stream, search, edit, transcribe, and generate AI video and audio using the VideoDB SDK.

viral-generator-builder

viral-generator-builder

Expert in building shareable generator tools that go viral - name

visual-emotion-engineer

visual-emotion-engineer

One sentence - what this skill does and when to invoke it

voice-agents

voice-agents

Voice agents represent the frontier of AI interaction - humans

voice-ai-development

voice-ai-development

Expert in building voice AI applications - from real-time voice

voice-ai-engine-development

voice-ai-engine-development

Build real-time conversational AI voice engines using async worker pipelines, streaming transcription, LLM agents, and TTS synthesis with interrupt handling and multi-provider support

vscode-extension-guide-en

vscode-extension-guide-en

Guide for VS Code extension development from scaffolding to Marketplace publication

vulnerability-scanner

vulnerability-scanner

Advanced vulnerability analysis principles. OWASP 2025, Supply Chain Security, attack surface mapping, risk prioritization.

warren-buffett

warren-buffett

Agente que simula Warren Buffett — o maior investidor do século XX e XXI, CEO da Berkshire Hathaway, discípulo de Benjamin Graham e sócio intelectual de Charlie Munger.

wcag-audit-patterns

wcag-audit-patterns

Comprehensive guide to auditing web content against WCAG 2.2 guidelines with actionable remediation strategies.

web-artifacts-builder

web-artifacts-builder

To build powerful frontend claude.ai artifacts, follow these steps:

web-design-guidelines

web-design-guidelines

Review files for compliance with Web Interface Guidelines.

web-media-getter

web-media-getter

One query across free image / video / GIF APIs (stock + historical/archival + GIF engines), returning normalized, license-tagged results with optional top-K download + attribution sidecar. The retrieval peer to local semantic search and generative media.

web-performance-optimization

web-performance-optimization

Optimize website and web application performance including loading speed, Core Web Vitals, bundle size, caching strategies, and runtime performance

web-scraper

web-scraper

Web scraping inteligente multi-estrategia. Extraí dados estruturados de paginas web (tabelas, listas, precos). Paginacao, monitoramento e export CSV/JSON.

web-security-testing

web-security-testing

Web application security testing workflow for OWASP Top 10 vulnerabilities including injection, XSS, authentication flaws, and access control issues.

web3-testing

web3-testing

Master comprehensive testing strategies for smart contracts using Hardhat, Foundry, and advanced testing patterns.

webapp-testing

webapp-testing

To test local web applications, write native Python Playwright scripts.

webflow-automation

webflow-automation

Automate Webflow CMS collections, site publishing, page management, asset uploads, and ecommerce orders via Rube MCP (Composio). Always search tools first for current schemas.

wechat-official-account-strategist

wechat-official-account-strategist

Grow WeChat Official Accounts (微信公众号) with high-conversion content strategy, title formulas, article architecture, and Mini-Program integration.

weightloss-analyzer

weightloss-analyzer

分析减肥数据、计算代谢率、追踪能量缺口、管理减肥阶段

wellally-tech

wellally-tech

Integrate multiple digital health data sources, connect to [WellAlly.tech](https://www.wellally.tech/) knowledge base, providing data import and knowledge reference for personal health management systems.

whatsapp-automation

whatsapp-automation

Automate WhatsApp Business tasks via Rube MCP (Composio): send messages, manage templates, upload media, and handle contacts. Always search tools first for current schemas.

whatsapp-cloud-api

whatsapp-cloud-api

Integracao com WhatsApp Business Cloud API (Meta). Mensagens, templates, webhooks HMAC-SHA256, automacao de atendimento. Boilerplates Node.js e Python.

wiki-architect

wiki-architect

You are a documentation architect that produces structured wiki catalogues and onboarding guides from codebases.

wiki-builder

wiki-builder

Create and maintain reusable research wikis with source provenance, configurable structure, and local markdown outputs.

wiki-changelog

wiki-changelog

Generate structured changelogs from git history. Use when user asks \"what changed recently\", \"generate a changelog\", \"summarize commits\" or user wants to understand recent development activity.

wiki-onboarding

wiki-onboarding

Generate two complementary onboarding documents that together give any engineer — from newcomer to principal — a complete understanding of a codebase. Use when user asks for onboarding docs or getting-started guides, user runs /deep-wiki, or user wants to help new team members understand a codebase.

wiki-page-writer

wiki-page-writer

You are a senior documentation engineer that generates comprehensive technical documentation pages with evidence-based depth.

wiki-qa

wiki-qa

Answer repository questions grounded entirely in source code evidence. Use when user asks a question about the codebase, user wants to understand a specific file, function, or component, or user asks \"how does X work\" or \"where is Y defined\".

wiki-researcher

wiki-researcher

You are an expert software engineer and systems analyst. Use when user asks \"how does X work\" with expectation of depth, user wants to understand a complex system spanning many files, or user asks for architectural analysis or pattern investigation.

wiki-vitepress

wiki-vitepress

Transform generated wiki Markdown files into a polished VitePress static site with dark theme and interactive Mermaid diagrams. Use when user asks to \"build a site\" or \"package as VitePress\", user runs the /deep-wiki, or user wants a browsable HTML output from generated wiki pages.

windows-privilege-escalation

windows-privilege-escalation

Provide systematic methodologies for discovering and exploiting privilege escalation vulnerabilities on Windows systems during penetration testing engagements.

windows-shell-reliability

windows-shell-reliability

Reliable command execution on Windows: paths, encoding, and common binary pitfalls.

wireshark-analysis

wireshark-analysis

Execute comprehensive network traffic analysis using Wireshark to capture, filter, and examine network packets for security investigations, performance optimization, and troubleshooting.

wordpress

wordpress

Complete WordPress development workflow covering theme development, plugin creation, WooCommerce integration, performance optimization, and security hardening. Includes WordPress 7.0 features: Real-Time Collaboration, AI Connectors, Abilities API, DataViews, and PHP-only blocks.

wordpress-centric-high-seo-optimized-blogwriting-skill

wordpress-centric-high-seo-optimized-blogwriting-skill

Generate clean, human-sounding, SEO-optimized WordPress blog posts with optional Yoast metadata, JSON-LD schema markup, and image SEO planning. Supports modular batch output.

wordpress-penetration-testing

wordpress-penetration-testing

Assess WordPress installations for common vulnerabilities and WordPress 7.0 attack surfaces.

wordpress-plugin-development

wordpress-plugin-development

WordPress plugin development workflow covering plugin architecture, hooks, admin interfaces, REST API, security best practices, and WordPress 7.0 features: Real-Time Collaboration, AI Connectors, Abilities API, DataViews, and PHP-only blocks.

wordpress-theme-development

wordpress-theme-development

WordPress theme development workflow covering theme architecture, template hierarchy, custom post types, block editor support, responsive design, and WordPress 7.0 features: DataViews, Pattern Editing, Navigation Overlays, and admin refresh.

wordpress-woocommerce-development

wordpress-woocommerce-development

WooCommerce store development workflow covering store setup, payment integration, shipping configuration, customization, and WordPress 7.0 features: AI connectors, DataViews, and collaboration tools.

workflow-automation

workflow-automation

Workflow automation is the infrastructure that makes AI agents

workflow-orchestration-patterns

workflow-orchestration-patterns

Master workflow orchestration architecture with Temporal, covering fundamental design decisions, resilience patterns, and best practices for building reliable distributed systems.

workflow-patterns

workflow-patterns

Use this skill when implementing tasks according to Conductor's TDD workflow, handling phase checkpoints, managing git commits for tasks, or understanding the verification protocol.

wrike-automation

wrike-automation

Automate Wrike project management via Rube MCP (Composio): create tasks/folders, manage projects, assign work, and track progress. Always search tools first for current schemas.

writing-great-skills

writing-great-skills

Reference for writing and editing skills well — the vocabulary and principles that make a skill predictable.

writing-plans

writing-plans

Use when you have a spec or requirements for a multi-step task, before touching code

writing-skills

writing-skills

Use when creating, updating, or improving agent skills.

x-article-publisher-skill

x-article-publisher-skill

Publish articles to X/Twitter

x-twitter-scraper

x-twitter-scraper

X/Twitter automation skill for tweet search, follower export, posting, DMs, webhooks, MCP, SDKs, Hermes Tweet, and TweetClaw.

x402-express-wrapper

x402-express-wrapper

Wrapper oficial de M2MCent (Node.js) para inyectar muros de pago x402 en APIs o servidores Model Context Protocol (MCP). Usar al construir nuevos servicios que requieran monetización máquina a máquina.

xiaohongshu-content-strategist

xiaohongshu-content-strategist

Create viral Xiaohongshu (小红书) content with platform-native strategy, save-rate optimization, trending formats, and search SEO for China's #1 lifestyle platform.

xlsx-official

xlsx-official

Unless otherwise stated by the user or existing template

xss-html-injection

xss-html-injection

Execute comprehensive client-side injection vulnerability assessments on web applications to identify XSS and HTML injection flaws, demonstrate exploitation techniques for session hijacking and credential theft, and validate input sanitization and output encoding mechanisms.

xvary-stock-research

xvary-stock-research

Thesis-driven equity analysis from public SEC EDGAR and market data; /analyze, /score, /compare workflows with bundled Python tools (Claude Code, Cursor, Codex).

yann-lecun

yann-lecun

Agente que simula Yann LeCun — inventor das Convolutional Neural Networks, Chief AI Scientist da Meta, Prêmio Turing 2018.

yann-lecun-debate

yann-lecun-debate

Sub-skill de debates e posições de Yann LeCun. Cobre críticas técnicas detalhadas aos LLMs, rivalidades intelectuais (LeCun vs Hinton, Sutskever, Russell, Yudkowsky, Bostrom), lista completa de rejeições a afirmações mainstream, posição sobre risco existencial de IA, e técnicas de debate ao vivo.

yann-lecun-filosofia

yann-lecun-filosofia

Sub-skill filosófica e pedagógica de Yann LeCun.

yann-lecun-tecnico

yann-lecun-tecnico

Sub-skill técnica de Yann LeCun. Cobre CNNs, LeNet, backpropagation, JEPA (I-JEPA, V-JEPA, MC-JEPA), AMI (Advanced Machinery of Intelligence), Self-Supervised Learning (SimCLR, MAE, BYOL), Energy-Based Models (EBMs) e código PyTorch completo.

yao-meta-skill

yao-meta-skill

Create, refactor, evaluate, and package agent skills from workflows, prompts, transcripts, docs, or notes. Use for skill creation, reusable workflow packaging, skill improvement, evals, and team-ready distribution.

yes-md

yes-md

6-layer AI governance: safety gates, evidence-based debugging, anti-slack detection, and machine-enforced hooks. Makes AI safe, thorough, and honest.

yield-intelligence

yield-intelligence

Passive income portfolio analysis — activate when user asks about dividend yields, Treasury rates, REIT income, monthly passive income goals, or portfolio yield optimization. Scans 4 asset classes, ranks by risk-adjusted return, and builds allocations targeting a specific monthly income.

youtube-automation

youtube-automation

Automate YouTube tasks via Rube MCP (Composio): upload videos, manage playlists, search content, get analytics, and handle comments. Always search tools first for current schemas.

youtube-full

youtube-full

Fetch YouTube transcripts, search videos, browse channels, and extract playlists via TranscriptAPI — no yt-dlp, no Google API key, works from any cloud server.

youtube-notetaker

youtube-notetaker

Turn YouTube talks into local study notes with slides, transcripts, editable annotations, and a markdown-backed viewer.

youtube-seo-optimizer

youtube-seo-optimizer

>

youtube-summarizer

youtube-summarizer

Extract transcripts from YouTube videos and generate comprehensive, detailed summaries using intelligent analysis frameworks

zapier-make-patterns

zapier-make-patterns

No-code automation democratizes workflow building. Zapier and Make

zendesk-automation

zendesk-automation

Automate Zendesk tasks via Rube MCP (Composio): tickets, users, organizations, replies. Always search tools first for current schemas.

zeroize-audit

zeroize-audit

Detects missing zeroization of sensitive data in source code and identifies zeroization removed by compiler optimizations, with assembly-level analysis, and control-flow verification. Use for auditing C/C++/Rust code handling secrets, keys, passwords, or other sensitive data.

zipai-optimizer

zipai-optimizer

Ultra-dense token optimizer skill for prompt caching, log pruning, AST-based inspection, and minified JSON payloads.

zod-validation-expert

zod-validation-expert

Expert in Zod — TypeScript-first schema validation. Covers parsing, custom errors, refinements, type inference, and integration with React Hook Form, Next.js, and tRPC.

zoho-crm-automation

zoho-crm-automation

Automate Zoho CRM tasks via Rube MCP (Composio): create/update records, search contacts, manage leads, and convert leads. Always search tools first for current schemas.

zoom-automation

zoom-automation

Automate Zoom meeting creation, management, recordings, webinars, and participant tracking via Rube MCP (Composio). Always search tools first for current schemas.

zustand-store-ts

zustand-store-ts

Create Zustand stores following established patterns with proper TypeScript types and middleware.

Généré automatiquement le 26/06/2026 - Antigravity Orchestrator