

UPLIFT 2.0 — Available Agent Skills



Total Skills: 38 | Generated on: 09/06/2026 20:33:57

SKILL NAME	DESCRIPTION
adding-web-animations web-animations	Implement performant CSS and JS animations including transitions, keyframes, scroll-driven effects, Framer Motion, and GSAP. Use when the user mentions animation, transition, hover effect, scroll animation, loading spinner, micro-interaction, or motion design.
analyzing-codebase-quality codebase-analysis	Analyze codebase structure, complexity, architecture patterns, error handling, and code health across a web project. Use when the user asks to analyze code quality, review error handling, assess tech debt, understand codebase structure, analyze patterns, or wants a comprehensive health assessment of their application.
applying-nextjs-best-practices nextjs-best-practices	Applies production-grade Next.js App Router, React performance, and Supabase auth patterns sourced from vercel-react-best-practices and next-best-practices. Use when the user mentions Next.js, App Router, RSC, server components, data fetching, caching, route handlers, Supabase auth, React performance, bundle size, waterfalls, or TypeScript patterns in a Next.js project.
auditing-web-codebase code-auditing	Conduct comprehensive multi-perspective code audits covering security vulnerabilities, dependency health, architecture quality, and OWASP risks. Use when the user mentions code review, security audit, dependency audit, tech debt, OWASP, XSS, CSRF, vulnerability scanning, or wants a structured review of their codebase.
brainstorming brainstorming	Explores user intent, requirements, and design before implementation. Use this before any creative work, building components, adding functionality, or modifying behavior to clarify constraints and propose approaches.

SKILL NAME	DESCRIPTION
brand-identity brand-identity	Provides the single source of truth for brand guidelines, design tokens, technology choices, and voice/tone. Use this skill whenever generating UI components, styling applications, writing copy, or creating user-facing assets to ensure brand consistency.
brandkit brandkit	Premium brand-kit image generation skill for creating high-end brand-guidelines boards, logo systems, identity decks, and visual-world presentations. Trained for minimalist, cinematic, editorial, dark-tech, luxury, cultural, security, gaming, developer-tool, and consumer-app brand systems. Optimized for intentional logo concepting, refined composition, sparse typography, strong symbolic meaning, premium mockups, art-directed imagery, and flexible grid layouts.
creating-antigravity-agents creating-antigravity-agents	Creates, configures, and orchestrates autonomous AI agents tailored for the Google Antigravity developer environment. Use when designing custom agents, multi-agent systems, instructions, specialized tools, operational guardrails, or escalation paths in Antigravity.
creating-autonomous-websites creating-autonomous-websites	Acts as an autonomous full-stack product team to plan, design, build, test, and optimize production-ready websites from a single prompt. Use when the user wants to build a new website from scratch, asks for a comprehensive web strategy, or needs an end-to-end digital product solution.
creating-global-agent-skills global-agent-skills	Creates reusable global agent skills and standardized SKILL.md outputs for all Antigravity projects. Use when the user mentions skill generation, reusable agent capabilities, workflow automation, prompt engineering, image generation prompts, or creating shared project instructions.
debugging-web-applications web-debugging	Systematically debug web application bugs, runtime errors, memory leaks, and performance regressions using proven root-cause analysis frameworks. Use when the user mentions a bug, error, crash, unexpected behavior, broken UI, console error, or wants to trace an issue in a web app.
design-taste-frontend taste-skill	Anti-slop frontend skill for landing pages, portfolios, and redesigns. The agent reads the brief, infers the right design direction, and ships interfaces that do not look templated. Real

SKILL NAME	DESCRIPTION
	design systems when applicable, audit-first on redesigns, strict pre-flight check.
design-taste-frontend-v1 taste-skill-v1	The original v1 taste-skill, preserved for projects depending on its exact behavior. The current default is `design-taste-frontend` (v2 experimental), which is a substantial rewrite. Use this v1 install name only if you need exact backward compatibility.
designing-ui-ux ui-ux	Designs user interfaces and experiences with custom styles, palettes, typography, and UX standards. Use when the user mentions UI, UX, design system, styling, layout, visual design, responsive web, spacing, or interface performance.
developing-backend-services backend-development	Build production-ready backend services with Node.js/Express, API design, database modeling, authentication, and deployment. Use when the user mentions backend, API, server, database, REST, GraphQL, middleware, auth, or microservices.
developing-modern-web-apps web-development	Build production-ready modern web applications using Next.js App Router, React, Tailwind CSS, and full-stack best practices including component architecture, state management, and API integration. Use when the user wants to build a web app, create React components, set up Next.js, implement state management, design a Tailwind-based UI, or scaffold a full-stack web project.
extracting-ui-ux-from-images extracting-ui-ux-from-images	Extracts visual design tokens, layout architecture, typography, color palettes, and interactive components from mockups, wireframes, screenshots, or hand-drawn sketches. Use when analyzing design inputs, migrating screenshots to code, or matching a specific UI reference.
find-skills find-skills	Helps users discover and install agent skills when they ask questions like "how do I do X", "find a skill for X", "is there a skill that can...", or express interest in extending capabilities. This skill should be used when the user is looking for functionality that might exist as an installable skill.

SKILL NAME	DESCRIPTION
frontend-design frontend-design	Create distinctive, production-grade frontend interfaces with high design quality. Use this skill when the user asks to build web components, pages, artifacts, posters, or applications (examples include websites, landing pages, dashboards, React components, HTML/CSS layouts, or when styling/beautifying any web UI). Generates creative, polished code and UI design that avoids generic AI aesthetics.
full-output-enforcement output-skill	Overrides default LLM truncation behavior. Enforces complete code generation, bans placeholder patterns, and handles token-limit splits cleanly. Apply to any task requiring exhaustive, unabridged output.
generating-pdf-files generating-pdf-files	Generate PDF documents from HTML templates, React components, or programmatic layouts using Puppeteer, PDFKit, jsPDF, or React-PDF. Use when the user mentions PDF, generate PDF, invoice, report, certificate, export to PDF, download PDF, or print-ready document.
generating-software-specifications generating-software-specifications	Generates structured, high-fidelity software specification documents (PRD, TRD, App Flow, UI/UX Design Brief, Backend Schema, and Implementation Plans) optimized for AI coding agents and vibecoding workflows. Use when scoping a new application or feature, mapping UX flows, designing database schemas, or building roadmap specs.
gpt-taste gpt-tasteskill	Elite UX/UI & Advanced GSAP Motion Engineer. Enforces Python-driven true randomization for layout variance, strict AIDA page structure, wide editorial typography (bans 6-line wraps), gapless bento grids, strict GSAP ScrollTriggers (pinning, stacking, scrubbing), inline micro-images, and massive section spacing.
high-end-visual-design soft-skill	Teaches the AI to design like a high-end agency. Defines the exact fonts, spacing, shadows, card structures, and animations that make a website feel expensive. Blocks all the common defaults that make AI designs look cheap or generic.
image-to-code image-to-code-skill	Elite website image-to-code skill for Codex. For visually important web tasks, it must first generate the design image(s) itself, deeply analyze them, then implement the website to match them as closely as possible. In Codex, it must prefer

SKILL NAME	DESCRIPTION
	large, readable, section-specific images instead of tiny compressed boards, generate fresh standalone images for sections or detail views instead of cropping old ones, avoid lazy under-generation, avoid cards-inside-cards-inside-cards UI, and keep the hero clean, spacious, readable, and visible on a small laptop.
imagegen-frontend-mobile 	Elite mobile app image-generation skill for creating premium, app-native screen concepts and flows. Designed for iOS, Android, and cross-platform mobile products. Prioritizes clean hierarchy, comfortably readable text, strong multi-screen consistency, controlled color palettes, non-generic creative direction, textured surfaces, image-led composition, tasteful custom iconography, and clean phone mockup framing. By default, screens should be shown inside a subtle premium iPhone or similar phone mockup with a visible frame, while the main focus stays on the app content itself. This skill generates images only. It does not write code.
imagegen-frontend-web 	Elite frontend image-direction skill for generating premium, conversion-aware website design references. CRITICAL OUTPUT RULE — generate ONE separate horizontal image FOR EVERY section. A landing page with 8 sections produces 8 images. Never compress multiple sections into one image. Enforces composition variety (not always left-text / right-image), background-image freedom, varied CTAs, varied hero scales (giant / mid / mini minimalist), narrative concept spine, second-read moments, and a single consistent palette across all images. Optimized for landing pages, marketing sites, and product comps that developers or coding models can accurately recreate.
impeccable 	Use when the user wants to design, redesign, shape, critique, audit, polish, clarify, distill, harden, optimize, adapt, animate, colorize, extract, or otherwise improve a frontend interface. Covers websites, landing pages, dashboards, product UI, app shells, components, forms, settings, onboarding, and empty states. Handles UX review, visual hierarchy, information architecture, cognitive load, accessibility, performance, responsive behavior, theming, anti-patterns, typography, fonts, spacing, layout, alignment, color, motion, micro-interactions, UX copy, error states, edge cases, i18n, and reusable design systems or tokens. Also use for bland designs that need to become bolder or more delightful, loud designs that should

SKILL NAME	DESCRIPTION
	become quieter, live browser iteration on UI elements, or ambitious visual effects that should feel technically extraordinary. Not for backend-only or non-UI tasks.
industrial-brutalist-ui brutalist-skill	Raw mechanical interfaces fusing Swiss typographic print with military terminal aesthetics. Rigid grids, extreme type scale contrast, utilitarian color, analog degradation effects. For data-heavy dashboards, portfolios, or editorial sites that need to feel like declassified blueprints.
minimalist-ui minimalist-skill	Clean editorial-style interfaces. Warm monochrome palette, typographic contrast, flat bento grids, muted pastels. No gradients, no heavy shadows.
optimizing-application-performance performance-optimization	Orchestrate end-to-end application performance optimization — from profiling and Core Web Vitals analysis to database tuning, CDN setup, and continuous monitoring. Use when the user mentions slow pages, high latency, performance budgets, Core Web Vitals, Lighthouse scores, load testing, or wants to optimize frontend/backend performance.
planning planning	Creates comprehensive implementation plans assuming the engineer has zero context for the codebase. Use when you have a spec or requirements for a multi-step task, before touching code.
redesign-existing-projects redesign-skill	Upgrades existing websites and apps to premium quality. Audits current design, identifies generic AI patterns, and applies high-end design standards without breaking functionality. Works with any CSS framework or vanilla CSS.
researching-technical-topics technical-research	Conduct structured technical research on libraries, APIs, architectures, and best practices. Use when the user mentions research, compare, evaluate, investigate, explore options, choose between, pros and cons, or needs a technical recommendation.

SKILL NAME	DESCRIPTION
stitch-design-taste stitch-skill	Semantic Design System Skill for Google Stitch. Generates agent-friendly DESIGN.md files that enforce premium, anti-generic UI standards — strict typography, calibrated color, asymmetric layouts, perpetual micro-motion, and hardware-accelerated performance.
supabase-postgres-best-practices supabase-postgres-best-practices	Postgres performance optimization and best practices from Supabase. Use this skill when writing, reviewing, or optimizing Postgres queries, schema designs, or database configurations.
testing-websites-in-browser testing-websites-in-browser	Tests a web application or website directly in a browser environment, identifying visual, navigational, functional, and console issues, and generates a structured testing report. Use when the user requests end-to-end browser testing, UI verification, or crawl reports for a website.
using-better-ui-components better-ui	Queries and integrates 3,800+ offline, premium, pre-styled UI components (buttons, loaders, cards, inputs, toggle switches, forms, tooltips, checkboxes) from Uiverse Galaxy. Use when the user requests modern styling, hover effects, glassmorphic/neon aesthetics, custom forms, animated loaders, or premium components.