Mobile

August 30, 2020

1 Module Documentation 1

1.1 Entities . . . 1

1.1.0.1 ogit/Mobile/LicenceCodes . . . 1

1.1.0.2 ogit/Mobile/AppInstance . . . 2

1.1.0.3 ogit/Person . . . 3

1.1.0.4 ogit/Mobile/Message . . . 3

1.1.0.5 ogit/Mobile/HealthInfo . . . 4

1.1.0.6 ogit/Mobile/DeviceSpecifications . . . 4

1.1.0.7 ogit/Mobile/Encounter . . . 5

1.1.0.8 ogit/Auth/Account . . . 5

1.1.0.9 ogit/Mobile/MsgTemplate . . . 6

1.1.0.10 ogit/Timeseries . . . 7

1.2 Verbs . . . 8

1.2.0.1 ogit/generates . . . 8

1.2.0.2 ogit/uses . . . 8

1.2.0.3 ogit/has . . . 8

1.3 Attributes . . . 9

1.3.0.1 ogit/manufacturer . . . 9

1.3.0.2 ogit/Mobile/licenceCode . . . 9

1.3.0.3 ogit/Mobile/healthStatus . . . 9

1.3.0.4 ogit/Mobile/TXcorrection . . . 10

1.3.0.5 ogit/Mobile/bundleID . . . 10

1.3.0.6 ogit/email . . . 10

1.3.0.7 ogit/Mobile/category . . . 11

1.3.0.8 ogit/Mobile/message . . . 11

1.3.0.9 ogit/alternativeName . . . 11

1.3.0.10 ogit/source . . . 12

1.3.0.11 ogit/Mobile/lastActive . . . 12

1.3.0.12 ogit/Mobile/deviceType . . . 12

1.3.0.13 ogit/notification . . . 13

1.3.0.14 ogit/sourceId . . . 13

1.3.0.15 ogit/Mobile/osVersion . . . 13

1.3.0.16 ogit/Mobile/ctaTarget . . . 14

1.3.0.17 ogit/mobilePhone . . . 14

1.3.0.18 ogit/Mobile/time . . . 14

1.3.0.19 ogit/unit . . . 15

1.3.0.20 ogit/Mobile/isActive . . . 15

1.3.0.21 ogit/status . . . 15

1.3.0.22 ogit/Mobile/appPermissions . . . 16

1.3.0.23 ogit/Mobile/enctime . . . 16

1.3.0.24 ogit/lastName . . . 16

1.3.0.25 ogit/Mobile/firebaseToken . . . 17

1.3.0.26 ogit/Mobile/locale . . . 17
1.3.0.27 ogit/middleName . . . 17
1.3.0.28 ogit/Mobile/registrationType . . . 18
1.3.0.29 ogit/Mobile/label . . . 18
1.3.0.30 ogit/Auth/Account/statusReason . . . 18
1.3.0.31 ogit/Mobile/headline . . . 19
1.3.0.32 ogit/firstName . . . 19
1.3.0.33 ogit/Mobile/appConfigMode . . . 19
1.3.0.34 ogit/Mobile/uuid . . . 20
1.3.0.35 ogit/title . . . 20
1.3.0.36 ogit/Mobile/deviceModel . . . 20
1.3.0.37 ogit/Mobile/duration . . . 21
1.3.0.38 ogit/Mobile/devicePlatform . . . 21
1.3.0.39 ogit/Mobile/ctaType . . . 21
1.3.0.40 ogit/Auth/Account/type . . . 22
1.3.0.41 ogit/name . . . 22
1.3.0.42 ogit/description . . . 22
1.3.0.43 ogit/Mobile/subline . . . 23
1.3.0.44 ogit/consentLevel . . . 23
1.3.0.45 ogit/Auth/Account/acceptedProjectTerms . . . 23
1.3.0.46 ogit/Auth/Account/acceptedTerms . . . 24
1.3.0.47 ogit/officePhone . . . 24
1.3.0.48 ogit/fax . . . 24
1.3.0.49 ogit/Auth/Account/allowCookies . . . 25
1.3.0.50 ogit/otherPhone . . . 25
1.3.0.51 ogit/isMutable . . . 25
1.3.0.52 ogit/Mobile/deactivationTime . . . 26
1.3.0.53 ogit/Mobile/RSSIcorrection . . . 26
1.3.0.54 ogit/Mobile/criticality . . . 26
1.3.0.55 ogit/Mobile/movementType . . . 27
1.3.0.56 ogit/webPage . . . 27
1.3.0.57 ogit/Mobile/delivered . . . 27
1.3.0.58 ogit/Auth/Account/acceptedPrivacy . . . 28
1.3.0.59 ogit/Mobile/healthStatusUpdateTime . . . 28
1.3.0.60 ogit/Mobile/distance . . . 28
1.3.0.61 ogit/Mobile/osRadio . . . 29
1.3.0.62 ogit/Mobile/activationTime . . . 29
1.3.0.63 ogit/position . . . 29
1.3.0.64 ogit/Mobile/riskScore . . . 30
1.3.0.65 ogit/Mobile/appVersion . . . 30
1.3.0.66 ogit/Mobile/cta . . . 30
1.3.0.67 ogit/instance . . . 30

Chapter 1

Module Documentation

1.1 Entities

1.1.0.1 ogit/Mobile/LicenceCodes

Unique Licence Codes which is used for mobile app activation.

- id: http://www.purl.org/ogit/Mobile/LicenceCodes
- valid-from: Thu Jul 09 00:00:00 UTC 2020
- creator: Kaushik Gondaliya
- scope: NTO
- parent: ogit/Node

attributes

- mandatory:
  - ogit/Mobile/licenceCode
- optional:
  - ogit/Mobile/activationTime
  - ogit/Mobile/deactivationTime
  - ogit/Mobile/deviceType
  - ogit/Mobile/isActive
  - ogit/Mobile/label
  - ogit/Mobile/lastActive
  - ogit/Mobile/licenceCode

incoming edges

- ogit/uses <= ogit/Person

1.1.0.2 ogit/Mobile/AppInstance

Mobile application instance.

- id: http://www.purl.org/ogit/Mobile/AppInstance
- valid-from: Sun Mar 15 00:00:00 UTC 2020
- creator: Kaushik Gondaliya
- scope: NTO
- parent: ogit/Node

attributes

- optional:
  - ogit/Mobile/appConfigMode
  - ogit/Mobile/appPermissions
  - ogit/Mobile/appVersion
  - ogit/Mobile/bundleID
  - ogit/Mobile/deviceModel
  - ogit/Mobile/devicePlatform
  - ogit/Mobile/deviceType
  - ogit/Mobile/firebaseToken
  - ogit/Mobile/lastActive
  - ogit/Mobile/osRadio
  - ogit/Mobile/osVersion
  - ogit/Mobile/registrationType
  - ogit/Mobile/uuid
  - ogit/consentLevel
  - ogit/description
  - ogit/manufacturer

incoming edges

- ogit/uses <= ogit/Person

outgoing edges

- ogit/generates => ogit/Timeseries
- ogit/has => ogit/Mobile/Encounter
- ogit/has => ogit/Auth/Account

1.1.0.3 ogit/Person

A Person represents a human identity.

- id: http://www.purl.org/ogit/Person
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem
- scope: SGO
- parent: ogit/Node

attributes

- optional:
  - ogit/alternativeName
  - ogit/email
  - ogit/fax
  - ogit/firstName
  - ogit/lastName
  - ogit/middleName
  - ogit/mobilePhone
  - ogit/notification
  - ogit/officePhone
  - ogit/otherPhone
  - ogit/position
  - ogit/sourceId
  - ogit/status
  - ogit/title
  - ogit/webPage

outgoing edges

- ogit/has => ogit/Mobile/HealthInfo
- ogit/uses => ogit/Mobile/AppInstance
- ogit/uses => ogit/Mobile/LicenceCodes

1.1.0.4 ogit/Mobile/Message

Message nodes created when new messages are available for App.

- id: http://www.purl.org/ogit/Mobile/Message
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya
- scope: NTO
- parent: ogit/Node

attributes

- optional:
  - ogit/Mobile/delivered
  - ogit/Mobile/enctime
  - ogit/name

1.1.0.5 ogit/Mobile/HealthInfo

information regarding app instance.

- id: http://www.purl.org/ogit/Mobile/HealthInfo
- valid-from: Thu Jul 09 00:00:00 UTC 2020
- creator: Kaushik Gondaliya
- scope: NTO
- parent: ogit/Node

attributes

- optional:
  - ogit/Mobile/deviceType
  - ogit/Mobile/healthStatus
  - ogit/Mobile/healthStatusUpdateTime
  - ogit/Mobile/label
  - ogit/Mobile/licenceCode

incoming edges

- ogit/has <= ogit/Person

1.1.0.6 ogit/Mobile/DeviceSpecifications

Mobile device specifications i.e. model, manufacturer ...

- id: http://www.purl.org/ogit/Mobile/DeviceSpecifications
- valid-from: Sun Mar 15 00:00:00 UTC 2020
- creator: Kaushik Gondaliya
- scope: NTO
- parent: ogit/Node

attributes

- optional:
  - ogit/Mobile/RSSIcorrection
  - ogit/Mobile/TXcorrection
  - ogit/Mobile/deviceModel
  - ogit/Mobile/devicePlatform
  - ogit/Mobile/osRadio
  - ogit/manufacturer
  - ogit/source

1.1.0.7 ogit/Mobile/Encounter

Defined connection between applications.

- id: http://www.purl.org/ogit/Mobile/Encounter
- valid-from: Sun Mar 15 00:00:00 UTC 2020
- creator: Kaushik Gondaliya
- scope: NTO
- parent: ogit/Node

attributes

- optional:
  - ogit/Mobile/category
  - ogit/Mobile/criticality
  - ogit/Mobile/distance
  - ogit/Mobile/duration
  - ogit/Mobile/movementType
  - ogit/Mobile/riskScore
  - ogit/Mobile/time

incoming edges

- ogit/has <= ogit/Mobile/AppInstance

1.1.0.8 ogit/Auth/Account

An account is used for authentication and authorization.

- id: http://www.purl.org/ogit/Auth/Account
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH
- scope: NTO
- parent: ogit/Node

attributes

- mandatory:
  - ogit/Auth/Account/type
  - ogit/name
  - ogit/status
- optional:
  - ogit/Auth/Account/acceptedPrivacy
  - ogit/Auth/Account/acceptedProjectTerms
  - ogit/Auth/Account/acceptedTerms
  - ogit/Auth/Account/allowCookies
  - ogit/Auth/Account/statusReason
  - ogit/email

incoming edges

- ogit/has <= ogit/Mobile/AppInstance

1.1.0.9 ogit/Mobile/MsgTemplate

Message templates in different languages.

- id: http://www.purl.org/ogit/Mobile/MsgTemplate
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya
- scope: NTO
- parent: ogit/Node

attributes

- optional:
  - ogit/Mobile/cta
  - ogit/Mobile/ctaTarget
  - ogit/Mobile/ctaType
  - ogit/Mobile/headline
  - ogit/Mobile/locale
  - ogit/Mobile/message
  - ogit/Mobile/subline
  - ogit/name

1.1.0.10 ogit/Timeseries

A time series is a sequence of data points, measured typically at successive points in time spaced at uniform time intervals.

- id: http://www.purl.org/ogit/Timeseries
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem
- scope: SGO
- parent: ogit/Node

attributes

- optional:
  - ogit/description
  - ogit/instance
  - ogit/isMutable
  - ogit/name
  - ogit/unit

incoming edges

- ogit/generates <= ogit/Mobile/AppInstance

1.2 Verbs

1.2.0.1 ogit/generates

Verb indicating if an entity generates another entity.

- id: http://www.purl.org/ogit/generates
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

Allowed Connection

- ogit/Mobile/AppInstance => ogit/Timeseries

1.2.0.2 ogit/uses

This relationship indicates that some entity is used by some other.

- id: http://www.purl.org/ogit/uses
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

Allowed Connection

- ogit/Person => ogit/Mobile/AppInstance
- ogit/Person => ogit/Mobile/LicenceCodes

1.2.0.3 ogit/has

Indicates if an entity has another entity.

- id: http://www.purl.org/ogit/has
- valid-from: Thu Mar 28 00:00:00 UTC 2019
- creator: Kaushik Gondaliya

Allowed Connection

- ogit/Mobile/AppInstance => ogit/Mobile/Encounter
- ogit/Mobile/AppInstance => ogit/Auth/Account
- ogit/Person => ogit/Mobile/HealthInfo

1.3 Attributes

1.3.0.1 ogit/manufacturer

Manufacturer of a device or component.

- id: http://www.purl.org/ogit/manufacturer
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Aymen Ayoub

used

- optional:
  - ogit/Mobile/AppInstance
  - ogit/Mobile/DeviceSpecifications

1.3.0.2 ogit/Mobile/licenceCode

unique uuid number

- id: http://www.purl.org/ogit/Mobile/licenceCode
- valid-from: Thu Jul 09 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- mandatory:
  - ogit/Mobile/LicenceCodes
- optional:
  - ogit/Mobile/HealthInfo
  - ogit/Mobile/LicenceCodes

1.3.0.3 ogit/Mobile/healthStatus

current health status about the person using the device

- id: http://www.purl.org/ogit/Mobile/healthStatus
- valid-from: Thu Jul 09 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/HealthInfo

1.3.0.4 ogit/Mobile/TXcorrection

TX correction values for mobile phones.

- id: http://www.purl.org/ogit/Mobile/TXcorrection
- valid-from: Thu Aug 27 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/DeviceSpecifications

1.3.0.5 ogit/Mobile/bundleID

bundle id of the application, i.e debug, release.

- id: http://www.purl.org/ogit/Mobile/bundleID
- valid-from: Thu Aug 27 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/AppInstance

1.3.0.6 ogit/email

An email address.

- id: http://www.purl.org/ogit/email
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - ogit/Auth/Account
  - ogit/Person

1.3.0.7 ogit/Mobile/category

TODO

- id: http://www.purl.org/ogit/Mobile/category
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/Encounter

1.3.0.8 ogit/Mobile/message

text for message

- id: http://www.purl.org/ogit/Mobile/message
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/MsgTemplate

1.3.0.9 ogit/alternativeName

Alternative name of something. In context of a Person this can be the full name or an alias/nick name.

- id: http://www.purl.org/ogit/alternativeName
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - ogit/Person

1.3.0.10 ogit/source

source of data, string value.

- id: http://www.purl.org/ogit/source
- valid-from: Thu Aug 27 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/DeviceSpecifications

1.3.0.11 ogit/Mobile/lastActive

the last day when app was used.

- id: http://www.purl.org/ogit/Mobile/lastActive
- valid-from: Thu Jul 09 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/AppInstance
  - ogit/Mobile/LicenceCodes

1.3.0.12 ogit/Mobile/deviceType

type of device such as Mobile, FOB...

- id: http://www.purl.org/ogit/Mobile/deviceType
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/AppInstance
  - ogit/Mobile/HealthInfo
  - ogit/Mobile/LicenceCodes

1.3.0.13 ogit/notification

A notification.

- id: http://www.purl.org/ogit/notification
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - ogit/Person

1.3.0.14 ogit/sourceId

The Id of the source system.

- id: http://www.purl.org/ogit/sourceId
- valid-from: Thu Jun 11 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - ogit/Person

1.3.0.15 ogit/Mobile/osVersion

operating system version on which application is installed

- id: http://www.purl.org/ogit/Mobile/osVersion
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/AppInstance

1.3.0.16 ogit/Mobile/ctaTarget

call to action target, for ex. web url

- id: http://www.purl.org/ogit/Mobile/ctaTarget
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/MsgTemplate

1.3.0.17 ogit/mobilePhone

A mobile phone number.

- id: http://www.purl.org/ogit/mobilePhone
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - ogit/Person

1.3.0.18 ogit/Mobile/time

Time when connection started.

- id: http://www.purl.org/ogit/Mobile/time
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/Encounter

1.3.0.19 ogit/unit

Unit of measurement of some value.

- id: http://www.purl.org/ogit/unit
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - ogit/Timeseries

1.3.0.20 ogit/Mobile/isActive

boolean flag. indicate if node is currenlty used

- id: http://www.purl.org/ogit/Mobile/isActive
- valid-from: Thu Jul 09 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/LicenceCodes

1.3.0.21 ogit/status

A status for an entity. At this level of specification no list of values is specified. However, applications using this attribute are expected to allow only a fixed list of values that seems usefual in the application's semantic context.

- id: http://www.purl.org/ogit/status
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- mandatory:
  - ogit/Auth/Account
- optional:
  - ogit/Person

1.3.0.22 ogit/Mobile/appPermissions

permission available for the application

- id: http://www.purl.org/ogit/Mobile/appPermissions
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/AppInstance

1.3.0.23 ogit/Mobile/enctime

TODO

- id: http://www.purl.org/ogit/Mobile/enctime
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/Message

1.3.0.24 ogit/lastName

Last name of a person.

- id: http://www.purl.org/ogit/lastName
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - ogit/Person

1.3.0.25 ogit/Mobile/firebaseToken

firebaseToken

- id: http://www.purl.org/ogit/Mobile/firebaseToken
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/AppInstance

1.3.0.26 ogit/Mobile/locale

locale code defined in which language message should be retuned

- id: http://www.purl.org/ogit/Mobile/locale
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/MsgTemplate

1.3.0.27 ogit/middleName

Middle name of a person.

- id: http://www.purl.org/ogit/middleName
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - ogit/Person

1.3.0.28 ogit/Mobile/registrationType

registration Type, to identify push notification service used, if yes then which one

- id: http://www.purl.org/ogit/Mobile/registrationType
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/AppInstance

1.3.0.29 ogit/Mobile/label

label for licence code.

- id: http://www.purl.org/ogit/Mobile/label
- valid-from: Thu Jul 09 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/HealthInfo
  - ogit/Mobile/LicenceCodes

1.3.0.30 ogit/Auth/Account/statusReason

Status Reason of an ogit/Auth/Account

- id: http://www.purl.org/ogit/Auth/Account/statusReason
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- optional:
  - ogit/Auth/Account

1.3.0.31 ogit/Mobile/headline

headline for message

- id: http://www.purl.org/ogit/Mobile/headline
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/MsgTemplate

1.3.0.32 ogit/firstName

First name of a person

- id: http://www.purl.org/ogit/firstName
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - ogit/Person

1.3.0.33 ogit/Mobile/appConfigMode

app cofiguration mode, i.e debug, release.

- id: http://www.purl.org/ogit/Mobile/appConfigMode
- valid-from: Thu Aug 27 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/AppInstance

1.3.0.34 ogit/Mobile/uuid

uuid is unique identifier for application.

- id: http://www.purl.org/ogit/Mobile/uuid
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/AppInstance

1.3.0.35 ogit/title

Title of any kind. In the context of a Person this can be a courtesy title, an academic title, or a job tilte.

- id: http://www.purl.org/ogit/title
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - ogit/Person

1.3.0.36 ogit/Mobile/deviceModel

model of device

- id: http://www.purl.org/ogit/Mobile/deviceModel
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/AppInstance
  - ogit/Mobile/DeviceSpecifications

1.3.0.37 ogit/Mobile/duration

time duration of the connection

- id: http://www.purl.org/ogit/Mobile/duration
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/Encounter

1.3.0.38 ogit/Mobile/devicePlatform

Platform of device i.e ios, android..

- id: http://www.purl.org/ogit/Mobile/devicePlatform
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/AppInstance
  - ogit/Mobile/DeviceSpecifications

1.3.0.39 ogit/Mobile/ctaType

call to action type

- id: http://www.purl.org/ogit/Mobile/ctaType
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/MsgTemplate

1.3.0.40 ogit/Auth/Account/type

Type of an account. Values: person, application

- id: http://www.purl.org/ogit/Auth/Account/type
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- mandatory:
  - ogit/Auth/Account

1.3.0.41 ogit/name

Contains a name.

- id: http://www.purl.org/ogit/name
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- mandatory:
  - ogit/Auth/Account
- optional:
  - ogit/Mobile/Message
  - ogit/Mobile/MsgTemplate
  - ogit/Timeseries

1.3.0.42 ogit/description

Contains a description.

- id: http://www.purl.org/ogit/description
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - ogit/Mobile/AppInstance
  - ogit/Timeseries

1.3.0.43 ogit/Mobile/subline

Additional text providing more information

- id: http://www.purl.org/ogit/Mobile/subline
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/MsgTemplate

1.3.0.44 ogit/consentLevel

formal agreement with contact.

- id: http://www.purl.org/ogit/consentLevel
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/AppInstance

1.3.0.45 ogit/Auth/Account/acceptedProjectTerms

Flag about whether HIRO Project terms were accepted

- id: http://www.purl.org/ogit/Auth/Account/acceptedProjectTerms
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- optional:
  - ogit/Auth/Account

1.3.0.46 ogit/Auth/Account/acceptedTerms

Flag about whether usage terms were accepted

- id: http://www.purl.org/ogit/Auth/Account/acceptedTerms
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- optional:
  - ogit/Auth/Account

1.3.0.47 ogit/officePhone

The phone number in the office.

- id: http://www.purl.org/ogit/officePhone
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - ogit/Person

1.3.0.48 ogit/fax

The number of a fax.

- id: http://www.purl.org/ogit/fax
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - ogit/Person

1.3.0.49 ogit/Auth/Account/allowCookies

Flag about whether cookies are allowed

- id: http://www.purl.org/ogit/Auth/Account/allowCookies
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- optional:
  - ogit/Auth/Account

1.3.0.50 ogit/otherPhone

The number of an other phone.

- id: http://www.purl.org/ogit/otherPhone
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - ogit/Person

1.3.0.51 ogit/isMutable

True if the value can be changed. E.g. after a service is provisioned.

- id: http://www.purl.org/ogit/isMutable
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - ogit/Timeseries

1.3.0.52 ogit/Mobile/deactivationTime

time when licence code is deactivated.

- id: http://www.purl.org/ogit/Mobile/deactivationTime
- valid-from: Thu Jul 09 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/LicenceCodes

1.3.0.53 ogit/Mobile/RSSIcorrection

rssi correction values for mobile phones.

- id: http://www.purl.org/ogit/Mobile/RSSIcorrection
- valid-from: Thu Aug 27 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/DeviceSpecifications

1.3.0.54 ogit/Mobile/criticality

TODO

- id: http://www.purl.org/ogit/Mobile/criticality
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/Encounter

1.3.0.55 ogit/Mobile/movementType

type of movement such as foot, bus, train

- id: http://www.purl.org/ogit/Mobile/movementType
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/Encounter

1.3.0.56 ogit/webPage

A web page.

- id: http://www.purl.org/ogit/webPage
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - ogit/Person

1.3.0.57 ogit/Mobile/delivered

boolean value, set true if message is delivered to app.

- id: http://www.purl.org/ogit/Mobile/delivered
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/Message

1.3.0.58 ogit/Auth/Account/acceptedPrivacy

Flag about whether privacy terms were accepted

- id: http://www.purl.org/ogit/Auth/Account/acceptedPrivacy
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- optional:
  - ogit/Auth/Account

1.3.0.59 ogit/Mobile/healthStatusUpdateTime

last time when health status was updated. UTC timestamp format

- id: http://www.purl.org/ogit/Mobile/healthStatusUpdateTime
- valid-from: Thu Jul 09 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/HealthInfo

1.3.0.60 ogit/Mobile/distance

distance between two device where application is installed

- id: http://www.purl.org/ogit/Mobile/distance
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/Encounter

1.3.0.61 ogit/Mobile/osRadio

internal identifier for mobile phones.

- id: http://www.purl.org/ogit/Mobile/osRadio
- valid-from: Thu Aug 27 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/AppInstance
  - ogit/Mobile/DeviceSpecifications

1.3.0.62 ogit/Mobile/activationTime

time when licence code is activated.

- id: http://www.purl.org/ogit/Mobile/activationTime
- valid-from: Thu Jul 09 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/LicenceCodes

1.3.0.63 ogit/position

Indicates user's position. This field contains a string value.

- id: http://www.purl.org/ogit/position
- valid-from: Tue Oct 18 00:00:00 UTC 2016
- creator: Arthur Shoba

used

- optional:
  - ogit/Person

1.3.0.64 ogit/Mobile/riskScore

risk score

- id: http://www.purl.org/ogit/Mobile/riskScore
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/Encounter

1.3.0.65 ogit/Mobile/appVersion

mobile application version

- id: http://www.purl.org/ogit/Mobile/appVersion
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/AppInstance

1.3.0.66 ogit/Mobile/cta

call to action. describe action should be taken by app user

- id: http://www.purl.org/ogit/Mobile/cta
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/MsgTemplate

1.3.0.67 ogit/instance

Defines the name of an instance.

- id: http://www.purl.org/ogit/instance
- valid-from: Wed Aug 03 00:00:00 UTC 2016
- creator: Philipp Pelchmann

used

- optional:
  - ogit/Timeseries