

February 8, 2020

| 1 Module Docur | mentation | 1 |
|----------------|---------------------------------------|----|
| 1.1 Entities . | | 1 |
| | 1.1.0.1 ogit/Factory/Component | 1 |
| | 1.1.0.2 ogit/Factory/ProductionLine | 2 |
| | 1.1.0.3 ogit/Factory/Action | 2 |
| | 1.1.0.4 ogit/Factory/Plant | 3 |
| | 1.1.0.5 ogit/Factory/Machine | 4 |
| | 1.1.0.6 ogit/Product | 4 |
| | 1.1.0.7 ogit/Factory/StorageTank | 4 |
| | 1.1.0.8 ogit/Factory/StorageInventory | 5 |
| | 1.1.0.9 ogit/Catalog | 5 |
| | 1.1.0.10 ogit/Factory/Factory | 6 |
| | 1.1.0.11 ogit/Location | 6 |
| | 1.1.0.12 ogit/Factory/Failure | 7 |
| 1.2 Verbs . | | 8 |
| | 1.2.0.1 ogit/contains | 8 |
| | 1.2.0.2 ogit/Factory/hasAl | 8 |
| | 1.2.0.3 ogit/locatedAt | 8 |
| | 1.2.0.4 ogit/locatedIn | 9 |
| | 1.2.0.5 ogit/corresponds | 9 |
| | 1.2.0.6 ogit/affects | 9 |
| | 1.2.0.7 ogit/requires | 10 |
| | 1.2.0.8 ogit/responds | 10 |
| | 1.2.0.9 ogit/causes | 10 |
| | 1.2.0.10 ogit/produces | 10 |
| | 1.2.0.11 ogit/belongs | 11 |
| | 1.2.0.12 ogit/uses | 11 |
| | · | 12 |
| | 1.3.0.1 ogit/severity | 12 |
| | 1.3.0.2 ogit/status | 12 |
| | 1.3.0.3 ogit/frequency | 12 |
| | 1.3.0.4 ogit/version | 13 |
| | 1.3.0.5 ogit/name | 13 |
| | 1.3.0.6 ogit/description | 13 |
| | 1.3.0.7 ogit/duration | 14 |
| | 1.3.0.8 ogit/type | 14 |
| | 1.3.0.9 ogit/Factory/equipmentNumber | 14 |
| | 1.3.0.10 ogit/subType | 15 |
| | 1.3.0.11 ogit/durationUnit | 15 |
| | 1.3.0.12 ogit/id | 15 |

Chapter 1

Module Documentation

1.1 Entities

1.1.0.1 ogit/Factory/Component

A machinery or equipment component of a factory.

• id: http://www.purl.org/ogit/Factory/Component

• valid-from: Tue Dec 10 00:00:00 UTC 2019

· creator: Marek Meyer

· scope: NTO

· parent: ogit/Node

attributes

- · optional:
 - ogit/Factory/equipmentNumber
 - ogit/description
 - ogit/name
 - ogit/status
 - ogit/subType

incoming edges

- ogit/affects <= ogit/Factory/Action
- ogit/affects <= ogit/Factory/Failure
- ogit/contains <= ogit/Factory/Component
- ogit/contains <= ogit/Factory/Plant
- $\bullet \ \, {\sf ogit/corresponds} <= {\sf ogit/Factory/Component}$

outgoing edges

- ogit/contains => ogit/Factory/Component
- ogit/corresponds => ogit/Factory/Component

1.1.0.2 ogit/Factory/ProductionLine

TODO.

• id: http://www.purl.org/ogit/Factory/ProductionLine

• valid-from: Fri Oct 19 00:00:00 UTC 2018

creator: Kaushikscope: NTO

· parent: ogit/Node

incoming edges

• ogit/Factory/hasAl <= ogit/Factory/Factory

outgoing edges

- ogit/contains => ogit/Factory/Machine
- ogit/produces => ogit/Product

1.1.0.3 ogit/Factory/Action

An action performed at a machine or component of a manufacturing plant.

- id: http://www.purl.org/ogit/Factory/Action
- valid-from: Tue Dec 10 00:00:00 UTC 2019

· creator: Marek Meyer

· scope: NTO

· parent: ogit/Node

attributes

- · optional:
 - ogit/description
 - ogit/duration
 - ogit/durationUnit
 - ogit/frequency
 - ogit/name
 - ogit/subType

incoming edges

• ogit/requires <= ogit/Factory/Action

outgoing edges

- ogit/affects => ogit/Factory/Component
- ogit/affects => ogit/Factory/Machine
- ogit/requires => ogit/Factory/Action
- ogit/responds => ogit/Factory/Failure

1.1.0.4 ogit/Factory/Plant

A manufacturing plant, which may consist of multiple machinery and equipment components.

```
• id: http://www.purl.org/ogit/Factory/Plant
```

• valid-from: Tue Dec 10 00:00:00 UTC 2019

· creator: Marek Meyer

· scope: NTO

• parent: ogit/Node

attributes

- optional:
 - ogit/description
 - ogit/name
 - ogit/status

incoming edges

• ogit/contains <= ogit/Catalog

outgoing edges

- ogit/belongs => ogit/Factory/Factory
- ogit/contains => ogit/Factory/Component
- ogit/locatedAt => ogit/Location

1.1.0.5 ogit/Factory/Machine

TODO.

• id: http://www.purl.org/ogit/Factory/Machine

• valid-from: Fri Oct 19 00:00:00 UTC 2018

creator: Kaushikscope: NTO

· parent: ogit/Node

incoming edges

- ogit/affects <= ogit/Factory/Action
- ogit/contains <= ogit/Factory/ProductionLine

1.1.0.6 ogit/Product

A commercially distributed good or service

• id: http://www.purl.org/ogit/Product

valid-from: Thu Feb 08 00:00:00 UTC 2018

· creator: Viktor Voss

• scope: SGO

· parent: ogit/Node

attributes

- · optional:
 - ogit/name

incoming edges

• ogit/produces <= ogit/Factory/ProductionLine

1.1.0.7 ogit/Factory/StorageTank

TODO.

• id: http://www.purl.org/ogit/Factory/StorageTank

• valid-from: Fri Oct 19 00:00:00 UTC 2018

creator: Kaushikscope: NTO

parent: ogit/Node

incoming edges

• ogit/uses <= ogit/Factory/Factory

1.1.0.8 ogit/Factory/StorageInventory

TODO.

• id: http://www.purl.org/ogit/Factory/StorageInventory

• valid-from: Fri Oct 19 00:00:00 UTC 2018

· creator: Kaushik

· scope: NTO

· parent: ogit/Node

incoming edges

ogit/uses <= ogit/Factory/Factory

1.1.0.9 ogit/Catalog

Any kind of catalog which could be offered by an Organization (e.g. corresponding to a vendor). Might contain products, services, books, etc.

• id: http://www.purl.org/ogit/Catalog

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

· scope: SGO

• parent: ogit/Node

attributes

- · mandatory:
 - ogit/name
- · optional:
 - ogit/description
 - ogit/id
 - ogit/type
 - ogit/version

outgoing edges

• ogit/contains => ogit/Factory/Plant

1.1.0.10 ogit/Factory/Factory

A factory in a producing company.

• id: http://www.purl.org/ogit/Factory/Factory

• valid-from: Fri Oct 19 00:00:00 UTC 2018

creator: Kaushikscope: NTO

• parent: ogit/Node

incoming edges

• ogit/belongs <= ogit/Factory/Plant

outgoing edges

- ogit/Factory/hasAl => ogit/Factory/ProductionLine
- ogit/locatedIn => ogit/Location
- ogit/uses => ogit/Factory/StorageInventory
- ogit/uses => ogit/Factory/StorageTank

1.1.0.11 ogit/Location

A place where some service is offered or requested. In many cases this will be related to a an address of an Organization. Similar to http://purl.org/goodrelations/v1#Location

• id: http://www.purl.org/ogit/Location

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

· scope: SGO

· parent: ogit/Node

attributes

- · mandatory:
 - ogit/name
- · optional:
 - ogit/description

incoming edges

- ogit/locatedAt <= ogit/Factory/Plant
- ogit/locatedIn <= ogit/Factory/Factory

1.1.0.12 ogit/Factory/Failure

A failure of a manufacturing plant, machinery component or equipment.

• id: http://www.purl.org/ogit/Factory/Failure

• valid-from: Tue Dec 10 00:00:00 UTC 2019

· creator: Marek Meyer

• scope: NTO

· parent: ogit/Node

attributes

- · optional:
 - ogit/description
 - ogit/name
 - ogit/severity
 - ogit/status
 - ogit/subType

incoming edges

- ogit/causes <= ogit/Factory/Failure
- ogit/responds <= ogit/Factory/Action

outgoing edges

- ogit/affects => ogit/Factory/Component
- ogit/causes => ogit/Factory/Failure

1.2 Verbs

1.2.0.1 ogit/contains

This relationship indicates that something is part of something else. see also "includes"

```
• id: http://www.purl.org/ogit/contains
```

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

Allowed Connection

- ogit/Factory/Component => ogit/Factory/Component
- ogit/Factory/Plant => ogit/Factory/Component
- ogit/Factory/ProductionLine => ogit/Factory/Machine
- ogit/Catalog => ogit/Factory/Plant

1.2.0.2 ogit/Factory/hasAl

TODO.

- id: http://www.purl.org/ogit/Factory/hasAl
- valid-from: Fri Oct 19 00:00:00 UTC 2018
- · creator: arago GmbH

Allowed Connection

• ogit/Factory/Factory => ogit/Factory/ProductionLine

1.2.0.3 ogit/locatedAt

Indicates that an entity is located at another entity.

```
• id: http://www.purl.org/ogit/locatedAt
```

valid-from: Fri Sep 20 00:00:00 UTC 2019

· creator: Marek Meyer

Allowed Connection

• ogit/Factory/Plant => ogit/Location

1.2.0.4 ogit/locatedIn

indicate that something has its place somewhere

• id: http://www.purl.org/ogit/locatedIn

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

Allowed Connection

ogit/Factory/Factory => ogit/Location

1.2.0.5 ogit/corresponds

Indicates wether one entity could correpond to a more general one, e.g. an Incident could correspond to a Ticket

• id: http://www.purl.org/ogit/corresponds

valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

Allowed Connection

• ogit/Factory/Component => ogit/Factory/Component

1.2.0.6 ogit/affects

The relationship indicates that one entity affects some other entity.

• id: http://www.purl.org/ogit/affects

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

Allowed Connection

- ogit/Factory/Action => ogit/Factory/Component
- ogit/Factory/Action => ogit/Factory/Machine
- ogit/Factory/Failure => ogit/Factory/Component

1.2.0.7 ogit/requires

Indicates dependencies between entities in the sense of "necessary condition".

```
• id: http://www.purl.org/ogit/requires
```

valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

Allowed Connection

• ogit/Factory/Action => ogit/Factory/Action

1.2.0.8 ogit/responds

This relationship indicates that one entity is a response to another. For example, parts of a conversation/fourm thread.

```
• id: http://www.purl.org/ogit/responds
```

valid-from: Mon Apr 27 00:00:00 UTC 2015

• creator: cwalker@arago.de

Allowed Connection

• ogit/Factory/Action => ogit/Factory/Failure

1.2.0.9 ogit/causes

Indicates that one entity causes the creation of another one. E.g. an error situation during change execution might lead to a new incident ticket.

```
• id: http://www.purl.org/ogit/causes
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

Allowed Connection

• ogit/Factory/Failure => ogit/Factory/Failure

1.2.0.10 ogit/produces

This relationship indicates that one produces some work for another.

```
• id: http://www.purl.org/ogit/produces
```

valid-from: Mon Aug 08 00:00:00 UTC 2016

creator: Alexander Ryabtsev

Allowed Connection

• ogit/Factory/ProductionLine => ogit/Product

1.2.0.11 ogit/belongs

Verb showing if one entity belongs to another.

```
• id: http://www.purl.org/ogit/belongs
```

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

Allowed Connection

• ogit/Factory/Plant => ogit/Factory/Factory

1.2.0.12 ogit/uses

This relationship indicates that some entity is used by some other.

```
• id: http://www.purl.org/ogit/uses
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

Allowed Connection

- ogit/Factory/Factory => ogit/Factory/StorageInventory
- ogit/Factory/Factory => ogit/Factory/StorageTank

1.3 Attributes

1.3.0.1 ogit/severity

Stores a severity. E.g. Some event management systems might store a severity field.

```
• id: http://www.purl.org/ogit/severity
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
 - ogit/Factory/Failure

1.3.0.2 ogit/status

A status for an entity. At this level of specification no list of values is specified. However, applications using this attribute are expected to allow only a fixed list of values that seems usefual in the application's semantic context.

```
• id: http://www.purl.org/ogit/status
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
 - ogit/Factory/Component
 - ogit/Factory/Failure
 - ogit/Factory/Plant

1.3.0.3 ogit/frequency

This field specifies a frequency at which e.g. events occur.

```
id: http://www.purl.org/ogit/frequency
```

valid-from: Tue Dec 10 00:00:00 UTC 2019

· creator: Marek Meyer

- · optional:
 - ogit/Factory/Action

1.3.0.4 ogit/version

Any string representation of version information. no restrictions are imposed on that base attribute

```
• id: http://www.purl.org/ogit/version
```

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
 - ogit/Catalog

1.3.0.5 ogit/name

Contains a name.

```
• id: http://www.purl.org/ogit/name
```

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · mandatory:
 - ogit/Catalog
 - ogit/Location
- optional:
 - ogit/Factory/Action
 - ogit/Factory/Component
 - ogit/Factory/Failure
 - ogit/Factory/Plant
 - ogit/Product

1.3.0.6 ogit/description

Contains a description.

- id: http://www.purl.org/ogit/description
- · valid-from: Thu May 21 00:00:00 UTC 2015
- · creator: Peter Larem

- · optional:
 - ogit/Catalog
 - ogit/Factory/Action
 - ogit/Factory/Component
 - ogit/Factory/Failure
 - ogit/Factory/Plant
 - ogit/Location

1.3.0.7 ogit/duration

This field represents a duration of an event, activity, phase, etc. It is recommended to use this attribute in conjunction with durationUnit.

```
• id: http://www.purl.org/ogit/duration
```

• valid-from: Tue Dec 10 00:00:00 UTC 2019

· creator: Marek Meyer

used

- · optional:
 - ogit/Factory/Action

1.3.0.8 ogit/type

Type of an an entity.

```
• id: http://www.purl.org/ogit/type
```

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
 - ogit/Catalog

1.3.0.9 ogit/Factory/equipmentNumber

A unique identifier of a piece of equipment.

- id: http://www.purl.org/ogit/Factory/equipmentNumber
- valid-from: Tue Dec 10 00:00:00 UTC 2019
- · creator: Marek Meyer

- · optional:
 - ogit/Factory/Component

1.3.0.10 ogit/subType

A subtype of an an entity.

```
• id: http://www.purl.org/ogit/subType
```

• valid-from: Mon Jul 27 00:00:00 UTC 2015

· creator: Aymen Ayoub

used

- · optional:
 - ogit/Factory/Action
 - ogit/Factory/Component
 - ogit/Factory/Failure

1.3.0.11 ogit/durationUnit

This field specifies the unit of a duration, e.g. seconds, minutes, hours, days, or years.

```
• id: http://www.purl.org/ogit/durationUnit
```

• valid-from: Tue Dec 10 00:00:00 UTC 2019

· creator: Marek Meyer

used

- optional:
 - ogit/Factory/Action

1.3.0.12 ogit/id

General id.

- id: http://www.purl.org/ogit/id
- valid-from: Thu May 21 00:00:00 UTC 2015
- · creator: Peter Larem

- · optional:
 - ogit/Catalog