

1 Module Docu	mentation	1
1.1 Entities .		1
	1.1.0.1 ogit/FinancialAccounting/OrganizationalUnit	1
	1.1.0.2 ogit/Network/Site	2
	1.1.0.3 ogit/FinancialMarket/Protection	2
	1.1.0.4 ogit/Location/NUTSLevel3	3
	1.1.0.5 ogit/Location/NUTSLevel1	3
	1.1.0.6 ogit/Location/NUTSLevel2	4
	1.1.0.7 ogit/Location/Address	4
	1.1.0.8 ogit/Health/Diagnostics/TestStation	5
	1.1.0.9 ogit/Schedule/Event	6
	1.1.0.10 ogit/Person	6
	1.1.0.11 ogit/Credit/Counterparty	7
	1.1.0.12 ogit/FinancialMarket/Corporation	8
	1.1.0.13 ogit/FinancialAccounting/AccountsPayable/Vendor	8
1.2 Verbs .		9
	1.2.0.1 ogit/locatedAt	9
	1.2.0.2 ogit/locatedIn	9
	1.2.0.3 ogit/registeredAt	9
	1.2.0.4 ogit/receives	10
	1.2.0.5 ogit/has	10
1.3 Attributes	3	11
	1.3.0.1 ogit/currency	11
	1.3.0.2 ogit/email	11
	1.3.0.3 ogit/Location/streetNumber	11
	1.3.0.4 ogit/Schedule/startTime	12
	1.3.0.5 ogit/alternativeName	12
	1.3.0.6 ogit/Location/zipCode	12
	1.3.0.7 ogit/FinancialMarket/nationalIdentifier	13
	1.3.0.8 ogit/Location/city	13
	1.3.0.9 ogit/notification	13
	1.3.0.10 ogit/sourceld	14
	1.3.0.11 ogit/FinancialMarket/legalForm	14
	1.3.0.12 ogit/mobilePhone	14
	1.3.0.13 ogit/value	15
	1.3.0.14 ogit/FinancialMarket/legalEntityIdentifier	15
	1.3.0.15 ogit/status	15
	1.3.0.16 ogit/Location/streetName	16
	1.3.0.17 ogit/lastName	16
	1.3.0.18 ogit/Location/residenceCountry	16
	1.3.0.19 ogit/middleName	16
	1.3.0.20 ogit/FinancialMarket/enterpriseSize	17

1.3.0.21 ogit/Schedule/location	17
1.3.0.22 ogit/firstName	17
1.3.0.23 ogit/title	18
1.3.0.24 ogit/name	18
1.3.0.25 ogit/Schedule/endTime	19
1.3.0.26 ogit/FinancialMarket/defaultDate	19
1.3.0.27 ogit/description	19
1.3.0.28 ogit/Location/country	20
1.3.0.29 ogit/FinancialMarket/defaultStatus	20
1.3.0.30 ogit/officePhone	20
1.3.0.31 ogit/fax	21
1.3.0.32 ogit/otherPhone	21
1.3.0.33 ogit/Location/state	21
1.3.0.34 ogit/subType	22
1.3.0.35 ogit/webPage	22
1.3.0.36 ogit/id	22
1.3.0.37 ogit/FinancialAccounting/companyCode	23
1.3.0.38 ogit/validFrom	23
1.3.0.39 ogit/position	23
1.3.0.40 ogit/FinancialMarket/thirdPartyPriorityClaims	24
1.3.0.41 ogit/validTo	24

Chapter 1

Module Documentation

1.1 Entities

1.1.0.1 ogit/FinancialAccounting/OrganizationalUnit

An organizational unit within a company.

• id: http://www.purl.org/ogit/FinancialAccounting/OrganizationalUnit

• valid-from: Fri Aug 23 00:00:00 UTC 2019

· creator: Marek Meyer

· scope: NTO

· parent: ogit/Node

attributes

- · mandatory:
 - ogit/name
- · optional:
 - ogit/FinancialAccounting/companyCode

outgoing edges

- ogit/has => ogit/Location/Address
- ogit/receives => ogit/Location/Address

1.1.0.2 ogit/Network/Site

A site located in on place, which contains a geographically concentrated computer network.

• id: http://www.purl.org/ogit/Network/Site

• valid-from: Fri Sep 04 00:00:00 UTC 2020

· creator: Marek Meyer

· scope: NTO

· parent: ogit/Node

attributes

- · optional:
 - ogit/id
 - ogit/name

outgoing edges

• ogit/locatedIn => ogit/Location/NUTSLevel3

1.1.0.3 ogit/FinancialMarket/Protection

A protection (e.g. security) for financial contracts in the context of financial markets.

- id: http://www.purl.org/ogit/FinancialMarket/Protection
- valid-from: Wed Nov 06 00:00:00 UTC 2019
- · creator: Marek Meyer
- · scope: NTO
- · parent: ogit/Node

attributes

- · mandatory:
 - ogit/id
- optional:
 - ogit/FinancialMarket/thirdPartyPriorityClaims
 - ogit/currency
 - ogit/description
 - ogit/title
 - ogit/value

outgoing edges

• ogit/locatedAt => ogit/Location/Address

1.1.0.4 ogit/Location/NUTSLevel3

A region at the level 3 of the NUTS (Nomenclature of Territorial Units for Statistics) classification, representing a subdivision of a country.

• id: http://www.purl.org/ogit/Location/NUTSLevel3

valid-from: Fri Sep 04 00:00:00 UTC 2020

· creator: Marek Meyer

· scope: NTO

· parent: ogit/Node

attributes

- · mandatory:
 - ogit/name

incoming edges

• ogit/locatedIn <= ogit/Network/Site

outgoing edges

ogit/locatedIn => ogit/Location/NUTSLevel2

1.1.0.5 ogit/Location/NUTSLevel1

A region at the level 1 of the NUTS (Nomenclature of Territorial Units for Statistics) classification, representing a subdivision of a country.

• id: http://www.purl.org/ogit/Location/NUTSLevel1

· valid-from: Fri Sep 04 00:00:00 UTC 2020

· creator: Marek Meyer

· scope: NTO

· parent: ogit/Node

attributes

- · mandatory:
 - ogit/name

incoming edges

• ogit/locatedIn <= ogit/Location/NUTSLevel2

1.1.0.6 ogit/Location/NUTSLevel2

A region at the level 2 of the NUTS (Nomenclature of Territorial Units for Statistics) classification, representing a subdivision of a country.

• id: http://www.purl.org/ogit/Location/NUTSLevel2

• valid-from: Fri Sep 04 00:00:00 UTC 2020

· creator: Marek Meyer

· scope: NTO

· parent: ogit/Node

attributes

- · mandatory:
 - ogit/name

incoming edges

• ogit/locatedIn <= ogit/Location/NUTSLevel3

outgoing edges

• ogit/locatedIn => ogit/Location/NUTSLevel1

1.1.0.7 ogit/Location/Address

A street address.

• id: http://www.purl.org/ogit/Location/Address

· valid-from: Fri Aug 23 00:00:00 UTC 2019

creator: Marek Meyer

• scope: NTO

• parent: ogit/Node

attributes

- · mandatory:
 - ogit/name
- · optional:
 - ogit/Location/city
 - ogit/Location/country
 - ogit/Location/state
 - ogit/Location/streetName
 - ogit/Location/streetNumber
 - ogit/Location/zipCode

incoming edges

- ogit/has <= ogit/FinancialAccounting/AccountsPayable/Vendor
- ogit/has <= ogit/FinancialAccounting/OrganizationalUnit
- ogit/locatedAt <= ogit/Credit/Counterparty
- ogit/locatedAt <= ogit/FinancialMarket/Corporation
- ogit/locatedAt <= ogit/FinancialMarket/Protection
- ogit/locatedAt <= ogit/Health/Diagnostics/TestStation
- ogit/locatedAt <= ogit/Schedule/Event
- ogit/receives <= ogit/FinancialAccounting/OrganizationalUnit
- ogit/registeredAt <= ogit/Person

1.1.0.8 ogit/Health/Diagnostics/TestStation

A station where diagnostics tests can be performed.

- id: http://www.purl.org/ogit/Health/Diagnostics/TestStation
- valid-from: Mon Sep 28 00:00:00 UTC 2020
- · creator: Marek Meyer
- · scope: NTO
- parent: ogit/Node

attributes

- mandatory:
 - ogit/name
- · optional:
 - ogit/description
 - ogit/status

outgoing edges

• ogit/locatedAt => ogit/Location/Address

1.1.0.9 ogit/Schedule/Event

An event planned or occuring as part of a calendar.

• id: http://www.purl.org/ogit/Schedule/Event

• valid-from: Tue Jul 02 00:00:00 UTC 2019

· creator: Marek Meyer

· scope: NTO

· parent: ogit/Node

attributes

- mandatory:
 - ogit/Schedule/endTime
 - ogit/Schedule/startTime
- · optional:
 - ogit/Schedule/location
 - ogit/description
 - ogit/subType
 - ogit/title

outgoing edges

• ogit/locatedAt => ogit/Location/Address

1.1.0.10 ogit/Person

A Person represents a human identity.

• id: http://www.purl.org/ogit/Person

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

• scope: SGO

• parent: ogit/Node

attributes

- · optional:
 - ogit/alternativeName
 - ogit/email
 - ogit/fax
 - ogit/firstName
 - ogit/lastName
 - ogit/middleName
 - ogit/mobilePhone
 - ogit/notification
 - ogit/officePhone
 - ogit/otherPhone
 - ogit/position
 - ogit/sourceld
 - ogit/status
 - ogit/title
 - ogit/webPage

outgoing edges

• ogit/registeredAt => ogit/Location/Address

1.1.0.11 ogit/Credit/Counterparty

A counterparty in a credit transaction.

- id: http://www.purl.org/ogit/Credit/Counterparty
- valid-from: Wed Nov 27 00:00:00 UTC 2019
- · creator: Ola Irgens Kylling
- · scope: NTO
- parent: ogit/Node

attributes

- · mandatory:
 - ogit/id
 - ogit/name
 - ogit/validFrom
- optional:
 - ogit/validTo

outgoing edges

• ogit/locatedAt => ogit/Location/Address

1.1.0.12 ogit/FinancialMarket/Corporation

A corporation in the context of financial markets.

• id: http://www.purl.org/ogit/FinancialMarket/Corporation

valid-from: Wed Jul 10 00:00:00 UTC 2019

· creator: Marek Meyer

· scope: NTO

· parent: ogit/Node

attributes

- · mandatory:
 - ogit/name
- · optional:
 - ogit/FinancialMarket/defaultDate
 - ogit/FinancialMarket/defaultStatus
 - ogit/FinancialMarket/enterpriseSize
 - ogit/FinancialMarket/legalEntityIdentifier
 - ogit/FinancialMarket/legalForm
 - ogit/FinancialMarket/nationalIdentifier

outgoing edges

ogit/locatedAt => ogit/Location/Address

1.1.0.13 ogit/FinancialAccounting/AccountsPayable/Vendor

A vendor in the accounts payable process.

- $\bullet \ \ \textbf{id} : \texttt{http://www.purl.org/ogit/FinancialAccounting/AccountsPayable/Vendord} \\$
- · valid-from: Fri Aug 23 00:00:00 UTC 2019

creator: Marek Meyer

· scope: NTO

· parent: ogit/Node

attributes

- · mandatory:
 - ogit/name

outgoing edges

• ogit/has => ogit/Location/Address

1.2 Verbs 9

1.2 Verbs

1.2.0.1 ogit/locatedAt

Indicates that an entity is located at another entity.

• id: http://www.purl.org/ogit/locatedAt

• valid-from: Fri Sep 20 00:00:00 UTC 2019

· creator: Marek Meyer

Allowed Connection

ogit/Credit/Counterparty => ogit/Location/Address

- ogit/FinancialMarket/Corporation => ogit/Location/Address
- ogit/FinancialMarket/Protection => ogit/Location/Address
- ogit/Health/Diagnostics/TestStation => ogit/Location/Address
- ogit/Schedule/Event => ogit/Location/Address

1.2.0.2 ogit/locatedIn

indicate that something has its place somewhere

• id: http://www.purl.org/ogit/locatedIn

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

Allowed Connection

- ogit/Location/NUTSLevel2 => ogit/Location/NUTSLevel1
- ogit/Location/NUTSLevel3 => ogit/Location/NUTSLevel2
- ogit/Network/Site => ogit/Location/NUTSLevel3

1.2.0.3 ogit/registeredAt

Indicates that an entity is registered at another entity.

• id: http://www.purl.org/ogit/registeredAt

valid-from: Mon Sep 28 00:00:00 UTC 2020

· creator: Marek Meyer

1.2 Verbs 10

Allowed Connection

• ogit/Person => ogit/Location/Address

1.2.0.4 ogit/receives

an entity receives something another entity

```
• id: http://www.purl.org/ogit/receives
```

valid-from: Fri Feb 17 00:00:00 UTC 2017

• creator: stravlos@arago.de

Allowed Connection

• ogit/FinancialAccounting/OrganizationalUnit => ogit/Location/Address

1.2.0.5 ogit/has

Indicates if an entity has another entity.

```
• id: http://www.purl.org/ogit/has
```

· valid-from: Thu Mar 28 00:00:00 UTC 2019

· creator: Kaushik Gondaliya

Allowed Connection

- ogit/FinancialAccounting/AccountsPayable/Vendor => ogit/Location/Address
- ogit/FinancialAccounting/OrganizationalUnit => ogit/Location/Address

1.3 Attributes

1.3.0.1 ogit/currency

A currency code, possibly according to ISO 4217.

```
• id: http://www.purl.org/ogit/currency
```

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
 - ogit/FinancialMarket/Protection

1.3.0.2 ogit/email

An email address.

```
• id: http://www.purl.org/ogit/email
```

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
 - ogit/Person

1.3.0.3 ogit/Location/streetNumber

The number of a street address.

```
• id: http://www.purl.org/ogit/Location/streetNumber
```

· valid-from: Fri Aug 23 00:00:00 UTC 2019

· creator: Marek Meyer

- optional:
 - ogit/Location/Address

1.3.0.4 ogit/Schedule/startTime

Start time of a calendar event.

```
• id: http://www.purl.org/ogit/Schedule/startTime
```

• valid-from: Tue Jul 02 00:00:00 UTC 2019

· creator: Marek Meyer

used

- · mandatory:
 - ogit/Schedule/Event

1.3.0.5 ogit/alternativeName

Alternative name of something. In context of a Person this can be the full name or an alias/nick name.

```
• id: http://www.purl.org/ogit/alternativeName
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
 - ogit/Person

1.3.0.6 ogit/Location/zipCode

The zip code of a city.

```
• id: http://www.purl.org/ogit/Location/zipCode
```

• valid-from: Fri Aug 23 00:00:00 UTC 2019

· creator: Marek Meyer

- · optional:
 - ogit/Location/Address

1.3.0.7 ogit/FinancialMarket/nationalIdentifier

A unique nationally defined identifier for a corporation.

```
• id: http://www.purl.org/ogit/FinancialMarket/nationalIdentifier
```

· valid-from: Wed Nov 06 00:00:00 UTC 2019

· creator: Marek Meyer

used

- · optional:
 - ogit/FinancialMarket/Corporation

1.3.0.8 ogit/Location/city

The name of a city.

- id: http://www.purl.org/ogit/Location/city
- valid-from: Fri Aug 23 00:00:00 UTC 2019
- · creator: Marek Meyer

used

- · optional:
 - ogit/Location/Address

1.3.0.9 ogit/notification

A notification.

- id: http://www.purl.org/ogit/notification
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

- · optional:
 - ogit/Person

1.3.0.10 ogit/sourceld

The Id of the source system.

```
• id: http://www.purl.org/ogit/sourceId
```

• valid-from: Thu Jun 11 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
 - ogit/Person

1.3.0.11 ogit/FinancialMarket/legalForm

The legal form of a corporation.

- id: http://www.purl.org/ogit/FinancialMarket/legalForm
- valid-from: Wed Nov 06 00:00:00 UTC 2019
- · creator: Marek Meyer

used

- · optional:
 - ogit/FinancialMarket/Corporation

1.3.0.12 ogit/mobilePhone

A mobile phone number.

- id: http://www.purl.org/ogit/mobilePhone
- valid-from: Thu May 21 00:00:00 UTC 2015
- · creator: Peter Larem

- · optional:
 - ogit/Person

1.3.0.13 ogit/value

Contains a value of a key / value pair.

• id: http://www.purl.org/ogit/value

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
 - ogit/FinancialMarket/Protection

1.3.0.14 ogit/FinancialMarket/legalEntityldentifier

An identifier of a company (legal entity).

- id: http://www.purl.org/ogit/FinancialMarket/legalEntityIdentifier
- valid-from: Wed Nov 06 00:00:00 UTC 2019
- · creator: Marek Meyer

used

- · optional:
 - ogit/FinancialMarket/Corporation

1.3.0.15 ogit/status

A status for an entity. At this level of specification no list of values is specified. However, applications using this attribute are expected to allow only a fixed list of values that seems usefual in the application's semantic context.

- id: http://www.purl.org/ogit/status
- · valid-from: Thu May 21 00:00:00 UTC 2015
- · creator: Peter Larem

- · optional:
 - ogit/Health/Diagnostics/TestStation
 - ogit/Person

1.3.0.16 ogit/Location/streetName

The name of a street.

• id: http://www.purl.org/ogit/Location/streetName

• valid-from: Fri Aug 23 00:00:00 UTC 2019

· creator: Marek Meyer

used

- · optional:
 - ogit/Location/Address

1.3.0.17 ogit/lastName

Last name of a person.

- id: http://www.purl.org/ogit/lastName
- · valid-from: Thu May 21 00:00:00 UTC 2015
- · creator: Peter Larem

used

- · optional:
 - ogit/Person

1.3.0.18 ogit/Location/residenceCountry

The name of a residence country.

- id: http://www.purl.org/ogit/Location/residenceCountry
- valid-from: Fri Aug 23 00:00:00 UTC 2019
- · creator: Marek Meyer

1.3.0.19 ogit/middleName

Middle name of a person.

- id: http://www.purl.org/ogit/middleName
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

- · optional:
 - ogit/Person

1.3.0.20 ogit/FinancialMarket/enterpriseSize

The size of a corporation.

```
• id: http://www.purl.org/ogit/FinancialMarket/enterpriseSize
```

· valid-from: Wed Nov 06 00:00:00 UTC 2019

· creator: Marek Meyer

used

- · optional:
 - ogit/FinancialMarket/Corporation

1.3.0.21 ogit/Schedule/location

Location of a calendar event.

- id: http://www.purl.org/ogit/Schedule/location
- valid-from: Tue Jul 02 00:00:00 UTC 2019
- · creator: Marek Meyer

used

- · optional:
 - ogit/Schedule/Event

1.3.0.22 ogit/firstName

First name of a person

```
• id: http://www.purl.org/ogit/firstName
```

valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

- · optional:
 - ogit/Person

1.3.0.23 ogit/title

Title of any kind. In the context of a Person this can be a courtesy title, an academic title, or a job tilte.

```
• id: http://www.purl.org/ogit/title
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
 - ogit/FinancialMarket/Protection
 - ogit/Person
 - ogit/Schedule/Event

1.3.0.24 ogit/name

Contains a name.

• id: http://www.purl.org/ogit/name

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

- mandatory:
 - ogit/Credit/Counterparty
 - ogit/FinancialAccounting/AccountsPayable/Vendor
 - ogit/FinancialAccounting/OrganizationalUnit
 - ogit/FinancialMarket/Corporation
 - ogit/Health/Diagnostics/TestStation
 - ogit/Location/Address
 - ogit/Location/NUTSLevel1
 - ogit/Location/NUTSLevel2
 - ogit/Location/NUTSLevel3
- · optional:
 - ogit/Network/Site

1.3.0.25 ogit/Schedule/endTime

End time of a calendar event.

```
• id: http://www.purl.org/ogit/Schedule/endTime
```

• valid-from: Tue Jul 02 00:00:00 UTC 2019

· creator: Marek Meyer

used

- · mandatory:
 - ogit/Schedule/Event

1.3.0.26 ogit/FinancialMarket/defaultDate

The date of default for a corporation.

```
• id: http://www.purl.org/ogit/FinancialMarket/defaultDate
```

valid-from: Wed Nov 06 00:00:00 UTC 2019

· creator: Marek Meyer

used

- · optional:
 - ogit/FinancialMarket/Corporation

1.3.0.27 ogit/description

Contains a description.

```
• id: http://www.purl.org/ogit/description
```

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

- · optional:
 - ogit/FinancialMarket/Protection
 - ogit/Health/Diagnostics/TestStation
 - ogit/Schedule/Event

1.3.0.28 ogit/Location/country

The name of a country.

```
• id: http://www.purl.org/ogit/Location/country
```

• valid-from: Fri Aug 23 00:00:00 UTC 2019

· creator: Marek Meyer

used

- · optional:
 - ogit/Location/Address

1.3.0.29 ogit/FinancialMarket/defaultStatus

The default status of a corporation.

```
• id: http://www.purl.org/ogit/FinancialMarket/defaultStatus
```

valid-from: Wed Jul 10 00:00:00 UTC 2019

· creator: Marek Meyer

used

- · optional:
 - ogit/FinancialMarket/Corporation

1.3.0.30 ogit/officePhone

The phone number in the office.

```
• id: http://www.purl.org/ogit/officePhone
```

valid-from: Mon Jul 27 00:00:00 UTC 2015

· creator: Philipp Pelchmann

- · optional:
 - ogit/Person

1.3.0.31 ogit/fax

The number of a fax.

```
• id: http://www.purl.org/ogit/fax
```

• valid-from: Mon Jul 27 00:00:00 UTC 2015

• creator: Philipp Pelchmann

used

- · optional:
 - ogit/Person

1.3.0.32 ogit/otherPhone

The number of an other phone.

```
• id: http://www.purl.org/ogit/otherPhone
```

• valid-from: Mon Jul 27 00:00:00 UTC 2015

· creator: Philipp Pelchmann

used

- optional:
 - ogit/Person

1.3.0.33 ogit/Location/state

The name of a state.

```
• id: http://www.purl.org/ogit/Location/state
```

• valid-from: Fri Aug 23 00:00:00 UTC 2019

· creator: Marek Meyer

- · optional:
 - ogit/Location/Address

1.3.0.34 ogit/subType

A subtype of an an entity.

```
• id: http://www.purl.org/ogit/subType
```

valid-from: Mon Jul 27 00:00:00 UTC 2015

· creator: Aymen Ayoub

used

- · optional:
 - ogit/Schedule/Event

1.3.0.35 ogit/webPage

A web page.

- id: http://www.purl.org/ogit/webPage
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
 - ogit/Person

1.3.0.36 ogit/id

General id.

- id: http://www.purl.org/ogit/id
- · valid-from: Thu May 21 00:00:00 UTC 2015
- · creator: Peter Larem

- mandatory:
 - ogit/Credit/Counterparty
 - ogit/FinancialMarket/Protection
- optional:
 - ogit/Network/Site

1.3.0.37 ogit/FinancialAccounting/companyCode

The amount of an item, set of items, or payment.

• id: http://www.purl.org/ogit/FinancialAccounting/companyCode

· valid-from: Fri Aug 23 00:00:00 UTC 2019

· creator: Marek Meyer

used

- · optional:
 - ogit/FinancialAccounting/OrganizationalUnit

1.3.0.38 ogit/validFrom

Defines a point in time when something becomes valid.

```
• id: http://www.purl.org/ogit/validFrom
```

valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · mandatory:
 - ogit/Credit/Counterparty

1.3.0.39 ogit/position

Indicates user's position. This field contains a string value.

```
• id: http://www.purl.org/ogit/position
```

• valid-from: Tue Oct 18 00:00:00 UTC 2016

· creator: Arthur Shoba

- · optional:
 - ogit/Person

1.3.0.40 ogit/FinancialMarket/thirdPartyPriorityClaims

Any priority claims by third parties on the same financial protection (security).

• id: http://www.purl.org/ogit/FinancialMarket/thirdPartyPriorityClaims

• valid-from: Wed Nov 06 00:00:00 UTC 2019

· creator: Marek Meyer

used

- · optional:
 - ogit/FinancialMarket/Protection

1.3.0.41 ogit/validTo

Defines a point in time when something stops being valid.

```
• id: http://www.purl.org/ogit/validTo
```

• valid-from: Tue Nov 29 00:00:00 UTC 2016

• creator: stravlos@arago.co

- optional:
 - ogit/Credit/Counterparty