

---

## Survey

---

February 10, 2021

<b>1 Module Documentation</b>	<b>1</b>
1.1 Entities	1
1.1.0.1 ogit/Organization	1
1.1.0.2 ogit/Person	2
1.1.0.3 ogit/Survey/Iteration	3
1.1.0.4 ogit/Survey/Reply	3
1.1.0.5 ogit/Survey/Survey	4
1.1.0.6 ogit/Auth/Account	5
1.1.0.7 ogit/Project/Milestone	5
1.1.0.8 ogit/Auth/Organization	6
1.1.0.9 ogit/Project/Project	7
1.2 Verbs	8
1.2.0.1 ogit/supports	8
1.2.0.2 ogit/consumes	8
1.2.0.3 ogit/produces	8
1.2.0.4 ogit/belongs	9
1.2.0.5 ogit/repliedWith	9
1.2.0.6 ogit/relates	9
1.3 Attributes	10
1.3.0.1 ogit/category	10
1.3.0.2 ogit/comment	10
1.3.0.3 ogit/postalCode	10
1.3.0.4 ogit/email	11
1.3.0.5 ogit/alternativeName	11
1.3.0.6 ogit/function	11
1.3.0.7 ogit/country	12
1.3.0.8 ogit/businessCategory	12
1.3.0.9 ogit/question	12
1.3.0.10 ogit/notification	13
1.3.0.11 ogit/sourceld	13
1.3.0.12 ogit/mobilePhone	13
1.3.0.13 ogit/startedAt	14
1.3.0.14 ogit/city	14
1.3.0.15 ogit/status	14
1.3.0.16 ogit/lastName	15
1.3.0.17 ogit/middleName	15
1.3.0.18 ogit/plannedFinishDate	16
1.3.0.19 ogit/streetAddress	16
1.3.0.20 ogit/Auth/Account/statusReason	16
1.3.0.21 ogit/firstName	17
1.3.0.22 ogit/title	17
1.3.0.23 ogit/isInternal	17

---

1.3.0.24 ogit/schedule . . . . .	18
1.3.0.25 ogit/Auth/Account/type . . . . .	18
1.3.0.26 ogit/name . . . . .	18
1.3.0.27 ogit/description . . . . .	19
1.3.0.28 ogit/placement . . . . .	19
1.3.0.29 ogit/Auth/Account/acceptedProjectTerms . . . . .	19
1.3.0.30 ogit/finishedAt . . . . .	20
1.3.0.31 ogit/Auth/Account/acceptedTerms . . . . .	20
1.3.0.32 ogit/plannedStartDate . . . . .	20
1.3.0.33 ogit/officePhone . . . . .	21
1.3.0.34 ogit/phone . . . . .	21
1.3.0.35 ogit/fax . . . . .	21
1.3.0.36 ogit/type . . . . .	22
1.3.0.37 ogit/Auth/Account/allowCookies . . . . .	22
1.3.0.38 ogit/otherPhone . . . . .	22
1.3.0.39 ogit/webPage . . . . .	23
1.3.0.40 ogit/Auth/Account/acceptedPrivacy . . . . .	23
1.3.0.41 ogit/position . . . . .	23

# Chapter 1

## Module Documentation

### 1.1 Entities

#### 1.1.0.1 ogit/Organization

An identity that represents an organization, company, or some other grouping of Person objects. Entities of this type should be created with a predefined ID. Those IDs should be named like a domain name, i.e. a concatenation of some strings separated with a dot. If organization data is created from a LDAP then a mapping like "cn=John Doe,dc=example,dc=com" => "john\_doe.example.com" should be employed. The ogit/function attribute should be used to tell what kind of grouping an entity of type Organization is: company, department, group, ...

- id: <http://www.purl.org/ogit/Organization>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem
- scope: SGO
- parent: ogit/Node

#### attributes

- mandatory:
  - [ogit/name](#)
- optional:
  - [ogit/businessCategory](#)
  - [ogit/city](#)
  - [ogit/country](#)
  - [ogit/description](#)
  - [ogit/email](#)
  - [ogit/function](#)
  - [ogit/phone](#)
  - [ogit/postalCode](#)
  - [ogit/sourceId](#)
  - [ogit/status](#)
  - [ogit/streetAddress](#)
  - [ogit/webPage](#)

## incoming edges

- [ogit/belongs](#) <= [ogit/Survey/Survey](#)

## outgoing edges

- [ogit/consumes](#) => [ogit/Survey/Iteration](#)
- [ogit/produces](#) => [ogit/Survey/Iteration](#)
- [ogit/supports](#) => [ogit/Survey/Iteration](#)

1.1.0.2 [ogit/Person](#)

A Person represents a human identity.

- id: <http://www.purl.org/ogit/Person>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem
- scope: SGO
- parent: [ogit/Node](#)

## attributes

- optional:
  - [ogit/alternativeName](#)
  - [ogit/email](#)
  - [ogit/fax](#)
  - [ogit/firstName](#)
  - [ogit/lastName](#)
  - [ogit/middleName](#)
  - [ogit/mobilePhone](#)
  - [ogit/notification](#)
  - [ogit/officePhone](#)
  - [ogit/otherPhone](#)
  - [ogit/position](#)
  - [ogit/sourceId](#)
  - [ogit/status](#)
  - [ogit/title](#)
  - [ogit/webPage](#)

## outgoing edges

- [ogit/relates](#) => [ogit/Survey/Iteration](#)
- [ogit/repliedWith](#) => [ogit/Survey/Reply](#)

## 1.1.0.3 ogit/Survey/Iteration

Iteration of the same survey

- id: <http://www.purl.org/ogit/Survey/Iteration>
- valid-from: Mon Aug 08 00:00:00 UTC 2016
- creator: Alexander Ryabtsev
- scope: NTO
- parent: ogit/Node

## attributes

- optional:
  - [ogit/startedAt](#)
  - [ogit/status](#)

## incoming edges

- [ogit/belongs](#) <= [ogit/Survey/Reply](#)
- [ogit/consumes](#) <= [ogit/Auth/Organization](#)
- [ogit/consumes](#) <= [ogit/Organization](#)
- [ogit/produces](#) <= [ogit/Auth/Organization](#)
- [ogit/produces](#) <= [ogit/Organization](#)
- [ogit/relates](#) <= [ogit/Person](#)
- [ogit/supports](#) <= [ogit/Auth/Organization](#)
- [ogit/supports](#) <= [ogit/Organization](#)

## outgoing edges

- [ogit/belongs](#) => [ogit/Project/Milestone](#)
- [ogit/belongs](#) => [ogit/Project/Project](#)
- [ogit/belongs](#) => [ogit/Survey/Survey](#)

## 1.1.0.4 ogit/Survey/Reply

User's reply on a survey

- id: <http://www.purl.org/ogit/Survey/Reply>
- valid-from: Mon Aug 08 00:00:00 UTC 2016
- creator: Alexander Ryabtsev
- scope: NTO
- parent: ogit/Node

**attributes**

- optional:
  - [ogit/comment](#)
  - [ogit/question](#)

**incoming edges**

- [ogit/repliedWith](#) <= [ogit/Auth/Account](#)
- [ogit/repliedWith](#) <= [ogit/Person](#)

**outgoing edges**

- [ogit/belongs](#) => [ogit/Survey/Iteration](#)

**1.1.0.5 ogit/Survey/Survey****List with questions**

- id: <http://www.purl.org/ogit/Survey/Survey>
- valid-from: Tue Jul 12 00:00:00 UTC 2016
- creator: Arthur Shoba
- scope: NTO
- parent: ogit/Node

**attributes**

- optional:
  - [ogit/category](#)
  - [ogit/description](#)
  - [ogit/question](#)
  - [ogit/schedule](#)
  - [ogit/status](#)
  - [ogit/title](#)
  - [ogit/type](#)

**incoming edges**

- [ogit/belongs](#) <= [ogit/Survey/Iteration](#)

**outgoing edges**

- [ogit/belongs](#) => [ogit/Organization](#)
- [ogit/belongs](#) => [ogit/Project/Milestone](#)
- [ogit/belongs](#) => [ogit/Project/Project](#)

**1.1.0.6 ogit/Auth/Account**

An account is used for authentication and authorization.

- id: <http://www.purl.org/ogit/Auth/Account>
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH
- scope: NTO
- parent: ogit/Node

**attributes**

- mandatory:
  - [ogit/Auth/Account/type](#)
  - [ogit/name](#)
  - [ogit/status](#)
- optional:
  - [ogit/Auth/Account/acceptedPrivacy](#)
  - [ogit/Auth/Account/acceptedProjectTerms](#)
  - [ogit/Auth/Account/acceptedTerms](#)
  - [ogit/Auth/Account/allowCookies](#)
  - [ogit/Auth/Account/statusReason](#)
  - [ogit/email](#)

**outgoing edges**

- [ogit/repliedWith](#) => [ogit/Survey/Reply](#)

**1.1.0.7 ogit/Project/Milestone**

An identity that represents an important event, achievement, ...

- id: <http://www.purl.org/ogit/Project/Milestone>
- valid-from: Mon Aug 08 00:00:00 UTC 2016
- creator: Arthur Shoba
- scope: NTO
- parent: ogit/Node



**attributes**

- optional:
  - [ogit/category](#)
  - [ogit/finishedAt](#)
  - [ogit/plannedFinishDate](#)
  - [ogit/plannedStartDate](#)
  - [ogit/startedAt](#)
  - [ogit/status](#)
  - [ogit/title](#)

**incoming edges**

- [ogit/belongs](#) <= [ogit/Survey/Iteration](#)
- [ogit/belongs](#) <= [ogit/Survey/Survey](#)

**1.1.0.8 ogit/Auth/Organization**

An ogit/Auth/Organization reflects a real world organization registered in hiro knowledge core

- id: <http://www.purl.org/ogit/Auth/Organization>
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH
- scope: NTO
- parent: ogit/Node

**attributes**

- mandatory:
  - [ogit/name](#)
- optional:
  - [ogit/isInternal](#)
  - [ogit/status](#)

**outgoing edges**

- [ogit/consumes](#) => [ogit/Survey/Iteration](#)
- [ogit/produces](#) => [ogit/Survey/Iteration](#)
- [ogit/supports](#) => [ogit/Survey/Iteration](#)

## 1.1.0.9 ogit/Project/Project

An identity that represents a grouping of Person, Milestone objects.

- id: <http://www.purl.org/ogit/Project/Project>
- valid-from: Mon Aug 08 00:00:00 UTC 2016
- creator: Arthur Shoba
- scope: NTO
- parent: ogit/Node

## attributes

- optional:
  - [ogit/category](#)
  - [ogit/finishedAt](#)
  - [ogit/placement](#)
  - [ogit/plannedFinishDate](#)
  - [ogit/plannedStartDate](#)
  - [ogit/startedAt](#)
  - [ogit/status](#)
  - [ogit/title](#)

## incoming edges

- [ogit/belongs](#) <= [ogit/Survey/Iteration](#)
- [ogit/belongs](#) <= [ogit/Survey/Survey](#)

## 1.2 Verbs

### 1.2.0.1 ogit/supports

This relationship defines that one entity provides/supports another entity.

- id: <http://www.purl.org/ogit/supports>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

#### Allowed Connection

- [ogit/Auth/Organization](#) => [ogit/Survey/Iteration](#)
- [ogit/Organization](#) => [ogit/Survey/Iteration](#)

### 1.2.0.2 ogit/consumes

This relationship indicates that one consumes result of work from another.

- id: <http://www.purl.org/ogit/consumes>
- valid-from: Mon Aug 08 00:00:00 UTC 2016
- creator: Alexander Ryabtsev

#### Allowed Connection

- [ogit/Auth/Organization](#) => [ogit/Survey/Iteration](#)
- [ogit/Organization](#) => [ogit/Survey/Iteration](#)

### 1.2.0.3 ogit/produces

This relationship indicates that one produces some work for another.

- id: <http://www.purl.org/ogit/produces>
- valid-from: Mon Aug 08 00:00:00 UTC 2016
- creator: Alexander Ryabtsev

#### Allowed Connection

- [ogit/Auth/Organization](#) => [ogit/Survey/Iteration](#)
- [ogit/Organization](#) => [ogit/Survey/Iteration](#)

#### 1.2.0.4 ogit/belongs

Verb showing if one entity belongs to another.

- id: <http://www.purl.org/ogit/belongs>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

##### Allowed Connection

- [ogit/Survey/Iteration](#) => [ogit/Project/Milestone](#)
- [ogit/Survey/Iteration](#) => [ogit/Project/Project](#)
- [ogit/Survey/Iteration](#) => [ogit/Survey/Survey](#)
- [ogit/Survey/Reply](#) => [ogit/Survey/Iteration](#)
- [ogit/Survey/Survey](#) => [ogit/Organization](#)
- [ogit/Survey/Survey](#) => [ogit/Project/Milestone](#)
- [ogit/Survey/Survey](#) => [ogit/Project/Project](#)

#### 1.2.0.5 ogit/repliedWith

This relationship indicates that user replied with something.

- id: <http://www.purl.org/ogit/repliedWith>
- valid-from: Mon Aug 08 00:00:00 UTC 2016
- creator: Alexander Ryabtsev

##### Allowed Connection

- [ogit/Auth/Account](#) => [ogit/Survey/Reply](#)
- [ogit/Person](#) => [ogit/Survey/Reply](#)

#### 1.2.0.6 ogit/relates

General relationship indicating that one entity is related to another one.

- id: <http://www.purl.org/ogit/relates>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

##### Allowed Connection

- [ogit/Person](#) => [ogit/Survey/Iteration](#)

## 1.3 Attributes

### 1.3.0.1 ogit/category

Used to categorize things.

- id: <http://www.purl.org/ogit/category>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Project/Milestone](#)
  - [ogit/Project/Project](#)
  - [ogit/Survey/Survey](#)

### 1.3.0.2 ogit/comment

Contains a comment.

- id: <http://www.purl.org/ogit/comment>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Aymen Ayoub

used

- optional:
  - [ogit/Survey/Reply](#)

### 1.3.0.3 ogit/postalCode

The postal code. For example, 60433.

- id: <http://www.purl.org/ogit/postalCode>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Organization](#)

#### 1.3.0.4 ogit/email

An email address.

- id: <http://www.purl.org/ogit/email>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Auth/Account](#)
  - [ogit/Organization](#)
  - [ogit/Person](#)

#### 1.3.0.5 ogit/alternativeName

Alternative name of something. In context of a Person this can be the full name or an alias/nick name.

- id: <http://www.purl.org/ogit/alternativeName>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Person](#)

#### 1.3.0.6 ogit/function

Attribute used to specify a function that some entity does/provides. This is more specific than 'description'. Should contain a short string. At this level of specification it is still a free form string. However, unlike 'description', it is expected to contain some list of fixed values.

- id: <http://www.purl.org/ogit/function>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Organization](#)

#### 1.3.0.7 ogit/country

Name of a country.

- id: <http://www.purl.org/ogit/country>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - [ogit/Organization](#)

#### 1.3.0.8 ogit/businessCategory

The category of a business.

- id: <http://www.purl.org/ogit/businessCategory>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - [ogit/Organization](#)

#### 1.3.0.9 ogit/question

Contains a question.

- id: <http://www.purl.org/ogit/question>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Survey/Reply](#)
  - [ogit/Survey/Survey](#)

#### 1.3.0.10 ogit/notification

A notification.

- id: <http://www.purl.org/ogit/notification>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - [ogit/Person](#)

#### 1.3.0.11 ogit/sourceId

The Id of the source system.

- id: <http://www.purl.org/ogit/sourceId>
- valid-from: Thu Jun 11 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Organization](#)
  - [ogit/Person](#)

#### 1.3.0.12 ogit/mobilePhone

A mobile phone number.

- id: <http://www.purl.org/ogit/mobilePhone>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Person](#)



#### 1.3.0.13 ogit/startedAt

Defines a point in time when the work on a change, task, or similar entity was actually started. The values must be combined date and time with time zone designator according to ISO 8601

- id: <http://www.purl.org/ogit/startedAt>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Project/Milestone](#)
  - [ogit/Project/Project](#)
  - [ogit/Survey/Iteration](#)

#### 1.3.0.14 ogit/city

Name of a city.

- id: <http://www.purl.org/ogit/city>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - [ogit/Organization](#)

#### 1.3.0.15 ogit/status

A status for an entity. At this level of specification no list of values is specified. However, applications using this attribute are expected to allow only a fixed list of values that seems useful in the application's semantic context.

- id: <http://www.purl.org/ogit/status>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- mandatory:
  - [ogit/Auth/Account](#)
- optional:
  - [ogit/Auth/Organization](#)
  - [ogit/Organization](#)
  - [ogit/Person](#)
  - [ogit/Project/Milestone](#)
  - [ogit/Project/Project](#)
  - [ogit/Survey/Iteration](#)
  - [ogit/Survey/Survey](#)

#### 1.3.0.16 [ogit/lastName](#)

Last name of a person.

- id: <http://www.purl.org/ogit/lastName>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Person](#)

#### 1.3.0.17 [ogit/middleName](#)

Middle name of a person.

- id: <http://www.purl.org/ogit/middleName>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - [ogit/Person](#)

**1.3.0.18 ogit/plannedFinishDate**

Defines the date when something will be finished.

- id: <http://www.purl.org/ogit/plannedFinishDate>
- valid-from: Mon Aug 08 00:00:00 UTC 2016
- creator: Alexander Ryabtsev

used

- optional:
  - [ogit/Project/Milestone](#)
  - [ogit/Project/Project](#)

**1.3.0.19 ogit/streetAddress**

The street address. For example, Eschersheimer Landstr. 526-532

- id: <http://www.purl.org/ogit/streetAddress>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Organization](#)

**1.3.0.20 ogit/Auth/Account/statusReason**

Status Reason of an ogit/Auth/Account

- id: <http://www.purl.org/ogit/Auth/Account/statusReason>
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- optional:
  - [ogit/Auth/Account](#)

#### 1.3.0.21 ogit/firstName

First name of a person

- id: <http://www.purl.org/ogit/firstName>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Person](#)

#### 1.3.0.22 ogit/title

Title of any kind. In the context of a Person this can be a courtesy title, an academic title, or a job title.

- id: <http://www.purl.org/ogit/title>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Person](#)
  - [ogit/Project/Milestone](#)
  - [ogit/Project/Project](#)
  - [ogit/Survey/Survey](#)

#### 1.3.0.23 ogit/isInternal

Boolean which can define internal data. The actual semantics depends on the usage context

- id: <http://www.purl.org/ogit/isInternal>
- valid-from: Fri Feb 01 00:00:00 UTC 2019
- creator: FCO

used

- optional:
  - [ogit/Auth/Organization](#)

## 1.3.0.24 ogit/schedule

Schedule represented by a string in cron format.

- id: <http://www.purl.org/ogit/schedule>
- valid-from: Mon Aug 08 00:00:00 UTC 2016
- creator: Alexander Ryabtsev

used

- optional:
  - [ogit/Survey/Survey](#)

## 1.3.0.25 ogit/Auth/Account/type

Type of an account. Values: person, application

- id: <http://www.purl.org/ogit/Auth/Account/type>
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- mandatory:
  - [ogit/Auth/Account](#)

## 1.3.0.26 ogit/name

Contains a name.

- id: <http://www.purl.org/ogit/name>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- mandatory:
  - [ogit/Auth/Account](#)
  - [ogit/Auth/Organization](#)
  - [ogit/Organization](#)

**1.3.0.27 ogit/description**

Contains a description.

- id: <http://www.purl.org/ogit/description>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Organization](#)
  - [ogit/Survey/Survey](#)

**1.3.0.28 ogit/placement**

A place where the object is placed.

- id: <http://www.purl.org/ogit/placement>
- valid-from: Mon Aug 08 00:00:00 UTC 2016
- creator: Alexander Ryabtsev

used

- optional:
  - [ogit/Project/Project](#)

**1.3.0.29 ogit/Auth/Account/acceptedProjectTerms**

Flag about whether HIRO Project terms were accepted

- id: <http://www.purl.org/ogit/Auth/Account/acceptedProjectTerms>
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- optional:
  - [ogit/Auth/Account](#)

**1.3.0.30 ogit/finishedAt**

Defines a point in time when the work on a change, task, or similar entity was actually finished. The values must be combined date and time with time zone designator according to ISO 8601

- id: <http://www.purl.org/ogit/finishedAt>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Project/Milestone](#)
  - [ogit/Project/Project](#)

**1.3.0.31 ogit/Auth/Account/acceptedTerms**

Flag about whether usage terms were accepted

- id: <http://www.purl.org/ogit/Auth/Account/acceptedTerms>
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- optional:
  - [ogit/Auth/Account](#)

**1.3.0.32 ogit/plannedStartDate**

Defines the date when something will be started.

- id: <http://www.purl.org/ogit/plannedStartDate>
- valid-from: Mon Aug 08 00:00:00 UTC 2016
- creator: Alexander Ryabtsev

used

- optional:
  - [ogit/Project/Milestone](#)
  - [ogit/Project/Project](#)

#### 1.3.0.33 ogit/officePhone

The phone number in the office.

- id: <http://www.purl.org/ogit/officePhone>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - [ogit/Person](#)

#### 1.3.0.34 ogit/phone

a phone number

- id: <http://www.purl.org/ogit/phone>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Organization](#)

#### 1.3.0.35 ogit/fax

The number of a fax.

- id: <http://www.purl.org/ogit/fax>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - [ogit/Person](#)



**1.3.0.36 ogit/type**

Type of an an entity.

- id: <http://www.purl.org/ogit/type>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Survey/Survey](#)

**1.3.0.37 ogit/Auth/Account/allowCookies**

Flag about whether cookies are allowed

- id: <http://www.purl.org/ogit/Auth/Account/allowCookies>
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- optional:
  - [ogit/Auth/Account](#)

**1.3.0.38 ogit/otherPhone**

The number of an other phone.

- id: <http://www.purl.org/ogit/otherPhone>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - [ogit/Person](#)

#### 1.3.0.39 ogit/webPage

A web page.

- id: <http://www.purl.org/ogit/webPage>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - [ogit/Organization](#)
  - [ogit/Person](#)

#### 1.3.0.40 ogit/Auth/Account/acceptedPrivacy

Flag about whether privacy terms were accepted

- id: <http://www.purl.org/ogit/Auth/Account/acceptedPrivacy>
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- optional:
  - [ogit/Auth/Account](#)

#### 1.3.0.41 ogit/position

Indicates user's position. This field contains a string value.

- id: <http://www.purl.org/ogit/position>
- valid-from: Tue Oct 18 00:00:00 UTC 2016
- creator: Arthur Shoba

used

- optional:
  - [ogit/Person](#)