

1 Module Docui	mentation	1
1.1 Entities .		1
	1.1.0.1 ogit/Organization	1
	1.1.0.2 ogit/Accounting/LineItem	2
	1.1.0.3 ogit/Accounting/DDTarget	3
	1.1.0.4 ogit/Relevance	3
	1.1.0.5 ogit/Accounting/FinancialStatement	3
	1.1.0.6 ogit/Accounting/ConfigItem	4
	1.1.0.7 ogit/Accounting/CompanySpecificCategorization	5
	1.1.0.8 ogit/Accounting/CompanyEntity	5
	1.1.0.9 ogit/Accounting/CategoryItem	6
	1.1.0.10 ogit/Timeseries	7
1.2 Verbs .		8
	1.2.0.1 ogit/contains	8
	1.2.0.2 ogit/generates	8
	1.2.0.3 ogit/Accounting/includes	8
	1.2.0.4 ogit/Accounting/contributesTo	9
	1.2.0.5 ogit/corresponds	9
	1.2.0.6 ogit/Accounting/maps	9
	1.2.0.7 ogit/belongs	10
	1.2.0.8 ogit/Accounting/has	10
	1.2.0.9 ogit/has	10
1.3 Attributes	5	11
	1.3.0.1 ogit/Accounting/template	11
	1.3.0.2 ogit/currency	11
	1.3.0.3 ogit/postalCode	11
	1.3.0.4 ogit/email	12
	1.3.0.5 ogit/function	12
	1.3.0.6 ogit/country	12
	1.3.0.7 ogit/businessCategory	13
	1.3.0.8 ogit/Accounting/subtype	13
	1.3.0.9 ogit/sourceld	13
	1.3.0.10 ogit/Accounting/rank	14
	1.3.0.11 ogit/Accounting/primaryReportingPeriod	14
	1.3.0.12 ogit/unit	14
	1.3.0.13 ogit/city	15
	1.3.0.14 ogit/status	15
	1.3.0.15 ogit/Accounting/TrialBalanceTargetAccountByNumber	15
	1.3.0.16 ogit/streetAddress	16
	1.3.0.17 ogit/Accounting/detailedCategories	16
	1.3.0.18 ogit/Accounting/AccountNumber	16
	1.3.0.19 ogit/name	17

1.3.0.20 ogit/description	17
1.3.0.21 ogit/Accounting/NAOCategorizations	17
1.3.0.22 ogit/language	18
1.3.0.23 ogit/Accounting/accountingStandard	18
1.3.0.24 ogit/Accounting/balance	18
1.3.0.25 ogit/phone	19
1.3.0.26 ogit/Accounting/periods	19
1.3.0.27 ogit/isMutable	19
1.3.0.28 ogit/webPage	20
1.3.0.29 ogit/id	20
1.3.0.30 ogit/occurenceCount	20
1.3.0.31 ogit/Accounting/association	21
1.3.0.32 ogit/instance	21
1.3.0.33 ogit/Accounting/mainCategories	21

Chapter 1

Module Documentation

1.1 Entities

1.1.0.1 ogit/Organization

An identity that represents an organization, company, or some other grouping of Person objects. Entities of this type should be created with a predefined ID. Those IDs should be named like a domain name, i.e. a concatention of some strings separated with a dot. if organization data is created from a LDAP then a mapping like "cn=John Doe,dc=example,dc=com" => "john_doe.example.com" should be employed. The ogit/function attribute should be used to tell what kind of grouping an entity of type Organization is: company, department, group, ...

• id: http://www.purl.org/ogit/Organization

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

· scope: SGO

· parent: ogit/Node

attributes

- · mandatory:
 - ogit/name
- · optional:
 - ogit/businessCategory
 - ogit/city
 - ogit/country
 - ogit/description
 - ogit/email
 - ogit/function
 - ogit/phone
 - ogit/postalCode
 - ogit/sourceld
 - ogit/status
 - ogit/streetAddress
 - ogit/webPage

incoming edges

- ogit/belongs <= ogit/Accounting/CompanyEntity
- ogit/belongs <= ogit/Accounting/DDTarget

1.1.0.2 ogit/Accounting/LineItem

Line Item is a Financial Statement Item

• id: http://www.purl.org/ogit/Accounting/LineItem

valid-from: Wed Dec 05 00:00:00 UTC 2018

· creator: Viktor Voss

· scope: NTO

· parent: ogit/Node

attributes

- · optional:
 - ogit/Accounting/AccountNumber
 - ogit/Accounting/association
 - ogit/Accounting/balance
 - ogit/Accounting/subtype
 - ogit/id
 - ogit/name

incoming edges

- ogit/contains <= ogit/Accounting/FinancialStatement
- ogit/contains <= ogit/Accounting/LineItem
- ogit/generates <= ogit/Accounting/LineItem

outgoing edges

- ogit/Accounting/contributesTo => ogit/Accounting/FinancialStatement
- ogit/Accounting/maps => ogit/Accounting/CategoryItem
- ogit/contains => ogit/Accounting/LineItem
- ogit/generates => ogit/Accounting/LineItem

1.1.0.3 ogit/Accounting/DDTarget

Due Diligences target company

• id: http://www.purl.org/ogit/Accounting/DDTarget

valid-from: Wed Dec 05 00:00:00 UTC 2018

· creator: Viktor Voss

· scope: NTO

· parent: ogit/Node

outgoing edges

- ogit/belongs => ogit/Organization
- ogit/generates => ogit/Accounting/FinancialStatement

1.1.0.4 ogit/Relevance

define importance of connection between two entities

• id: http://www.purl.org/ogit/Relevance

• valid-from: Tue Jul 23 00:00:00 UTC 2019

· creator: Kaushik Gondaliya

• scope: SGO

· parent: ogit/Node

attributes

- · optional:
 - ogit/occurenceCount

incoming edges

• ogit/has <= ogit/Accounting/CompanyEntity

1.1.0.5 ogit/Accounting/FinancialStatement

For example: Trial Balance...

• id: http://www.purl.org/ogit/Accounting/FinancialStatement

valid-from: Wed Dec 05 00:00:00 UTC 2018

· creator: Viktor Voss

· scope: NTO

parent: ogit/Node

attributes

- · mandatory:
 - ogit/Accounting/subtype
- · optional:
 - ogit/Accounting/periods
 - ogit/Accounting/primaryReportingPeriod
 - ogit/Accounting/template
 - ogit/currency
 - ogit/language

incoming edges

- ogit/Accounting/contributesTo <= ogit/Accounting/CategoryItem
- ogit/Accounting/contributesTo <= ogit/Accounting/LineItem
- ogit/generates <= ogit/Accounting/CompanyEntity
- ogit/generates <= ogit/Accounting/DDTarget

outgoing edges

- ogit/contains => ogit/Accounting/LineItem
- ogit/contains => ogit/Accounting/CategoryItem

1.1.0.6 ogit/Accounting/ConfigItem

Configltem is a company specific template or mapping

- id: http://www.purl.org/ogit/Accounting/ConfigItem
- valid-from: Wed Dec 05 00:00:00 UTC 2018
- · creator: Viktor Voss
- · scope: NTO
- · parent: ogit/Node

attributes

- mandatory:
 - ogit/Accounting/subtype
- optional:
 - ogit/Accounting/NAOCategorizations
 - ogit/Accounting/TrialBalanceTargetAccountByNumber
 - ogit/Accounting/detailedCategories
 - ogit/Accounting/mainCategories

incoming edges

ogit/Accounting/has <= ogit/Accounting/CompanyEntity

1.1.0.7 ogit/Accounting/CompanySpecificCategorization

Categorization Map for Categorizing Line Items

• id: http://www.purl.org/ogit/Accounting/CompanySpecificCategorization

valid-from: Wed Dec 05 00:00:00 UTC 2018

· creator: Gibson Xavier

· scope: NTO

· parent: ogit/Node

incoming edges

• ogit/contains <= ogit/Accounting/CompanyEntity

outgoing edges

• ogit/contains => ogit/Accounting/CompanyEntity

1.1.0.8 ogit/Accounting/CompanyEntity

For example: Group, Legal Entity...

- id: http://www.purl.org/ogit/Accounting/CompanyEntity
- valid-from: Wed Dec 05 00:00:00 UTC 2018

· creator: Viktor Voss

• scope: NTO

• parent: ogit/Node

attributes

- · optional:
 - ogit/Accounting/accountingStandard

incoming edges

- ogit/contains <= ogit/Accounting/CompanySpecificCategorization
- ogit/corresponds <= ogit/Accounting/CompanyEntity

outgoing edges

- ogit/Accounting/has => ogit/Accounting/ConfigItem
- ogit/belongs => ogit/Organization
- ogit/contains => ogit/Accounting/CompanySpecificCategorization
- ogit/corresponds => ogit/Accounting/CompanyEntity
- ogit/generates => ogit/Accounting/FinancialStatement
- ogit/generates => ogit/Timeseries
- ogit/has => ogit/Relevance

1.1.0.9 ogit/Accounting/CategoryItem

Category Item is a Financial Statement Item

• id: http://www.purl.org/ogit/Accounting/CategoryItem

valid-from: Wed Dec 05 00:00:00 UTC 2018

· creator: Viktor Voss

· scope: NTO

• parent: ogit/Node

attributes

- · mandatory:
 - ogit/Accounting/subtype
- optional:
 - ogit/Accounting/balance
 - ogit/Accounting/rank
 - ogit/id
 - ogit/name

incoming edges

- ogit/Accounting/includes <= ogit/Accounting/CategoryItem
- ogit/Accounting/maps <= ogit/Accounting/LineItem
- ogit/contains <= ogit/Accounting/FinancialStatement

outgoing edges

- ogit/Accounting/contributesTo => ogit/Accounting/FinancialStatement
- ogit/Accounting/includes => ogit/Accounting/CategoryItem

1.1.0.10 ogit/Timeseries

A time series is a sequence of data points, measured typically at successive points in time spaced at uniform time intervals.

• id: http://www.purl.org/ogit/Timeseries

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

· scope: SGO

· parent: ogit/Node

attributes

- · optional:
 - ogit/description
 - ogit/instance
 - ogit/isMutable
 - ogit/name
 - ogit/unit

incoming edges

• ogit/generates <= ogit/Accounting/CompanyEntity

1.2 Verbs 8

1.2 Verbs

1.2.0.1 ogit/contains

This relationship indicates that something is part of something else. see also "includes"

• id: http://www.purl.org/ogit/contains

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

Allowed Connection

• ogit/Accounting/CompanyEntity => ogit/Accounting/CompanySpecificCategorization

- ogit/Accounting/CompanySpecificCategorization => ogit/Accounting/CompanyEntity
- ogit/Accounting/FinancialStatement => ogit/Accounting/LineItem
- ogit/Accounting/FinancialStatement => ogit/Accounting/CategoryItem
- ogit/Accounting/LineItem => ogit/Accounting/LineItem

1.2.0.2 ogit/generates

Verb indicating if an entity generates another entity.

• id: http://www.purl.org/ogit/generates

valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

Allowed Connection

- ogit/Accounting/CompanyEntity => ogit/Accounting/FinancialStatement
- ogit/Accounting/CompanyEntity => ogit/Timeseries
- ogit/Accounting/DDTarget => ogit/Accounting/FinancialStatement
- ogit/Accounting/LineItem => ogit/Accounting/LineItem

1.2.0.3 ogit/Accounting/includes

Indicates if an category includes another category.

- id: http://www.purl.org/ogit/Accounting/includes
- valid-from: Wed Dec 05 00:00:00 UTC 2018
- · creator: Viktor Voss

1.2 Verbs 9

Allowed Connection

ogit/Accounting/CategoryItem => ogit/Accounting/CategoryItem

1.2.0.4 ogit/Accounting/contributesTo

Verb associates which entity contributes to another.

• id: http://www.purl.org/ogit/Accounting/contributesTo

valid-from: Wed Dec 05 00:00:00 UTC 2018

· creator: Viktor Voss

Allowed Connection

- ogit/Accounting/CategoryItem => ogit/Accounting/FinancialStatement
- ogit/Accounting/LineItem => ogit/Accounting/FinancialStatement

1.2.0.5 ogit/corresponds

Indicates wether one entity could correpond to a more general one, e.g. an Incident could correspond to a Ticket

- id: http://www.purl.org/ogit/corresponds
- valid-from: Thu May 21 00:00:00 UTC 2015
- · creator: Peter Larem

Allowed Connection

• ogit/Accounting/CompanyEntity => ogit/Accounting/CompanyEntity

1.2.0.6 ogit/Accounting/maps

Indicates if an category maps another category.

- id: http://www.purl.org/ogit/Accounting/maps
- valid-from: Wed Dec 05 00:00:00 UTC 2018
- · creator: Viktor Voss

Allowed Connection

ogit/Accounting/LineItem => ogit/Accounting/CategoryItem

1.2 Verbs 10

1.2.0.7 ogit/belongs

Verb showing if one entity belongs to another.

```
• id: http://www.purl.org/ogit/belongs
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

Allowed Connection

- ogit/Accounting/CompanyEntity => ogit/Organization
- ogit/Accounting/DDTarget => ogit/Organization

1.2.0.8 ogit/Accounting/has

Indicates if an entity has another entity.

```
• id: http://www.purl.org/ogit/Accounting/has
```

valid-from: Wed Dec 12 00:00:00 UTC 2018

· creator: Viktor Voss

Allowed Connection

• ogit/Accounting/CompanyEntity => ogit/Accounting/ConfigItem

1.2.0.9 ogit/has

Indicates if an entity has another entity.

```
• id: http://www.purl.org/ogit/has
```

valid-from: Thu Mar 28 00:00:00 UTC 2019

· creator: Kaushik Gondaliya

Allowed Connection

• ogit/Accounting/CompanyEntity => ogit/Relevance

1.3 Attributes

1.3.0.1 ogit/Accounting/template

A template of a financial statement.

```
• id: http://www.purl.org/ogit/Accounting/template
```

valid-from: Wed Dec 05 00:00:00 UTC 2018

· creator: Viktor Voss

used

- · optional:
 - ogit/Accounting/FinancialStatement

1.3.0.2 ogit/currency

A currency code, possibly according to ISO 4217.

```
• id: http://www.purl.org/ogit/currency
```

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
 - ogit/Accounting/FinancialStatement

1.3.0.3 ogit/postalCode

The postal code. For example, 60433.

```
• id: http://www.purl.org/ogit/postalCode
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

- optional:
 - ogit/Organization

1.3.0.4 ogit/email

An email address.

```
• id: http://www.purl.org/ogit/email
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
 - ogit/Organization

1.3.0.5 ogit/function

Attibute used to specify a function that some entity does/provides. This is more specific then 'description'. Should contain a short string. At this level of specification it is still a free from string. However, unlike 'description', it is expected to contain some list of fixed values.

```
• id: http://www.purl.org/ogit/function
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
 - ogit/Organization

1.3.0.6 ogit/country

Name of a country.

- id: http://www.purl.org/ogit/country
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

- · optional:
 - ogit/Organization

1.3.0.7 ogit/businessCategory

The category of a business.

```
• id: http://www.purl.org/ogit/businessCategory
```

• valid-from: Mon Jul 27 00:00:00 UTC 2015

· creator: Philipp Pelchmann

used

- · optional:
 - ogit/Organization

1.3.0.8 ogit/Accounting/subtype

A subtype of a financial statement. Possible values are: Trial Balance, Balance Sheet, Net Accet Overview

```
• id: http://www.purl.org/ogit/Accounting/subtype
```

valid-from: Wed Dec 05 00:00:00 UTC 2018

· creator: Viktor Voss

used

- · mandatory:
 - ogit/Accounting/CategoryItem
 - ogit/Accounting/ConfigItem
 - ogit/Accounting/FinancialStatement
- optional:
 - ogit/Accounting/LineItem

1.3.0.9 ogit/sourceld

The Id of the source system.

- id: http://www.purl.org/ogit/sourceId
- · valid-from: Thu Jun 11 00:00:00 UTC 2015
- · creator: Peter Larem

- optional:
 - ogit/Organization

1.3.0.10 ogit/Accounting/rank

A rank of the item in a financial statement.

```
• id: http://www.purl.org/ogit/Accounting/rank
```

· valid-from: Wed Dec 05 00:00:00 UTC 2018

· creator: Viktor Voss

used

- · optional:
 - ogit/Accounting/CategoryItem

1.3.0.11 ogit/Accounting/primaryReportingPeriod

Unknown

- id: http://www.purl.org/ogit/Accounting/primaryReportingPeriod
- valid-from: Wed Dec 12 00:00:00 UTC 2018
- · creator: Viktor Voss

used

- · optional:
 - ogit/Accounting/FinancialStatement

1.3.0.12 ogit/unit

Unit of measurement of some value.

- id: http://www.purl.org/ogit/unit
- valid-from: Thu May 21 00:00:00 UTC 2015
- · creator: Peter Larem

- · optional:
 - ogit/Timeseries

1.3.0.13 ogit/city

Name of a city.

```
• id: http://www.purl.org/ogit/city
```

• valid-from: Mon Jul 27 00:00:00 UTC 2015

· creator: Philipp Pelchmann

used

- · optional:
 - ogit/Organization

1.3.0.14 ogit/status

A status for an entity. At this level of specification no list of values is specified. However, applications using this attribute are expected to allow only a fixed list of values that seems usefual in the application's semantic context.

```
• id: http://www.purl.org/ogit/status
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
 - ogit/Organization

1.3.0.15 ogit/Accounting/TrialBalanceTargetAccountByNumber

Unknown

- id: http://www.purl.org/ogit/Accounting/TrialBalanceTargetAccountByNumber
- valid-from: Wed Dec 12 00:00:00 UTC 2018
- · creator: Viktor Voss

- · optional:
 - ogit/Accounting/ConfigItem

1.3.0.16 ogit/streetAddress

The street address. For example, Eschersheimer Landstr. 526-532

```
• id: http://www.purl.org/ogit/streetAddress
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
 - ogit/Organization

1.3.0.17 ogit/Accounting/detailedCategories

Unknown

- id: http://www.purl.org/ogit/Accounting/detailedCategories
- valid-from: Wed Dec 12 00:00:00 UTC 2018
- · creator: Viktor Voss

used

- · optional:
 - ogit/Accounting/ConfigItem

1.3.0.18 ogit/Accounting/AccountNumber

Unknown

- id: http://www.purl.org/ogit/Accounting/AccountNumber
- valid-from: Wed Dec 12 00:00:00 UTC 2018
- · creator: Viktor Voss

- · optional:
 - ogit/Accounting/LineItem

1.3.0.19 ogit/name

Contains a name.

```
• id: http://www.purl.org/ogit/name
```

valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · mandatory:
 - ogit/Organization
- · optional:
 - ogit/Accounting/CategoryItem
 - ogit/Accounting/LineItem
 - ogit/Timeseries

1.3.0.20 ogit/description

Contains a description.

- id: http://www.purl.org/ogit/description
- · valid-from: Thu May 21 00:00:00 UTC 2015
- · creator: Peter Larem

used

- · optional:
 - ogit/Organization
 - ogit/Timeseries

1.3.0.21 ogit/Accounting/NAOCategorizations

Unknown

- id: http://www.purl.org/ogit/Accounting/NAOCategorizations
- valid-from: Wed Dec 12 00:00:00 UTC 2018
- · creator: Viktor Voss

- · optional:
 - ogit/Accounting/ConfigItem

1.3.0.22 ogit/language

A language code, possibly according to ISO 639.

```
• id: http://www.purl.org/ogit/language
```

· valid-from: Wed Dec 05 00:00:00 UTC 2018

· creator: Viktor Voss

used

- · optional:
 - ogit/Accounting/FinancialStatement

1.3.0.23 ogit/Accounting/accountingStandard

Unknown

- id: http://www.purl.org/ogit/Accounting/accountingStandard
- valid-from: Wed Dec 12 00:00:00 UTC 2018
- · creator: Viktor Voss

used

- · optional:
 - ogit/Accounting/CompanyEntity

1.3.0.24 ogit/Accounting/balance

For a period, or for a category aggregated balance in the related currency

- id: http://www.purl.org/ogit/Accounting/balance
- valid-from: Wed Dec 05 00:00:00 UTC 2018
- · creator: Viktor Voss

- · optional:
 - ogit/Accounting/CategoryItem
 - ogit/Accounting/LineItem

1.3.0.25 ogit/phone

a phone number

```
• id: http://www.purl.org/ogit/phone
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
 - ogit/Organization

1.3.0.26 ogit/Accounting/periods

Aone ore more periods of a financial statement.

- id: http://www.purl.org/ogit/Accounting/periods
- valid-from: Wed Dec 05 00:00:00 UTC 2018
- · creator: Viktor Voss

used

- · optional:
 - ogit/Accounting/FinancialStatement

1.3.0.27 ogit/isMutable

True if the value can be changed. E.g. after a service is provisioned.

- id: http://www.purl.org/ogit/isMutable
- · valid-from: Thu May 21 00:00:00 UTC 2015
- · creator: Peter Larem

- · optional:
 - ogit/Timeseries

1.3.0.28 ogit/webPage

A web page.

```
• id: http://www.purl.org/ogit/webPage
```

• valid-from: Mon Jul 27 00:00:00 UTC 2015

• creator: Philipp Pelchmann

used

- · optional:
 - ogit/Organization

1.3.0.29 ogit/id

General id.

- id: http://www.purl.org/ogit/id
- · valid-from: Thu May 21 00:00:00 UTC 2015
- · creator: Peter Larem

used

- optional:
 - ogit/Accounting/CategoryItem
 - ogit/Accounting/LineItem

1.3.0.30 ogit/occurenceCount

Defines the number an event occured.

- id: http://www.purl.org/ogit/occurenceCount
- valid-from: Wed Aug 03 00:00:00 UTC 2016
- · creator: Philipp Pelchmann

- · optional:
 - ogit/Relevance

1.3.0.31 ogit/Accounting/association

A association to one ore more standard categories

```
• id: http://www.purl.org/ogit/Accounting/association
```

• valid-from: Wed Dec 05 00:00:00 UTC 2018

· creator: Viktor Voss

used

- · optional:
 - ogit/Accounting/LineItem

1.3.0.32 ogit/instance

Defines the name of an instance.

- id: http://www.purl.org/ogit/instance
- valid-from: Wed Aug 03 00:00:00 UTC 2016
- · creator: Philipp Pelchmann

used

- · optional:
 - ogit/Timeseries

1.3.0.33 ogit/Accounting/mainCategories

Unknown

- id: http://www.purl.org/ogit/Accounting/mainCategories
- valid-from: Wed Dec 12 00:00:00 UTC 2018
- · creator: Viktor Voss

- · optional:
 - ogit/Accounting/ConfigItem