

---

Mobile

---

February 11, 2021

|   |          |
|---|----------|
| <b>1 Module Documentation</b>                 | <b>1</b> |
| 1.1 Entities                                  | 1        |
| 1.1.0.1 ogit/Organization                     | 1        |
| 1.1.0.2 ogit/Mobile/LicenceCodes              | 2        |
| 1.1.0.3 ogit/Health/Diagnostics/Test          | 2        |
| 1.1.0.4 ogit/Mobile/AppInstance               | 3        |
| 1.1.0.5 ogit/Person                           | 4        |
| 1.1.0.6 ogit/Mobile/Message                   | 5        |
| 1.1.0.7 ogit/Mobile/HealthInfo                | 5        |
| 1.1.0.8 ogit/Mobile/DeviceSpecifications      | 6        |
| 1.1.0.9 ogit/Mobile/Encounter                 | 6        |
| 1.1.0.10 ogit/Health/Diagnostics/Demographics | 7        |
| 1.1.0.11 ogit/Auth/Account                    | 7        |
| 1.1.0.12 ogit/Mobile/MsgTemplate              | 8        |
| 1.1.0.13 ogit/Timeseries                      | 9        |
| 1.2 Verbs                                     | 10       |
| 1.2.0.1 ogit/generates                        | 10       |
| 1.2.0.2 ogit/connects                         | 10       |
| 1.2.0.3 ogit/belongs                          | 10       |
| 1.2.0.4 ogit/uses                             | 11       |
| 1.2.0.5 ogit/has                              | 11       |
| 1.3 Attributes                                | 12       |
| 1.3.0.1 ogit/manufacturer                     | 12       |
| 1.3.0.2 ogit/Mobile/licenceCode               | 12       |
| 1.3.0.3 ogit/postalCode                       | 12       |
| 1.3.0.4 ogit/Mobile/healthStatus              | 13       |
| 1.3.0.5 ogit/Mobile/TXcorrection              | 13       |
| 1.3.0.6 ogit/Health/Diagnostics/equipmentID   | 13       |
| 1.3.0.7 ogit/Mobile/bundleID                  | 14       |
| 1.3.0.8 ogit/email                            | 14       |
| 1.3.0.9 ogit/Mobile/category                  | 14       |
| 1.3.0.10 ogit/Mobile/message                  | 15       |
| 1.3.0.11 ogit/alternativeName                 | 15       |
| 1.3.0.12 ogit/function                        | 15       |
| 1.3.0.13 ogit/source                          | 16       |
| 1.3.0.14 ogit/Mobile/lastActive               | 16       |
| 1.3.0.15 ogit/Health/Diagnostics/testResult   | 16       |
| 1.3.0.16 ogit/Health/Diagnostics/errorCode    | 17       |
| 1.3.0.17 ogit/country                         | 17       |
| 1.3.0.18 ogit/businessCategory                | 17       |
| 1.3.0.19 ogit/Location/zipCode                | 18       |
| 1.3.0.20 ogit/Health/Diagnostics/ICDCode      | 18       |

|  |    |
|--|----|
| 1.3.0.21 ogit/Mobile/deviceType . . . . .                    | 18 |
| 1.3.0.22 ogit/notification . . . . .                         | 19 |
| 1.3.0.23 ogit/sourceId . . . . .                             | 19 |
| 1.3.0.24 ogit/Mobile/osVersion . . . . .                     | 19 |
| 1.3.0.25 ogit/Mobile/ctaTarget . . . . .                     | 20 |
| 1.3.0.26 ogit/latitude . . . . .                             | 20 |
| 1.3.0.27 ogit/Mobile/deviceCodeName . . . . .                | 20 |
| 1.3.0.28 ogit/mobilePhone . . . . .                          | 21 |
| 1.3.0.29 ogit/Mobile/time . . . . .                          | 21 |
| 1.3.0.30 ogit/unit . . . . .                                 | 21 |
| 1.3.0.31 ogit/Mobile/isActive . . . . .                      | 22 |
| 1.3.0.32 ogit/city . . . . .                                 | 22 |
| 1.3.0.33 ogit/status . . . . .                               | 22 |
| 1.3.0.34 ogit/Mobile/appPermissions . . . . .                | 23 |
| 1.3.0.35 ogit/Mobile/enctime . . . . .                       | 23 |
| 1.3.0.36 ogit/longitude . . . . .                            | 23 |
| 1.3.0.37 ogit/lastName . . . . .                             | 24 |
| 1.3.0.38 ogit/Mobile/firebaseToken . . . . .                 | 24 |
| 1.3.0.39 ogit/Mobile/locale . . . . .                        | 24 |
| 1.3.0.40 ogit/Location/residenceCountry . . . . .            | 25 |
| 1.3.0.41 ogit/middleName . . . . .                           | 25 |
| 1.3.0.42 ogit/Mobile/registrationType . . . . .              | 25 |
| 1.3.0.43 ogit/Mobile/label . . . . .                         | 26 |
| 1.3.0.44 ogit/streetAddress . . . . .                        | 26 |
| 1.3.0.45 ogit/Auth/Account/statusReason . . . . .            | 26 |
| 1.3.0.46 ogit/Mobile/headline . . . . .                      | 27 |
| 1.3.0.47 ogit/firstName . . . . .                            | 27 |
| 1.3.0.48 ogit/Mobile/appConfigMode . . . . .                 | 27 |
| 1.3.0.49 ogit/Mobile/uuid . . . . .                          | 28 |
| 1.3.0.50 ogit/title . . . . .                                | 28 |
| 1.3.0.51 ogit/Health/Diagnostics/appID . . . . .             | 28 |
| 1.3.0.52 ogit/Mobile/deviceCode . . . . .                    | 29 |
| 1.3.0.53 ogit/Mobile/deviceModel . . . . .                   | 29 |
| 1.3.0.54 ogit/Mobile/duration . . . . .                      | 29 |
| 1.3.0.55 ogit/Health/Diagnostics/liquidContactTime . . . . . | 30 |
| 1.3.0.56 ogit/Health/Diagnostics/testCompletedAt . . . . .   | 30 |
| 1.3.0.57 ogit/Health/Diagnostics/symptoms . . . . .          | 30 |
| 1.3.0.58 ogit/Mobile/devicePlatform . . . . .                | 31 |
| 1.3.0.59 ogit/Mobile/ctaType . . . . .                       | 31 |
| 1.3.0.60 ogit/Auth/Account/type . . . . .                    | 31 |
| 1.3.0.61 ogit/name . . . . .                                 | 32 |
| 1.3.0.62 ogit/Health/Diagnostics/testDate . . . . .          | 32 |

|  |    |
|--|----|
| 1.3.0.63 ogit/description . . . . .                        | 32 |
| 1.3.0.64 ogit/Mobile/subline . . . . .                     | 33 |
| 1.3.0.65 ogit/consentLevel . . . . .                       | 33 |
| 1.3.0.66 ogit/Auth/Account/acceptedProjectTerms . . . . .  | 33 |
| 1.3.0.67 ogit/Auth/Account/acceptedTerms . . . . .         | 34 |
| 1.3.0.68 ogit/Health/Diagnostics/birthyearRange . . . . .  | 34 |
| 1.3.0.69 ogit/officePhone . . . . .                        | 34 |
| 1.3.0.70 ogit/phone . . . . .                              | 35 |
| 1.3.0.71 ogit/fax . . . . .                                | 35 |
| 1.3.0.72 ogit/Health/Diagnostics/testStartedAt . . . . .   | 35 |
| 1.3.0.73 ogit/Health/Diagnostics/firmwareVersion . . . . . | 36 |
| 1.3.0.74 ogit/Auth/Account/allowCookies . . . . .          | 36 |
| 1.3.0.75 ogit/otherPhone . . . . .                         | 36 |
| 1.3.0.76 ogit/Health/Diagnostics/sensorID . . . . .        | 37 |
| 1.3.0.77 ogit/isMutable . . . . .                          | 37 |
| 1.3.0.78 ogit/Mobile/deactivationTime . . . . .            | 37 |
| 1.3.0.79 ogit/Mobile/RSSICorrection . . . . .              | 38 |
| 1.3.0.80 ogit/Mobile/criticality . . . . .                 | 38 |
| 1.3.0.81 ogit/Mobile/movementType . . . . .                | 38 |
| 1.3.0.82 ogit/Health/Diagnostics/testMethod . . . . .      | 39 |
| 1.3.0.83 ogit/webPage . . . . .                            | 39 |
| 1.3.0.84 ogit/Mobile/delivered . . . . .                   | 39 |
| 1.3.0.85 ogit/Auth/Account/acceptedPrivacy . . . . .       | 40 |
| 1.3.0.86 ogit/Mobile/healthStatusUpdateTime . . . . .      | 40 |
| 1.3.0.87 ogit/Mobile/distance . . . . .                    | 40 |
| 1.3.0.88 ogit/Mobile/osRadio . . . . .                     | 41 |
| 1.3.0.89 ogit/Mobile/activationTime . . . . .              | 41 |
| 1.3.0.90 ogit/position . . . . .                           | 41 |
| 1.3.0.91 ogit/Mobile/riskScore . . . . .                   | 42 |
| 1.3.0.92 ogit/Mobile/appVersion . . . . .                  | 42 |
| 1.3.0.93 ogit/Mobile/cta . . . . .                         | 42 |
| 1.3.0.94 ogit/gender . . . . .                             | 43 |
| 1.3.0.95 ogit/instance . . . . .                           | 43 |

# Chapter 1

## Module Documentation

### 1.1 Entities

#### 1.1.0.1 ogit/Organization

An identity that represents an organization, company, or some other grouping of Person objects. Entities of this type should be created with a predefined ID. Those IDs should be named like a domain name, i.e. a concatenation of some strings separated with a dot. If organization data is created from a LDAP then a mapping like "cn=John Doe,dc=example,dc=com" => "john\_doe.example.com" should be employed. The ogit/function attribute should be used to tell what kind of grouping an entity of type Organization is: company, department, group, ...

- id: <http://www.purl.org/ogit/Organization>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem
- scope: SGO
- parent: ogit/Node

#### attributes

- mandatory:
  - [ogit/name](#)
- optional:
  - [ogit/businessCategory](#)
  - [ogit/city](#)
  - [ogit/country](#)
  - [ogit/description](#)
  - [ogit/email](#)
  - [ogit/function](#)
  - [ogit/phone](#)
  - [ogit/postalCode](#)
  - [ogit/sourceId](#)
  - [ogit/status](#)
  - [ogit/streetAddress](#)
  - [ogit/webPage](#)

## incoming edges

- [ogit/belongs](#) <= [ogit/Mobile/AppInstance](#)

1.1.0.2 [ogit/Mobile/LicenceCodes](#)

Unique Licence Codes which is used for mobile app activation.

- id: <http://www.purl.org/ogit/Mobile/LicenceCodes>
- valid-from: Thu Jul 09 00:00:00 UTC 2020
- creator: Kaushik Gondaliya
- scope: NTO
- parent: [ogit/Node](#)

## attributes

- mandatory:
  - [ogit/Mobile/licenceCode](#)
- optional:
  - [ogit/Mobile/activationTime](#)
  - [ogit/Mobile/deactivationTime](#)
  - [ogit/Mobile/deviceCode](#)
  - [ogit/Mobile/deviceType](#)
  - [ogit/Mobile/isActive](#)
  - [ogit/Mobile/label](#)
  - [ogit/Mobile/lastActive](#)
  - [ogit/Mobile/licenceCode](#)

## incoming edges

- [ogit/uses](#) <= [ogit/Person](#)

1.1.0.3 [ogit/Health/Diagnostics/Test](#)

## Test

- id: <http://www.purl.org/ogit/Health/Diagnostics/Test>
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Viktor Voss
- scope: NTO
- parent: [ogit/Node](#)

**attributes**

- optional:
  - [ogit/Health/Diagnostics/ICDCode](#)
  - [ogit/Health/Diagnostics/appID](#)
  - [ogit/Health/Diagnostics/equipmentID](#)
  - [ogit/Health/Diagnostics/errorCode](#)
  - [ogit/Health/Diagnostics/firmwareVersion](#)
  - [ogit/Health/Diagnostics/liquidContactTime](#)
  - [ogit/Health/Diagnostics/sensorID](#)
  - [ogit/Health/Diagnostics/testCompletedAt](#)
  - [ogit/Health/Diagnostics/testDate](#)
  - [ogit/Health/Diagnostics/testMethod](#)
  - [ogit/Health/Diagnostics/testResult](#)
  - [ogit/Health/Diagnostics/testStartedAt](#)
  - [ogit/Mobile/appVersion](#)

**incoming edges**

- [ogit/connects](#) <= [ogit/Mobile/AppInstance](#)

**1.1.0.4 ogit/Mobile/AppInstance**

Mobile application instance.

- id: <http://www.purl.org/ogit/Mobile/AppInstance>
- valid-from: Sun Mar 15 00:00:00 UTC 2020
- creator: Kaushik Gondaliya
- scope: NTO
- parent: [ogit/Node](#)

**attributes**

- optional:
  - [ogit/Mobile/appConfigMode](#)
  - [ogit/Mobile/appPermissions](#)
  - [ogit/Mobile/appVersion](#)
  - [ogit/Mobile/bundleID](#)
  - [ogit/Mobile/deviceCodeName](#)
  - [ogit/Mobile/deviceModel](#)
  - [ogit/Mobile/devicePlatform](#)
  - [ogit/Mobile/deviceType](#)
  - [ogit/Mobile/firebaseToken](#)
  - [ogit/Mobile/lastActive](#)
  - [ogit/Mobile/osRadio](#)
  - [ogit/Mobile/osVersion](#)
  - [ogit/Mobile/registrationType](#)
  - [ogit/Mobile/uuid](#)
  - [ogit/consentLevel](#)
  - [ogit/description](#)
  - [ogit/manufacture](#)

## incoming edges

- `ogit/uses`  $\leq$  `ogit/Person`

## outgoing edges

- `ogit/belongs`  $\Rightarrow$  `ogit/Organization`
- `ogit/connects`  $\Rightarrow$  `ogit/Health/Diagnostics/Test`
- `ogit/generates`  $\Rightarrow$  `ogit/Timeseries`
- `ogit/generates`  $\Rightarrow$  `ogit/Health/Diagnostics/Demographics`
- `ogit/has`  $\Rightarrow$  `ogit/Mobile/Encounter`
- `ogit/has`  $\Rightarrow$  `ogit/Auth/Account`

1.1.0.5 `ogit/Person`

A Person represents a human identity.

- id: <http://www.purl.org/ogit/Person>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem
- scope: SGO
- parent: `ogit/Node`

## attributes

- optional:
  - `ogit/alternativeName`
  - `ogit/email`
  - `ogit/fax`
  - `ogit/firstName`
  - `ogit/lastName`
  - `ogit/middleName`
  - `ogit/mobilePhone`
  - `ogit/notification`
  - `ogit/officePhone`
  - `ogit/otherPhone`
  - `ogit/position`
  - `ogit/sourceId`
  - `ogit/status`
  - `ogit/title`
  - `ogit/webPage`



**outgoing edges**

- [ogit/has](#) => [ogit/Mobile/HealthInfo](#)
- [ogit/uses](#) => [ogit/Mobile/AppInstance](#)
- [ogit/uses](#) => [ogit/Mobile/LicenceCodes](#)

**1.1.0.6 ogit/Mobile/Message**

Message nodes created when new messages are available for App.

- id: <http://www.purl.org/ogit/Mobile/Message>
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya
- scope: NTO
- parent: ogit/Node

**attributes**

- optional:
  - [ogit/Mobile/delivered](#)
  - [ogit/Mobile/enctime](#)
  - [ogit/name](#)

**1.1.0.7 ogit/Mobile/HealthInfo**

information regarding app instance.

- id: <http://www.purl.org/ogit/Mobile/HealthInfo>
- valid-from: Thu Jul 09 00:00:00 UTC 2020
- creator: Kaushik Gondaliya
- scope: NTO
- parent: ogit/Node

**attributes**

- optional:
  - [ogit/Mobile/deviceType](#)
  - [ogit/Mobile/healthStatus](#)
  - [ogit/Mobile/healthStatusUpdateTime](#)
  - [ogit/Mobile/label](#)
  - [ogit/Mobile/licenceCode](#)

**incoming edges**

- [ogit/has](#) ≤ [ogit/Person](#)

**1.1.0.8 ogit/Mobile/DeviceSpecifications**

Mobile device specifications i.e. model, manufacturer ...

- id: <http://www.purl.org/ogit/Mobile/DeviceSpecifications>
- valid-from: Sun Mar 15 00:00:00 UTC 2020
- creator: Kaushik Gondaliya
- scope: NTO
- parent: ogit/Node

**attributes**

- optional:
  - [ogit/Mobile/RSSICorrection](#)
  - [ogit/Mobile/TXcorrection](#)
  - [ogit/Mobile/deviceCodeName](#)
  - [ogit/Mobile/deviceModel](#)
  - [ogit/Mobile/devicePlatform](#)
  - [ogit/Mobile/osRadio](#)
  - [ogit/manufacturer](#)
  - [ogit/source](#)

**1.1.0.9 ogit/Mobile/Encounter**

Defined connection between applications.

- id: <http://www.purl.org/ogit/Mobile/Encounter>
- valid-from: Sun Mar 15 00:00:00 UTC 2020
- creator: Kaushik Gondaliya
- scope: NTO
- parent: ogit/Node

**attributes**

- optional:
  - [ogit/Mobile/category](#)
  - [ogit/Mobile/criticality](#)
  - [ogit/Mobile/distance](#)
  - [ogit/Mobile/duration](#)
  - [ogit/Mobile/movementType](#)
  - [ogit/Mobile/riskScore](#)
  - [ogit/Mobile/time](#)

## incoming edges

- [ogit/has](#) ≤ [ogit/Mobile/AppInstance](#)

1.1.0.10 [ogit/Health/Diagnostics/Demographics](#)

Demographics data of user

- id: <http://www.purl.org/ogit/Health/Diagnostics/Demographics>
- valid-from: Tue Sep 15 00:00:00 UTC 2020
- creator: Kaushik Gondaliya
- scope: NTO
- parent: [ogit/Node](#)

## attributes

- optional:
  - [ogit/Health/Diagnostics/birthyearRange](#)
  - [ogit/Health/Diagnostics/symptoms](#)
  - [ogit/Location/residenceCountry](#)
  - [ogit/Location/zipCode](#)
  - [ogit/gender](#)
  - [ogit/latitude](#)
  - [ogit/longitude](#)

## incoming edges

- [ogit/generates](#) ≤ [ogit/Mobile/AppInstance](#)

1.1.0.11 [ogit/Auth/Account](#)

An account is used for authentication and authorization.

- id: <http://www.purl.org/ogit/Auth/Account>
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH
- scope: NTO
- parent: [ogit/Node](#)

**attributes**

- mandatory:
  - [ogit/Auth/Account/type](#)
  - [ogit/name](#)
  - [ogit/status](#)
- optional:
  - [ogit/Auth/Account/acceptedPrivacy](#)
  - [ogit/Auth/Account/acceptedProjectTerms](#)
  - [ogit/Auth/Account/acceptedTerms](#)
  - [ogit/Auth/Account/allowCookies](#)
  - [ogit/Auth/Account/statusReason](#)
  - [ogit/email](#)

**incoming edges**

- [ogit/has](#) <= [ogit/Mobile/ApplInstance](#)

**1.1.0.12 ogit/Mobile/MsgTemplate**

Message templates in different languages.

- id: <http://www.purl.org/ogit/Mobile/MsgTemplate>
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya
- scope: NTO
- parent: [ogit/Node](#)

**attributes**

- optional:
  - [ogit/Mobile/cta](#)
  - [ogit/Mobile/ctaTarget](#)
  - [ogit/Mobile/ctaType](#)
  - [ogit/Mobile/headline](#)
  - [ogit/Mobile/locale](#)
  - [ogit/Mobile/message](#)
  - [ogit/Mobile/subline](#)
  - [ogit/name](#)

## 1.1.0.13 ogit/Timeseries

A time series is a sequence of data points, measured typically at successive points in time spaced at uniform time intervals.

- id: <http://www.purl.org/ogit/Timeseries>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem
- scope: SGO
- parent: ogit/Node

## attributes

- optional:
  - [ogit/description](#)
  - [ogit/instance](#)
  - [ogit/isMutable](#)
  - [ogit/name](#)
  - [ogit/unit](#)

## incoming edges

- [ogit/generates](#) <= [ogit/Mobile/AppInstance](#)

## 1.2 Verbs

### 1.2.0.1 ogit/generates

Verb indicating if an entity generates another entity.

- id: <http://www.purl.org/ogit/generates>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

#### Allowed Connection

- [ogit/Mobile/AplInstance](#) => [ogit/Timeseries](#)
- [ogit/Mobile/AplInstance](#) => [ogit/Health/Diagnostics/Demographics](#)

### 1.2.0.2 ogit/connects

Verb showing that an entity is physically/virtually connecting to another entity.

- id: <http://www.purl.org/ogit/connects>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

#### Allowed Connection

- [ogit/Mobile/AplInstance](#) => [ogit/Health/Diagnostics/Test](#)

### 1.2.0.3 ogit/belongs

Verb showing if one entity belongs to another.

- id: <http://www.purl.org/ogit/belongs>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

#### Allowed Connection

- [ogit/Mobile/AplInstance](#) => [ogit/Organization](#)

## 1.2.0.4 ogit/uses

This relationship indicates that some entity is used by some other.

- id: <http://www.purl.org/ogit/uses>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

## Allowed Connection

- [ogit/Person](#) => [ogit/Mobile/AppInstance](#)
- [ogit/Person](#) => [ogit/Mobile/LicenceCodes](#)

## 1.2.0.5 ogit/has

Indicates if an entity has another entity.

- id: <http://www.purl.org/ogit/has>
- valid-from: Thu Mar 28 00:00:00 UTC 2019
- creator: Kaushik Gondaliya

## Allowed Connection

- [ogit/Mobile/AppInstance](#) => [ogit/Mobile/Encounter](#)
- [ogit/Mobile/AppInstance](#) => [ogit/Auth/Account](#)
- [ogit/Person](#) => [ogit/Mobile/HealthInfo](#)

## 1.3 Attributes

### 1.3.0.1 ogit/manufacturer

Manufacturer of a device or component.

- id: <http://www.purl.org/ogit/manufacturer>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Aymen Ayoub

used

- optional:
  - [ogit/Mobile/AppInstance](#)
  - [ogit/Mobile/DeviceSpecifications](#)

### 1.3.0.2 ogit/Mobile/licenceCode

unique uuid number

- id: <http://www.purl.org/ogit/Mobile/licenceCode>
- valid-from: Thu Jul 09 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- mandatory:
  - [ogit/Mobile/LicenceCodes](#)
- optional:
  - [ogit/Mobile/HealthInfo](#)
  - [ogit/Mobile/LicenceCodes](#)

### 1.3.0.3 ogit/postalCode

The postal code. For example, 60433.

- id: <http://www.purl.org/ogit/postalCode>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Organization](#)



#### 1.3.0.4 ogit/Mobile/healthStatus

current health status about the person using the device

- id: <http://www.purl.org/ogit/Mobile/healthStatus>
- valid-from: Thu Jul 09 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/HealthInfo](#)

#### 1.3.0.5 ogit/Mobile/TXcorrection

TX correction values for mobile phones.

- id: <http://www.purl.org/ogit/Mobile/TXcorrection>
- valid-from: Thu Aug 27 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/DeviceSpecifications](#)

#### 1.3.0.6 ogit/Health/Diagnostics/equipmentID

UDI of an equipment, for example a Sensor Hub.

- id: <http://www.purl.org/ogit/Health/Diagnostics/equipmentID>
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
  - [ogit/Health/Diagnostics/Test](#)

#### 1.3.0.7 ogit/Mobile/bundleID

bundle id of the application, i.e debug, release.

- id: <http://www.purl.org/ogit/Mobile/bundleID>
- valid-from: Thu Aug 27 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/AppInstance](#)

#### 1.3.0.8 ogit/email

An email address.

- id: <http://www.purl.org/ogit/email>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Auth/Account](#)
  - [ogit/Organization](#)
  - [ogit/Person](#)

#### 1.3.0.9 ogit/Mobile/category

TODO

- id: <http://www.purl.org/ogit/Mobile/category>
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/Encounter](#)

#### 1.3.0.10 ogit/Mobile/message

text for message

- id: <http://www.purl.org/ogit/Mobile/message>
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/MsgTemplate](#)

#### 1.3.0.11 ogit/alternativeName

Alternative name of something. In context of a Person this can be the full name or an alias/nick name.

- id: <http://www.purl.org/ogit/alternativeName>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Person](#)

#### 1.3.0.12 ogit/function

Attribute used to specify a function that some entity does/provides. This is more specific than 'description'. Should contain a short string. At this level of specification it is still a free from string. However, unlike 'description', it is expected to contain some list of fixed values.

- id: <http://www.purl.org/ogit/function>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Organization](#)

**1.3.0.13 ogit/source**

source of data, string value.

- id: <http://www.purl.org/ogit/source>
- valid-from: Thu Aug 27 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/DeviceSpecifications](#)

**1.3.0.14 ogit/Mobile/lastActive**

the last day when app was used.

- id: <http://www.purl.org/ogit/Mobile/lastActive>
- valid-from: Thu Jul 09 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/AppInstance](#)
  - [ogit/Mobile/LicenceCodes](#)

**1.3.0.15 ogit/Health/Diagnostics/testResult**

Test result (positive, negative, inconclusive).

- id: <http://www.purl.org/ogit/Health/Diagnostics/testResult>
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
  - [ogit/Health/Diagnostics/Test](#)

**1.3.0.16** `ogit/Health/Diagnostics/errorCode`

Error code.

- id: <http://www.purl.org/ogit/Health/Diagnostics/errorCode>
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
  - [ogit/Health/Diagnostics/Test](#)

**1.3.0.17** `ogit/country`

Name of a country.

- id: <http://www.purl.org/ogit/country>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - [ogit/Organization](#)

**1.3.0.18** `ogit/businessCategory`

The category of a business.

- id: <http://www.purl.org/ogit/businessCategory>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - [ogit/Organization](#)

## 1.3.0.19 ogit/Location/zipCode

The zip code of a city.

- id: <http://www.purl.org/ogit/Location/zipCode>
- valid-from: Fri Aug 23 00:00:00 UTC 2019
- creator: Marek Meyer

used

- optional:
  - [ogit/Health/Diagnostics/Demographics](#)

## 1.3.0.20 ogit/Health/Diagnostics/ICDCode

Code assigned to diagnoses of diseases and other health problems according to ICD (International Classification of Diseases and Related Health Problems). More information at <https://icd.who.int/icd11refguide/en/index.html>

- id: <http://www.purl.org/ogit/Health/Diagnostics/ICDCode>
- valid-from: Thu Jan 21 00:00:00 UTC 2021
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Health/Diagnostics/Test](#)

## 1.3.0.21 ogit/Mobile/deviceType

type of device such as Mobile, FOB...

- id: <http://www.purl.org/ogit/Mobile/deviceType>
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/AppInstance](#)
  - [ogit/Mobile/HealthInfo](#)
  - [ogit/Mobile/LicenceCodes](#)

## 1.3.0.22 ogit/notification

A notification.

- id: <http://www.purl.org/ogit/notification>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - [ogit/Person](#)

## 1.3.0.23 ogit/sourceId

The Id of the source system.

- id: <http://www.purl.org/ogit/sourceId>
- valid-from: Thu Jun 11 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Organization](#)
  - [ogit/Person](#)

## 1.3.0.24 ogit/Mobile/osVersion

operating system version on which application is installed

- id: <http://www.purl.org/ogit/Mobile/osVersion>
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/AppInstance](#)

#### 1.3.0.25 ogit/Mobile/ctaTarget

call to action target, for ex. web url

- id: <http://www.purl.org/ogit/Mobile/ctaTarget>
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/MsgTemplate](#)

#### 1.3.0.26 ogit/latitude

It is a geographic coordinate that specifies the north–south position of a point on the Earth's surface..

- id: <http://www.purl.org/ogit/latitude>
- valid-from: Mon Aug 24 00:00:00 UTC 2020
- creator: Kaushik gondaliya

used

- optional:
  - [ogit/Health/Diagnostics/Demographics](#)

#### 1.3.0.27 ogit/Mobile/deviceCodeName

device code names, for ex walleye for google pixel 2.

- id: <http://www.purl.org/ogit/Mobile/deviceCodeName>
- valid-from: Mon Aug 31 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/AppInstance](#)
  - [ogit/Mobile/DeviceSpecifications](#)



**1.3.0.28** ogit/mobilePhone

A mobile phone number.

- id: <http://www.purl.org/ogit/mobilePhone>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Person](#)

**1.3.0.29** ogit/Mobile/time

Time when connection started.

- id: <http://www.purl.org/ogit/Mobile/time>
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/Encounter](#)

**1.3.0.30** ogit/unit

Unit of measurement of some value.

- id: <http://www.purl.org/ogit/unit>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Timeseries](#)

**1.3.0.31 ogit/Mobile/isActive**

boolean flag. indicate if node is currently used

- id: <http://www.purl.org/ogit/Mobile/isActive>
- valid-from: Thu Jul 09 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/LicenceCodes](#)

**1.3.0.32 ogit/city**

Name of a city.

- id: <http://www.purl.org/ogit/city>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - [ogit/Organization](#)

**1.3.0.33 ogit/status**

A status for an entity. At this level of specification no list of values is specified. However, applications using this attribute are expected to allow only a fixed list of values that seems useful in the application's semantic context.

- id: <http://www.purl.org/ogit/status>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- mandatory:
  - [ogit/Auth/Account](#)
- optional:
  - [ogit/Organization](#)
  - [ogit/Person](#)

#### 1.3.0.34 ogit/Mobile/appPermissions

permission available for the application

- id: <http://www.purl.org/ogit/Mobile/appPermissions>
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/AppInstance](#)

#### 1.3.0.35 ogit/Mobile/enctime

TODO

- id: <http://www.purl.org/ogit/Mobile/enctime>
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/Message](#)

#### 1.3.0.36 ogit/longitude

It is a geographic coordinate that specifies the east–west position of a point on the Earth's surface.

- id: <http://www.purl.org/ogit/longitude>
- valid-from: Mon Aug 24 00:00:00 UTC 2020
- creator: Kaushik gondaliya

used

- optional:
  - [ogit/Health/Diagnostics/Demographics](#)

**1.3.0.37** ogit/lastName

Last name of a person.

- id: <http://www.purl.org/ogit/lastName>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Person](#)

**1.3.0.38** ogit/Mobile/firebaseToken

firebaseToken

- id: <http://www.purl.org/ogit/Mobile/firebaseToken>
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/AppInstance](#)

**1.3.0.39** ogit/Mobile/locale

locale code defined in which language message should be retuned

- id: <http://www.purl.org/ogit/Mobile/locale>
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/MsgTemplate](#)

**1.3.0.40 ogit/Location/residenceCountry**

The name of a residence country.

- id: <http://www.purl.org/ogit/Location/residenceCountry>
- valid-from: Fri Aug 23 00:00:00 UTC 2019
- creator: Marek Meyer

used

- optional:
  - [ogit/Health/Diagnostics/Demographics](#)

**1.3.0.41 ogit/middleName**

Middle name of a person.

- id: <http://www.purl.org/ogit/middleName>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - [ogit/Person](#)

**1.3.0.42 ogit/Mobile/registrationType**

registration Type, to identify push notification service used, if yes then which one

- id: <http://www.purl.org/ogit/Mobile/registrationType>
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/AppInstance](#)

**1.3.0.43 ogit/Mobile/label**

label for licence code.

- id: <http://www.purl.org/ogit/Mobile/label>
- valid-from: Thu Jul 09 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/HealthInfo](#)
  - [ogit/Mobile/LicenceCodes](#)

**1.3.0.44 ogit/streetAddress**

The street address. For example, Eschersheimer Landstr. 526-532

- id: <http://www.purl.org/ogit/streetAddress>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Organization](#)

**1.3.0.45 ogit/Auth/Account/statusReason**

Status Reason of an ogit/Auth/Account

- id: <http://www.purl.org/ogit/Auth/Account/statusReason>
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- optional:
  - [ogit/Auth/Account](#)

**1.3.0.46 ogit/Mobile/headline**

headline for message

- id: <http://www.purl.org/ogit/Mobile/headline>
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/MsgTemplate](#)

**1.3.0.47 ogit/firstName**

First name of a person

- id: <http://www.purl.org/ogit/firstName>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Person](#)

**1.3.0.48 ogit/Mobile/appConfigMode**

app configuration mode, i.e debug, release.

- id: <http://www.purl.org/ogit/Mobile/appConfigMode>
- valid-from: Thu Aug 27 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/AppInstance](#)

**1.3.0.49** ogit/Mobile/uuid

uuid is unique identifier for application.

- id: <http://www.purl.org/ogit/Mobile/uuid>
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/AppInstance](#)

**1.3.0.50** ogit/title

Title of any kind. In the context of a Person this can be a courtesy title, an academic title, or a job title.

- id: <http://www.purl.org/ogit/title>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Person](#)

**1.3.0.51** ogit/Health/Diagnostics/appID

UDI of App (if paired).

- id: <http://www.purl.org/ogit/Health/Diagnostics/appID>
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
  - [ogit/Health/Diagnostics/Test](#)



**1.3.0.52** `ogit/Mobile/deviceCode`

This attribute contains a unique device code, which identifies a specific device.

- id: <http://www.purl.org/ogit/Mobile/deviceCode>
- valid-from: Mon Sep 28 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
  - [ogit/Mobile/LicenceCodes](#)

**1.3.0.53** `ogit/Mobile/deviceModel`

model of device

- id: <http://www.purl.org/ogit/Mobile/deviceModel>
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/AppInstance](#)
  - [ogit/Mobile/DeviceSpecifications](#)

**1.3.0.54** `ogit/Mobile/duration`

time duration of the connection

- id: <http://www.purl.org/ogit/Mobile/duration>
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/Encounter](#)

**1.3.0.55** `ogit/Health/Diagnostics/liquidContactTime`

liquid contact time.

- id: <http://www.purl.org/ogit/Health/Diagnostics/liquidContactTime>
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
  - [ogit/Health/Diagnostics/Test](#)

**1.3.0.56** `ogit/Health/Diagnostics/testCompletedAt`

timestamp of test completion.

- id: <http://www.purl.org/ogit/Health/Diagnostics/testCompletedAt>
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
  - [ogit/Health/Diagnostics/Test](#)

**1.3.0.57** `ogit/Health/Diagnostics/symptoms`

symptoms (enum).

- id: <http://www.purl.org/ogit/Health/Diagnostics/symptoms>
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
  - [ogit/Health/Diagnostics/Demographics](#)

**1.3.0.58 ogit/Mobile/devicePlatform**

Platform of device i.e ios, android..

- id: <http://www.purl.org/ogit/Mobile/devicePlatform>
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/AppInstance](#)
  - [ogit/Mobile/DeviceSpecifications](#)

**1.3.0.59 ogit/Mobile/ctaType**

call to action type

- id: <http://www.purl.org/ogit/Mobile/ctaType>
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/MsgTemplate](#)

**1.3.0.60 ogit/Auth/Account/type**

Type of an account. Values: person, application

- id: <http://www.purl.org/ogit/Auth/Account/type>
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- mandatory:
  - [ogit/Auth/Account](#)

1.3.0.61 `ogit/name`

Contains a name.

- id: <http://www.purl.org/ogit/name>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- mandatory:
  - [ogit/Auth/Account](#)
  - [ogit/Organization](#)
- optional:
  - [ogit/Mobile/Message](#)
  - [ogit/Mobile/MsgTemplate](#)
  - [ogit/Timeseries](#)

1.3.0.62 `ogit/Health/Diagnostics/testDate`

Date when Test is performed.

- id: <http://www.purl.org/ogit/Health/Diagnostics/testDate>
- valid-from: Tue Oct 27 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Health/Diagnostics/Test](#)

1.3.0.63 `ogit/description`

Contains a description.

- id: <http://www.purl.org/ogit/description>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Mobile/AppInstance](#)
  - [ogit/Organization](#)
  - [ogit/Timeseries](#)

**1.3.0.64 ogit/Mobile/subline**

Additional text providing more information

- id: <http://www.purl.org/ogit/Mobile/subline>
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/MsgTemplate](#)

**1.3.0.65 ogit/consentLevel**

formal agreement with contact.

- id: <http://www.purl.org/ogit/consentLevel>
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/AppInstance](#)

**1.3.0.66 ogit/Auth/Account/acceptedProjectTerms**

Flag about whether HIRO Project terms were accepted

- id: <http://www.purl.org/ogit/Auth/Account/acceptedProjectTerms>
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- optional:
  - [ogit/Auth/Account](#)

**1.3.0.67** `ogit/Auth/Account/acceptedTerms`

Flag about whether usage terms were accepted

- id: <http://www.purl.org/ogit/Auth/Account/acceptedTerms>
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- optional:
  - [ogit/Auth/Account](#)

**1.3.0.68** `ogit/Health/Diagnostics/birthyearRange`

Birth year in range ( “before 1910”, “1910-1920”).

- id: <http://www.purl.org/ogit/Health/Diagnostics/birthyearRange>
- valid-from: Mon Sep 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
  - [ogit/Health/Diagnostics/Demographics](#)

**1.3.0.69** `ogit/officePhone`

The phone number in the office.

- id: <http://www.purl.org/ogit/officePhone>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - [ogit/Person](#)

1.3.0.70 `ogit/phone`

a phone number

- id: <http://www.purl.org/ogit/phone>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Organization](#)

1.3.0.71 `ogit/fax`

The number of a fax.

- id: <http://www.purl.org/ogit/fax>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - [ogit/Person](#)

1.3.0.72 `ogit/Health/Diagnostics/testStartedAt`

timestamp of test start.

- id: <http://www.purl.org/ogit/Health/Diagnostics/testStartedAt>
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
  - [ogit/Health/Diagnostics/Test](#)

**1.3.0.73** `ogit/Health/Diagnostics/firmwareVersion`

Sensor Hub firmware version.

- id: <http://www.purl.org/ogit/Health/Diagnostics/firmwareVersion>
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
  - [ogit/Health/Diagnostics/Test](#)

**1.3.0.74** `ogit/Auth/Account/allowCookies`

Flag about whether cookies are allowed

- id: <http://www.purl.org/ogit/Auth/Account/allowCookies>
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- optional:
  - [ogit/Auth/Account](#)

**1.3.0.75** `ogit/otherPhone`

The number of an other phone.

- id: <http://www.purl.org/ogit/otherPhone>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - [ogit/Person](#)



**1.3.0.76 ogit/Health/Diagnostics/sensorID**

UDI of bio sensor (= Test ID).

- id: <http://www.purl.org/ogit/Health/Diagnostics/sensorID>
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
  - [ogit/Health/Diagnostics/Test](#)

**1.3.0.77 ogit/isMutable**

True if the value can be changed. E.g. after a service is provisioned.

- id: <http://www.purl.org/ogit/isMutable>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Timeseries](#)

**1.3.0.78 ogit/Mobile/deactivationTime**

time when licence code is deactivated.

- id: <http://www.purl.org/ogit/Mobile/deactivationTime>
- valid-from: Thu Jul 09 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/LicenceCodes](#)

**1.3.0.79 ogit/Mobile/RSSICorrection**

rssicorrection values for mobile phones.

- id: <http://www.purl.org/ogit/Mobile/RSSICorrection>
- valid-from: Thu Aug 27 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/DeviceSpecifications](#)

**1.3.0.80 ogit/Mobile/criticality**

TODO

- id: <http://www.purl.org/ogit/Mobile/criticality>
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/Encounter](#)

**1.3.0.81 ogit/Mobile/movementType**

type of movement such as foot, bus, train

- id: <http://www.purl.org/ogit/Mobile/movementType>
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/Encounter](#)

**1.3.0.82 ogit/Health/Diagnostics/testMethod**

Test method (PCR, Antigen, Antibody).

- id: <http://www.purl.org/ogit/Health/Diagnostics/testMethod>
- valid-from: Tue Oct 27 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Health/Diagnostics/Test](#)

**1.3.0.83 ogit/webPage**

A web page.

- id: <http://www.purl.org/ogit/webPage>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - [ogit/Organization](#)
  - [ogit/Person](#)

**1.3.0.84 ogit/Mobile/delivered**

boolean value, set true if message is delivered to app.

- id: <http://www.purl.org/ogit/Mobile/delivered>
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/Message](#)

**1.3.0.85** `ogit/Auth/Account/acceptedPrivacy`

Flag about whether privacy terms were accepted

- id: <http://www.purl.org/ogit/Auth/Account/acceptedPrivacy>
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- optional:
  - [ogit/Auth/Account](#)

**1.3.0.86** `ogit/Mobile/healthStatusUpdateTime`

last time when health status was updated. UTC timestamp format

- id: <http://www.purl.org/ogit/Mobile/healthStatusUpdateTime>
- valid-from: Thu Jul 09 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/HealthInfo](#)

**1.3.0.87** `ogit/Mobile/distance`

distance between two device where application is installed

- id: <http://www.purl.org/ogit/Mobile/distance>
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/Encounter](#)

**1.3.0.88 ogit/Mobile/osRadio**

internal chipset or design identifier for mobile phones.

- id: <http://www.purl.org/ogit/Mobile/osRadio>
- valid-from: Thu Aug 27 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/AppInstance](#)
  - [ogit/Mobile/DeviceSpecifications](#)

**1.3.0.89 ogit/Mobile/activationTime**

time when licence code is activated.

- id: <http://www.purl.org/ogit/Mobile/activationTime>
- valid-from: Thu Jul 09 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/LicenceCodes](#)

**1.3.0.90 ogit/position**

Indicates user's position. This field contains a string value.

- id: <http://www.purl.org/ogit/position>
- valid-from: Tue Oct 18 00:00:00 UTC 2016
- creator: Arthur Shoba

used

- optional:
  - [ogit/Person](#)

**1.3.0.91 ogit/Mobile/riskScore**

risk score

- id: <http://www.purl.org/ogit/Mobile/riskScore>
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/Encounter](#)

**1.3.0.92 ogit/Mobile/appVersion**

mobile application version

- id: <http://www.purl.org/ogit/Mobile/appVersion>
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Health/Diagnostics/Test](#)
  - [ogit/Mobile/AppInstance](#)

**1.3.0.93 ogit/Mobile/cta**

call to action. describe action should be taken by app user

- id: <http://www.purl.org/ogit/Mobile/cta>
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/MsgTemplate](#)

#### 1.3.0.94 ogit/gender

person's gender(sex). i.e male, female..

- id: <http://www.purl.org/ogit/gender>
- valid-from: Mon Aug 24 00:00:00 UTC 2020
- creator: Kaushik gondaliya

used

- optional:
  - [ogit/Health/Diagnostics/Demographics](#)

#### 1.3.0.95 ogit/instance

Defines the name of an instance.

- id: <http://www.purl.org/ogit/instance>
- valid-from: Wed Aug 03 00:00:00 UTC 2016
- creator: Philipp Pelchmann

used

- optional:
  - [ogit/Timeseries](#)