

1 Module Docui	mentation	1
1.1 Entities .		1
	1.1.0.1 ogit/Health/Diagnostics/Test	1
	1.1.0.2 ogit/Health/Diagnostics/Laboratory	2
	1.1.0.3 ogit/Person	2
	1.1.0.4 ogit/Health/Diagnostics/Equipment	3
	1.1.0.5 ogit/Attachment	4
	1.1.0.6 ogit/Health/Diagnostics/Anamnesis	5
	1.1.0.7 ogit/Timeseries	5
1.2 Verbs .		7
	1.2.0.1 ogit/manages	7
	1.2.0.2 ogit/generates	7
	1.2.0.3 ogit/includes	7
	1.2.0.4 ogit/performs	8
1.3 Attributes	<b>5</b>	9
	1.3.0.1 ogit/manufacturer	9
	1.3.0.2 ogit/postalCode	9
	1.3.0.3 ogit/Health/Diagnostics/equipmentID	9
	1.3.0.4 ogit/email	10
	1.3.0.5 ogit/alternativeName	10
	1.3.0.6 ogit/function	10
	1.3.0.7 ogit/locationPrecision	11
	1.3.0.8 ogit/yearOfBirth	11
	1.3.0.9 ogit/Health/Diagnostics/testResult	11
	1.3.0.10 ogit/Health/Diagnostics/errorCode	12
	1.3.0.11 ogit/country	12
	1.3.0.12 ogit/notification	12
	1.3.0.13 ogit/sourceld	13
	1.3.0.14 ogit/url	13
	1.3.0.15 ogit/Mobile/osVersion	13
	1.3.0.16 ogit/latitude	14
	1.3.0.17 ogit/mobilePhone	14
	1.3.0.18 ogit/unit	14
	1.3.0.19 ogit/city	15
	1.3.0.20 ogit/status	15
	1.3.0.21 ogit/createdAt	15
	1.3.0.22 ogit/longitude	16
	1.3.0.23 ogit/lastName	16
	1.3.0.24 ogit/middleName	16
	1.3.0.25 ogit/accessControl	17
	1.3.0.26 ogit/streetAddress	17
	1.3.0.27 ogit/firstName	17

1.3.0.28 ogit/title	18
1.3.0.29 ogit/Health/Diagnostics/appID	18
1.3.0.30 ogit/Mobile/deviceModel	18
1.3.0.31 ogit/Health/Diagnostics/testCompletedAt	19
1.3.0.32 ogit/content	19
1.3.0.33 ogit/Health/Diagnostics/symptoms	19
1.3.0.34 ogit/Mobile/devicePlatform	20
1.3.0.35 ogit/name	20
1.3.0.36 ogit/description	20
1.3.0.37 ogit/locationAcquisitionTime	21
1.3.0.38 ogit/lastUpdatedBy	21
1.3.0.39 ogit/officePhone	21
1.3.0.40 ogit/phone	22
1.3.0.41 ogit/fax	22
1.3.0.42 ogit/Health/Diagnostics/testStartedAt	22
1.3.0.43 ogit/Health/Diagnostics/firmwareVersion	23
1.3.0.44 ogit/Health/Diagnostics/testCounter	23
1.3.0.45 ogit/type	23
1.3.0.46 ogit/otherPhone	24
1.3.0.47 ogit/Health/Diagnostics/sensorID	24
1.3.0.48 ogit/isMutable	24
1.3.0.49 ogit/sourceTable	25
1.3.0.50 ogit/creator	25
1.3.0.51 ogit/webPage	25
1.3.0.52 ogit/lastUpdatedAt	26
1.3.0.53 ogit/id	26
1.3.0.54 ogit/size	26
1.3.0.55 ogit/Mobile/activationTime	27
1.3.0.56 ogit/position	27
1.3.0.57 ogit/Mobile/appVersion	27
1.3.0.58 ogit/gender	28
1.3.0.59 ogit/instance	28

# **Chapter 1**

# **Module Documentation**

# 1.1 Entities

1.1.0.1 ogit/Health/Diagnostics/Test

### Test

• id: http://www.purl.org/ogit/Health/Diagnostics/Test

valid-from: Fri Aug 14 00:00:00 UTC 2020

creator: Viktor Voss

• scope: NTO

• parent: ogit/Node

## attributes

- · optional:
  - ogit/Health/Diagnostics/appID
  - ogit/Health/Diagnostics/equipmentID
  - ogit/Health/Diagnostics/errorCode
  - ogit/Health/Diagnostics/firmwareVersion
  - ogit/Health/Diagnostics/sensorID
  - ogit/Health/Diagnostics/testCompletedAt
  - ogit/Health/Diagnostics/testResult
  - ogit/Health/Diagnostics/testStartedAt
  - ogit/Mobile/appVersion

### incoming edges

- ogit/manages <= ogit/Person
- ogit/performs <= ogit/Health/Diagnostics/Equipment
- ogit/performs <= ogit/Health/Diagnostics/Laboratory

### outgoing edges

- ogit/generates => ogit/Attachment
- ogit/includes => ogit/Health/Diagnostics/Anamnesis

### 1.1.0.2 ogit/Health/Diagnostics/Laboratory

### Test Laboratory

• id: http://www.purl.org/ogit/Health/Diagnostics/Laboratory

· valid-from: Fri Aug 14 00:00:00 UTC 2020

· creator: Viktor Voss

· scope: NTO

· parent: ogit/Node

### attributes

- · mandatory:
  - ogit/name
- optional:
  - ogit/city
  - ogit/country
  - ogit/description
  - ogit/email
  - ogit/function
  - ogit/phone
  - ogit/postalCode
  - ogit/streetAddress
  - ogit/webPage

### outgoing edges

- ogit/manages => ogit/Health/Diagnostics/Equipment
- ogit/performs => ogit/Health/Diagnostics/Test

### 1.1.0.3 ogit/Person

# A Person represents a human identity.

• id: http://www.purl.org/ogit/Person

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

• scope: SGO

parent: ogit/Node

### attributes

- · optional:
  - ogit/alternativeName
  - ogit/email
  - ogit/fax
  - ogit/firstName
  - ogit/lastName
  - ogit/middleName
  - ogit/mobilePhone
  - ogit/notification
  - ogit/officePhone
  - ogit/otherPhone
  - ogit/position
  - ogit/sourceld
  - ogit/status
  - ogit/title
  - ogit/webPage

# outgoing edges

- ogit/manages => ogit/Health/Diagnostics/Equipment
- ogit/manages => ogit/Health/Diagnostics/Test

### 1.1.0.4 ogit/Health/Diagnostics/Equipment

Test Equipment (Sensor Hub). UDI of Sensor Hub is saved in the \_xid attribute

- id: http://www.purl.org/ogit/Health/Diagnostics/Equipment
- · valid-from: Fri Aug 14 00:00:00 UTC 2020
- · creator: Viktor Voss
- · scope: NTO
- parent: ogit/Node

## attributes

- · optional:
  - ogit/Health/Diagnostics/equipmentID
  - ogit/Health/Diagnostics/firmwareVersion
  - ogit/Mobile/activationTime
  - ogit/Mobile/deviceModel

### incoming edges

- ogit/manages <= ogit/Health/Diagnostics/Laboratory
- ogit/manages <= ogit/Person

### outgoing edges

- ogit/generates => ogit/Timeseries
- ogit/performs => ogit/Health/Diagnostics/Test

### 1.1.0.5 ogit/Attachment

This entity defines a file attachment that an IT service, issue, task or a ticket might have. The attachment itself is not saved in GraphIT, instead it contains an external url link for it.

- id: http://www.purl.org/ogit/Attachment
- · valid-from: Thu May 21 00:00:00 UTC 2015
- · creator: Peter Larem
- · scope: SGO
- · parent: ogit/Node

### attributes

- · optional:
  - ogit/accessControl
  - ogit/content
  - ogit/createdAt
  - ogit/creator
  - ogit/id
  - ogit/lastUpdatedAt
  - ogit/lastUpdatedBy
  - ogit/name
  - ogit/size
  - ogit/sourceTable
  - ogit/type
  - ogit/url

# incoming edges

• ogit/generates <= ogit/Health/Diagnostics/Test

### 1.1.0.6 ogit/Health/Diagnostics/Anamnesis

### Anamnesis (Demographics)

• id: http://www.purl.org/ogit/Health/Diagnostics/Anamnesis

· valid-from: Fri Aug 14 00:00:00 UTC 2020

· creator: Viktor Voss

· scope: NTO

· parent: ogit/Node

### attributes

- · optional:
  - ogit/Health/Diagnostics/appID
  - ogit/Health/Diagnostics/symptoms
  - ogit/Mobile/appVersion
  - ogit/Mobile/deviceModel
  - ogit/Mobile/devicePlatform
  - ogit/Mobile/osVersion
  - ogit/gender
  - ogit/latitude
  - ogit/locationAcquisitionTime
  - ogit/locationPrecision
  - ogit/longitude
  - ogit/manufacturer
  - ogit/yearOfBirth

### incoming edges

• ogit/includes <= ogit/Health/Diagnostics/Test

### 1.1.0.7 ogit/Timeseries

A time series is a sequence of data points, measured typically at successive points in time spaced at uniform time intervals.

- id: http://www.purl.org/ogit/Timeseries
- valid-from: Thu May 21 00:00:00 UTC 2015
- · creator: Peter Larem
- · scope: SGO
- · parent: ogit/Node

# attributes

- optional:
  - ogit/description
  - ogit/instance
  - ogit/isMutable
  - ogit/name
  - ogit/unit

# incoming edges

• ogit/generates <= ogit/Health/Diagnostics/Equipment

1.2 Verbs 7

### 1.2 Verbs

### 1.2.0.1 ogit/manages

This relationship indicates that one entity manages some other.

```
• id: http://www.purl.org/ogit/manages
```

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

### **Allowed Connection**

• ogit/Health/Diagnostics/Laboratory => ogit/Health/Diagnostics/Equipment

- ogit/Person => ogit/Health/Diagnostics/Equipment
- ogit/Person => ogit/Health/Diagnostics/Test

### 1.2.0.2 ogit/generates

Verb indicating if an entity generates another entity.

```
• id: http://www.purl.org/ogit/generates
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

#### **Allowed Connection**

- ogit/Health/Diagnostics/Equipment => ogit/Timeseries
- ogit/Health/Diagnostics/Test => ogit/Attachment

### 1.2.0.3 ogit/includes

Indicates if an entity includes something else.

```
• id: http://www.purl.org/ogit/includes
```

· valid-from: Thu Jul 05 00:00:00 UTC 2018

• creator: qikram@arago.de

### **Allowed Connection**

• ogit/Health/Diagnostics/Test => ogit/Health/Diagnostics/Anamnesis

1.2 Verbs 8

# 1.2.0.4 ogit/performs

# TODO.

• id: http://www.purl.org/ogit/performs

• valid-from: Thu Feb 25 00:00:00 UTC 2016

• creator: bneal@arago.de

### **Allowed Connection**

• ogit/Health/Diagnostics/Equipment => ogit/Health/Diagnostics/Test

• ogit/Health/Diagnostics/Laboratory => ogit/Health/Diagnostics/Test

# 1.3 Attributes

### 1.3.0.1 ogit/manufacturer

Manufacturer of a device or component.

```
• id: http://www.purl.org/ogit/manufacturer
```

• valid-from: Mon Jul 27 00:00:00 UTC 2015

· creator: Aymen Ayoub

used

- · optional:
  - ogit/Health/Diagnostics/Anamnesis

### 1.3.0.2 ogit/postalCode

The postal code. For example, 60433.

```
• id: http://www.purl.org/ogit/postalCode
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
  - ogit/Health/Diagnostics/Laboratory

# 1.3.0.3 ogit/Health/Diagnostics/equipmentID

UDI of an equipment, for example a Sensor Hub.

```
• id: http://www.purl.org/ogit/Health/Diagnostics/equipmentID
```

• valid-from: Fri Aug 14 00:00:00 UTC 2020

· creator: Marek Meyer

- · optional:
  - ogit/Health/Diagnostics/Equipment
  - ogit/Health/Diagnostics/Test

### 1.3.0.4 ogit/email

An email address.

```
• id: http://www.purl.org/ogit/email
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

#### used

- · optional:
  - ogit/Health/Diagnostics/Laboratory
  - ogit/Person

### 1.3.0.5 ogit/alternativeName

Alternative name of something. In context of a Person this can be the full name or an alias/nick name.

```
• id: http://www.purl.org/ogit/alternativeName
```

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

### used

- · optional:
  - ogit/Person

### 1.3.0.6 ogit/function

Attibute used to specify a function that some entity does/provides. This is more specific then 'description'. Should contain a short string. At this level of specification it is still a free from string. However, unlike 'description', it is expected to contain some list of fixed values.

```
• id: http://www.purl.org/ogit/function
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

- · optional:
  - ogit/Health/Diagnostics/Laboratory

### 1.3.0.7 ogit/locationPrecision

Estimated precision (in meters) of location.

```
• id: http://www.purl.org/ogit/locationPrecision
```

• valid-from: Mon Aug 24 00:00:00 UTC 2020

· creator: Kaushik gondaliya

used

- · optional:
  - ogit/Health/Diagnostics/Anamnesis

### 1.3.0.8 ogit/yearOfBirth

Birth year of person.

- id: http://www.purl.org/ogit/yearOfBirth
- valid-from: Mon Aug 24 00:00:00 UTC 2020
- · creator: Kaushik Gondaliya

used

- · optional:
  - ogit/Health/Diagnostics/Anamnesis

# 1.3.0.9 ogit/Health/Diagnostics/testResult

Test result (positive, negative, inconclusive).

- id: http://www.purl.org/ogit/Health/Diagnostics/testResult
- · valid-from: Fri Aug 14 00:00:00 UTC 2020
- · creator: Marek Meyer

- · optional:
  - ogit/Health/Diagnostics/Test

### 1.3.0.10 ogit/Health/Diagnostics/errorCode

Error code.

```
• id: http://www.purl.org/ogit/Health/Diagnostics/errorCode
```

· valid-from: Fri Aug 14 00:00:00 UTC 2020

· creator: Marek Meyer

used

- · optional:
  - ogit/Health/Diagnostics/Test

### 1.3.0.11 ogit/country

Name of a country.

- id: http://www.purl.org/ogit/country
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- · optional:
  - ogit/Health/Diagnostics/Laboratory

# 1.3.0.12 ogit/notification

A notification.

- id: http://www.purl.org/ogit/notification
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

- · optional:
  - ogit/Person

### 1.3.0.13 ogit/sourceld

The Id of the source system.

```
• id: http://www.purl.org/ogit/sourceId
```

• valid-from: Thu Jun 11 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
  - ogit/Person

### 1.3.0.14 ogit/url

Contains an URL (unified resource locator)

```
• id: http://www.purl.org/ogit/url
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
  - ogit/Attachment

# 1.3.0.15 ogit/Mobile/osVersion

operating system version on which application is installed

```
• id: http://www.purl.org/ogit/Mobile/osVersion
```

valid-from: Mon Mar 16 00:00:00 UTC 2020

• creator: Kaushik Gondaliya

- · optional:
  - ogit/Health/Diagnostics/Anamnesis

### 1.3.0.16 ogit/latitude

It is a geographic coordinate that specifies the north-south position of a point on the Earth's surface..

```
• id: http://www.purl.org/ogit/latitude
```

• valid-from: Mon Aug 24 00:00:00 UTC 2020

· creator: Kaushik gondaliya

used

- · optional:
  - ogit/Health/Diagnostics/Anamnesis

### 1.3.0.17 ogit/mobilePhone

A mobile phone number.

- id: http://www.purl.org/ogit/mobilePhone
- valid-from: Thu May 21 00:00:00 UTC 2015
- · creator: Peter Larem

used

- optional:
  - ogit/Person

### 1.3.0.18 ogit/unit

Unit of measurement of some value.

- id: http://www.purl.org/ogit/unit
- valid-from: Thu May 21 00:00:00 UTC 2015
- · creator: Peter Larem

- · optional:
  - ogit/Timeseries

### 1.3.0.19 ogit/city

Name of a city.

```
• id: http://www.purl.org/ogit/city
```

• valid-from: Mon Jul 27 00:00:00 UTC 2015

· creator: Philipp Pelchmann

used

- · optional:
  - ogit/Health/Diagnostics/Laboratory

### 1.3.0.20 ogit/status

A status for an entity. At this level of specification no list of values is specified. However, applications using this attribute are expected to allow only a fixed list of values that seems usefual in the application's semantic context.

```
• id: http://www.purl.org/ogit/status
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
  - ogit/Person

# 1.3.0.21 ogit/createdAt

Defines a point in time when a ticket/incident/event etc was created or recorded.

```
• id: http://www.purl.org/ogit/createdAt
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

- · optional:
  - ogit/Attachment

### 1.3.0.22 ogit/longitude

It is a geographic coordinate that specifies the east-west position of a point on the Earth's surface.

```
• id: http://www.purl.org/ogit/longitude
```

• valid-from: Mon Aug 24 00:00:00 UTC 2020

· creator: Kaushik gondaliya

used

- · optional:
  - ogit/Health/Diagnostics/Anamnesis

### 1.3.0.23 ogit/lastName

Last name of a person.

- id: http://www.purl.org/ogit/lastName
- valid-from: Thu May 21 00:00:00 UTC 2015
- · creator: Peter Larem

used

- optional:
  - ogit/Person

# 1.3.0.24 ogit/middleName

Middle name of a person.

- id: http://www.purl.org/ogit/middleName
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

- · optional:
  - ogit/Person

### 1.3.0.25 ogit/accessControl

The access control level of this Node. Value could mean different things to different applications / policies. Initial intent is that policies would treat "public-read" (inspired by Amazon AWS S3 ACLs) to mean anyone would have read-only access to this node.

```
• id: http://www.purl.org/ogit/accessControl
```

· valid-from: Thu Mar 26 00:00:00 UTC 2015

· creator: Chris Walker

used

- · optional:
  - ogit/Attachment

### 1.3.0.26 ogit/streetAddress

The street address. For example, Eschersheimer Landstr. 526-532

```
• id: http://www.purl.org/ogit/streetAddress
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
  - ogit/Health/Diagnostics/Laboratory

### 1.3.0.27 ogit/firstName

First name of a person

```
• id: http://www.purl.org/ogit/firstName
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

- · optional:
  - ogit/Person

### 1.3.0.28 ogit/title

Title of any kind. In the context of a Person this can be a courtesy title, an academic title, or a job tilte.

```
• id: http://www.purl.org/ogit/title
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

### used

- · optional:
  - ogit/Person

### 1.3.0.29 ogit/Health/Diagnostics/appID

UDI of App (if paired).

- id: http://www.purl.org/ogit/Health/Diagnostics/appID
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- · creator: Marek Meyer

#### used

- optional:
  - ogit/Health/Diagnostics/Anamnesis
  - ogit/Health/Diagnostics/Test

# 1.3.0.30 ogit/Mobile/deviceModel

### model of device

- id: http://www.purl.org/ogit/Mobile/deviceModel
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

- optional:
  - ogit/Health/Diagnostics/Anamnesis
  - ogit/Health/Diagnostics/Equipment

### 1.3.0.31 ogit/Health/Diagnostics/testCompletedAt

timestamp of test completion.

• id: http://www.purl.org/ogit/Health/Diagnostics/testCompletedAt

· valid-from: Fri Aug 14 00:00:00 UTC 2020

· creator: Marek Meyer

used

- · optional:
  - ogit/Health/Diagnostics/Test

### 1.3.0.32 ogit/content

A string holding any type of content: plain string, XML fragments, RDF documents, ...

- id: http://www.purl.org/ogit/content
- valid-from: Thu May 21 00:00:00 UTC 2015
- · creator: Peter Larem

used

- · optional:
  - ogit/Attachment

# 1.3.0.33 ogit/Health/Diagnostics/symptoms

symptoms (enum).

- id: http://www.purl.org/ogit/Health/Diagnostics/symptoms
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- · creator: Marek Meyer

- · optional:
  - ogit/Health/Diagnostics/Anamnesis

### 1.3.0.34 ogit/Mobile/devicePlatform

Platform of device i.e ios, android..

```
• id: http://www.purl.org/ogit/Mobile/devicePlatform
```

• valid-from: Mon Mar 16 00:00:00 UTC 2020

· creator: Kaushik Gondaliya

#### used

- · optional:
  - ogit/Health/Diagnostics/Anamnesis

### 1.3.0.35 ogit/name

Contains a name.

- id: http://www.purl.org/ogit/name
- · valid-from: Thu May 21 00:00:00 UTC 2015
- · creator: Peter Larem

#### used

- · mandatory:
  - ogit/Health/Diagnostics/Laboratory
- optional:
  - ogit/Attachment
  - ogit/Timeseries

# 1.3.0.36 ogit/description

Contains a description.

- id: http://www.purl.org/ogit/description
- · valid-from: Thu May 21 00:00:00 UTC 2015
- · creator: Peter Larem

- · optional:
  - ogit/Health/Diagnostics/Laboratory
  - ogit/Timeseries

### 1.3.0.37 ogit/locationAcquisitionTime

Timestamp (with millisecond resolution) of acqusition of location..

```
• id: http://www.purl.org/ogit/locationAcquisitionTime
```

• valid-from: Mon Aug 24 00:00:00 UTC 2020

· creator: Kaushik gondaliya

used

- · optional:
  - ogit/Health/Diagnostics/Anamnesis

### 1.3.0.38 ogit/lastUpdatedBy

Defines the last person or process who updated an entity.

```
• id: http://www.purl.org/ogit/lastUpdatedBy
```

valid-from: Mon Jul 20 00:00:00 UTC 2015

· creator: Aymen Ayoub

used

- optional:
  - ogit/Attachment

### 1.3.0.39 ogit/officePhone

The phone number in the office.

```
• id: http://www.purl.org/ogit/officePhone
```

valid-from: Mon Jul 27 00:00:00 UTC 2015

• creator: Philipp Pelchmann

- · optional:
  - ogit/Person

### 1.3.0.40 ogit/phone

a phone number

```
• id: http://www.purl.org/ogit/phone
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
  - ogit/Health/Diagnostics/Laboratory

### 1.3.0.41 ogit/fax

The number of a fax.

- id: http://www.purl.org/ogit/fax
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - ogit/Person

# 1.3.0.42 ogit/Health/Diagnostics/testStartedAt

timestamp of test start.

- id: http://www.purl.org/ogit/Health/Diagnostics/testStartedAt
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- · creator: Marek Meyer

- · optional:
  - ogit/Health/Diagnostics/Test

### 1.3.0.43 ogit/Health/Diagnostics/firmwareVersion

Sensor Hub firmware version.

• id: http://www.purl.org/ogit/Health/Diagnostics/firmwareVersion

· valid-from: Fri Aug 14 00:00:00 UTC 2020

· creator: Marek Meyer

used

- · optional:
  - ogit/Health/Diagnostics/Equipment
  - ogit/Health/Diagnostics/Test

### 1.3.0.44 ogit/Health/Diagnostics/testCounter

test counter (how often has this sensor been used - should always be 1!).

- id: http://www.purl.org/ogit/Health/Diagnostics/testCounter
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- · creator: Marek Meyer

## 1.3.0.45 ogit/type

Type of an an entity.

- id: http://www.purl.org/ogit/type
- valid-from: Thu May 21 00:00:00 UTC 2015
- · creator: Peter Larem

- · optional:
  - ogit/Attachment

### 1.3.0.46 ogit/otherPhone

The number of an other phone.

```
• id: http://www.purl.org/ogit/otherPhone
```

• valid-from: Mon Jul 27 00:00:00 UTC 2015

· creator: Philipp Pelchmann

used

- · optional:
  - ogit/Person

### 1.3.0.47 ogit/Health/Diagnostics/sensorID

UDI of bio sensor (= Test ID).

- id: http://www.purl.org/ogit/Health/Diagnostics/sensorID
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- · creator: Marek Meyer

used

- · optional:
  - ogit/Health/Diagnostics/Test

### 1.3.0.48 ogit/isMutable

True if the value can be changed. E.g. after a service is provisioned.

- id: http://www.purl.org/ogit/isMutable
- valid-from: Thu May 21 00:00:00 UTC 2015
- · creator: Peter Larem

- · optional:
  - ogit/Timeseries

### 1.3.0.49 ogit/sourceTable

Contains the source table, that stores where the data are coming from.

```
• id: http://www.purl.org/ogit/sourceTable
```

• valid-from: Thu Aug 20 00:00:00 UTC 2015

· creator: Aymen Ayoub

used

- · optional:
  - ogit/Attachment

1.3.0.50 ogit/creator

Creator of an entity.

- id: http://www.purl.org/ogit/creator
- valid-from: Thu Aug 20 00:00:00 UTC 2015
- · creator: Aymen Ayoub

used

- optional:
  - ogit/Attachment

1.3.0.51 ogit/webPage

A web page.

- id: http://www.purl.org/ogit/webPage
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

- · optional:
  - ogit/Health/Diagnostics/Laboratory
  - ogit/Person

### 1.3.0.52 ogit/lastUpdatedAt

Defines latest date and time when a ticket or it's comment was updated. The format of this value could be according to ISO 8601.

```
• id: http://www.purl.org/ogit/lastUpdatedAt
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
  - ogit/Attachment

1.3.0.53 ogit/id

General id.

```
• id: http://www.purl.org/ogit/id
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
  - ogit/Attachment

1.3.0.54 ogit/size

The size, e.g. of a file.

- id: http://www.purl.org/ogit/size
- valid-from: Thu Mar 26 00:00:00 UTC 2015
- · creator: arago Technologies

- · optional:
  - ogit/Attachment

### 1.3.0.55 ogit/Mobile/activationTime

time when licence code is activated.

```
• id: http://www.purl.org/ogit/Mobile/activationTime
```

• valid-from: Thu Jul 09 00:00:00 UTC 2020

· creator: Kaushik Gondaliya

used

- · optional:
  - ogit/Health/Diagnostics/Equipment

### 1.3.0.56 ogit/position

Indicates user's position. This field contains a string value.

```
• id: http://www.purl.org/ogit/position
```

valid-from: Tue Oct 18 00:00:00 UTC 2016

· creator: Arthur Shoba

used

- · optional:
  - ogit/Person

### 1.3.0.57 ogit/Mobile/appVersion

mobile application version

```
• id: http://www.purl.org/ogit/Mobile/appVersion
```

valid-from: Mon Mar 16 00:00:00 UTC 2020

· creator: Kaushik Gondaliya

- · optional:
  - ogit/Health/Diagnostics/Anamnesis
  - ogit/Health/Diagnostics/Test

# 1.3.0.58 ogit/gender

person's gender(sex). i.e male, female..

• id: http://www.purl.org/ogit/gender

• valid-from: Mon Aug 24 00:00:00 UTC 2020

• creator: Kaushik gondaliya

used

- · optional:
  - ogit/Health/Diagnostics/Anamnesis

# 1.3.0.59 ogit/instance

Defines the name of an instance.

- id: http://www.purl.org/ogit/instance
- valid-from: Wed Aug 03 00:00:00 UTC 2016
- creator: Philipp Pelchmann

- optional:
  - ogit/Timeseries