

August 7, 2020

1 SaaS	1
2 Module Documentation	2
2.1 Entities	. 2
2.1.0.1 ogit/SaaS/Component	. 2
2.1.0.2 ogit/SaaS/Deployment	. 3
2.1.0.3 ogit/SaaS/DeploymentTemplate	. 3
2.1.0.4 ogit/Attachment	. 4
2.1.0.5 ogit/Auth/Account	. 5
2.1.0.6 ogit/SaaS/ComponentInstance	. 5
2.1.0.7 ogit/Timeseries	. 6
2.1.0.8 ogit/SaaS/ConfigurationTemplate	. 7
2.2 Verbs	. 8
2.2.0.1 ogit/contains	. 8
2.2.0.2 ogit/generates	. 8
2.2.0.3 ogit/configures	. 8
2.2.0.4 ogit/belongs	. 9
2.2.0.5 ogit/Auth/uses	. 9
2.3 Attributes	. 10
2.3.0.1 ogit/comment	. 10
2.3.0.2 ogit/email	. 10
2.3.0.3 ogit/Version/major	. 10
2.3.0.4 ogit/sourceld	. 11
2.3.0.5 ogit/url	. 11
2.3.0.6 ogit/unit	. 11
2.3.0.7 ogit/status	. 12
2.3.0.8 ogit/accessControl	. 12
2.3.0.9 ogit/Auth/Account/statusReason	. 12
2.3.0.10 ogit/Version/patch	. 13
2.3.0.11 ogit/content	. 13
2.3.0.12 ogit/Auth/Account/type	. 13
2.3.0.13 ogit/name	. 14
2.3.0.14 ogit/description	. 14
2.3.0.15 ogit/Auth/Account/acceptedProjectTerms	. 14
2.3.0.16 ogit/Auth/Account/acceptedTerms	. 15
2.3.0.17 ogit/Version/minor	. 15
2.3.0.18 ogit/type	. 15
2.3.0.19 ogit/Auth/Account/allowCookies	. 16
2.3.0.20 ogit/isMutable	. 16
2.3.0.21 ogit/sourceTable	. 16
2.3.0.22 ogit/creator	. 17
2.3.0.23 ogit/id	. 17

2.3.0.24 ogit/Auth/Account/acceptedPrivacy	17
2.3.0.25 ogit/size	18
2.3.0.26 ogit/instance	18

Chapter 1

SaaS

Overview

This NTO model a software-as-a-service offering. It defines entities for both

- templates/offerings
- instantiated services

Chapter 2

Module Documentation

2.1 Entities

2.1.0.1 ogit/SaaS/Component

Entities of this kind form the catalogue of components a SaaS Deployment can consist of

• id: http://www.purl.org/ogit/SaaS/Component

• valid-from: Tue Jan 14 00:00:00 UTC 2020

creator: FCOscope: NTO

· parent: ogit/Node

attributes

- · mandatory:
 - ogit/Version/major
 - ogit/Version/minor
 - ogit/Version/patch
 - ogit/name
- optional:
 - ogit/description
 - ogit/status

incoming edges

• ogit/configures <= ogit/SaaS/ConfigurationTemplate

2.1.0.2 ogit/SaaS/Deployment

represents a Deployment in any possible state. Will be instantiated from a DeploymentTemplate

• id: http://www.purl.org/ogit/SaaS/Deployment

• valid-from: Tue Jan 14 00:00:00 UTC 2020

creator: FCOscope: NTO

· parent: ogit/Node

attributes

- · mandatory:
 - ogit/id
 - ogit/status
- · optional:
 - ogit/comment
 - ogit/sourceld
 - ogit/status

incoming edges

• ogit/contains <= ogit/SaaS/Deployment

outgoing edges

- ogit/contains => ogit/SaaS/ComponentInstance
- ogit/contains => ogit/SaaS/Deployment

2.1.0.3 ogit/SaaS/DeploymentTemplate

Specifies templates that can be instantiated as a Deployment. When instantiated all contained Configuration ← Templates will be instantiated as ComponentConfigs

 $\bullet \ \, \textbf{id} : \\ \texttt{http://www.purl.org/ogit/SaaS/DeploymentTemplate} \\$

valid-from: Tue Jan 14 00:00:00 UTC 2020

creator: FCOscope: NTO

• parent: ogit/Node

attributes

- · mandatory:
 - ogit/Version/major
 - ogit/Version/minor
 - ogit/Version/patch
 - ogit/name
- · optional:
 - ogit/description
 - ogit/status

outgoing edges

• ogit/contains => ogit/SaaS/ConfigurationTemplate

2.1.0.4 ogit/Attachment

This entity defines a file attachment that an IT service, issue, task or a ticket might have. The attachment itself is not saved in GraphIT, instead it contains an external url link for it.

• id: http://www.purl.org/ogit/Attachment

valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

· scope: SGO

· parent: ogit/Node

attributes

- optional:
 - ogit/accessControl
 - ogit/content
 - ogit/creator
 - ogit/id
 - ogit/name
 - ogit/size
 - ogit/sourceTable
 - ogit/type
 - ogit/url

outgoing edges

• ogit/belongs => ogit/SaaS/ComponentInstance

2.1.0.5 ogit/Auth/Account

An account is used for authentication and authorization.

• id: http://www.purl.org/ogit/Auth/Account

• valid-from: Mon Jan 01 00:00:00 UTC 2018

· creator: arago GmbH

· scope: NTO

· parent: ogit/Node

attributes

- · mandatory:
 - ogit/Auth/Account/type
 - ogit/name
 - ogit/status
- · optional:
 - ogit/Auth/Account/acceptedPrivacy
 - ogit/Auth/Account/acceptedProjectTerms
 - ogit/Auth/Account/acceptedTerms
 - ogit/Auth/Account/allowCookies
 - ogit/Auth/Account/statusReason
 - ogit/email

outgoing edges

• ogit/Auth/uses => ogit/SaaS/ComponentInstance

2.1.0.6 ogit/SaaS/ComponentInstance

An instance of a Component within a Deployment

 $\bullet \ \, \textbf{id} : \\ \textbf{http://www.purl.org/ogit/SaaS/ComponentInstance} \\$

• valid-from: Tue Jan 14 00:00:00 UTC 2020

creator: FCOscope: NTO

• parent: ogit/Node

attributes

- mandatory:
 - ogit/id
- · optional:
 - ogit/sourceld
 - ogit/status

incoming edges

- ogit/Auth/uses <= ogit/Auth/Account
- ogit/belongs <= ogit/Attachment
- ogit/contains <= ogit/SaaS/Deployment

outgoing edges

• ogit/generates => ogit/Timeseries

2.1.0.7 ogit/Timeseries

A time series is a sequence of data points, measured typically at successive points in time spaced at uniform time intervals.

- id: http://www.purl.org/ogit/Timeseries
- valid-from: Thu May 21 00:00:00 UTC 2015
- · creator: Peter Larem
- scope: SGO
- · parent: ogit/Node

attributes

- · optional:
 - ogit/description
 - ogit/instance
 - ogit/isMutable
 - ogit/name
 - ogit/unit

incoming edges

• ogit/generates <= ogit/SaaS/ComponentInstance

2.1.0.8 ogit/SaaS/ConfigurationTemplate

Specifies a certain installation flavor of a Component. Might fix same configuration parameters and provide defaults for some others. Will be used within DeploymentTemplate to form a deployable template of several components

• id: http://www.purl.org/ogit/SaaS/ConfigurationTemplate

• valid-from: Tue Jan 14 00:00:00 UTC 2020

creator: FCOscope: NTO

• parent: ogit/Node

attributes

- · mandatory:
 - ogit/id
- · optional:
 - ogit/description

incoming edges

• ogit/contains <= ogit/SaaS/DeploymentTemplate

outgoing edges

• ogit/configures => ogit/SaaS/Component

2.2 Verbs 8

2.2 Verbs

2.2.0.1 ogit/contains

This relationship indicates that something is part of something else. see also "includes"

```
• id: http://www.purl.org/ogit/contains
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

Allowed Connection

• ogit/SaaS/Deployment => ogit/SaaS/ComponentInstance

- ogit/SaaS/Deployment => ogit/SaaS/Deployment
- ogit/SaaS/DeploymentTemplate => ogit/SaaS/ConfigurationTemplate

2.2.0.2 ogit/generates

Verb indicating if an entity generates another entity.

```
• id: http://www.purl.org/ogit/generates
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

Allowed Connection

ogit/SaaS/ComponentInstance => ogit/Timeseries

2.2.0.3 ogit/configures

The from entity, contains configuration data for the to entity

```
• id: http://www.purl.org/ogit/configures
```

valid-from: Mon Apr 27 00:00:00 UTC 2015

• creator: cwalker@arago.de

Allowed Connection

• ogit/SaaS/ConfigurationTemplate => ogit/SaaS/Component

2.2 Verbs 9

2.2.0.4 ogit/belongs

Verb showing if one entity belongs to another.

• id: http://www.purl.org/ogit/belongs

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

Allowed Connection

• ogit/Attachment => ogit/SaaS/ComponentInstance

2.2.0.5 ogit/Auth/uses

Denotes use of an Application.

• id: http://www.purl.org/ogit/Auth/uses

• valid-from: Mon Jan 01 00:00:00 UTC 2018

· creator: arago GmbH

Allowed Connection

• ogit/Auth/Account => ogit/SaaS/ComponentInstance

2.3 Attributes

```
2.3.0.1 ogit/comment
```

Contains a comment.

```
• id: http://www.purl.org/ogit/comment
```

• valid-from: Mon Jul 27 00:00:00 UTC 2015

· creator: Aymen Ayoub

used

- · optional:
 - ogit/SaaS/Deployment

2.3.0.2 ogit/email

An email address.

```
• id: http://www.purl.org/ogit/email
```

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
 - ogit/Auth/Account

2.3.0.3 ogit/Version/major

major version according to https://semver.org/

```
• id: http://www.purl.org/ogit/Version/major
```

• valid-from: Fri May 25 00:00:00 UTC 2018

• creator: fotto@arago.de

- mandatory:
 - ogit/SaaS/Component
 - ogit/SaaS/DeploymentTemplate

2.3.0.4 ogit/sourceld

The Id of the source system.

```
• id: http://www.purl.org/ogit/sourceId
```

· valid-from: Thu Jun 11 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
 - ogit/SaaS/ComponentInstance
 - ogit/SaaS/Deployment

2.3.0.5 ogit/url

Contains an URL (unified resource locator)

```
• id: http://www.purl.org/ogit/url
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- optional:
 - ogit/Attachment

2.3.0.6 ogit/unit

Unit of measurement of some value.

```
• id: http://www.purl.org/ogit/unit
```

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

- · optional:
 - ogit/Timeseries

2.3.0.7 ogit/status

A status for an entity. At this level of specification no list of values is specified. However, applications using this attribute are expected to allow only a fixed list of values that seems usefual in the application's semantic context.

• id: http://www.purl.org/ogit/status

valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · mandatory:
 - ogit/Auth/Account
 - ogit/SaaS/Deployment
- · optional:
 - ogit/SaaS/Component
 - ogit/SaaS/ComponentInstance
 - ogit/SaaS/Deployment
 - ogit/SaaS/DeploymentTemplate

2.3.0.8 ogit/accessControl

The access control level of this Node. Value could mean different things to different applications / policies. Initial intent is that policies would treat "public-read" (inspired by Amazon AWS S3 ACLs) to mean anyone would have read-only access to this node.

id: http://www.purl.org/ogit/accessControl

• valid-from: Thu Mar 26 00:00:00 UTC 2015

· creator: Chris Walker

used

- · optional:
 - ogit/Attachment

2.3.0.9 ogit/Auth/Account/statusReason

Status Reason of an ogit/Auth/Account

- id: http://www.purl.org/ogit/Auth/Account/statusReason
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- · creator: arago GmbH

- · optional:
 - ogit/Auth/Account

2.3.0.10 ogit/Version/patch

patch version according to https://semver.org/

- id: http://www.purl.org/ogit/Version/patch
- · valid-from: Fri May 25 00:00:00 UTC 2018
- creator: fotto@arago.de

used

- · mandatory:
 - ogit/SaaS/Component
 - ogit/SaaS/DeploymentTemplate

2.3.0.11 ogit/content

A string holding any type of content: plain string, XML fragments, RDF documents, ...

- id: http://www.purl.org/ogit/content
- valid-from: Thu May 21 00:00:00 UTC 2015
- · creator: Peter Larem

used

- · optional:
 - ogit/Attachment

2.3.0.12 ogit/Auth/Account/type

Type of an account. Values: person, application

- id: http://www.purl.org/ogit/Auth/Account/type
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

- · mandatory:
 - ogit/Auth/Account

2.3.0.13 ogit/name

Contains a name.

• id: http://www.purl.org/ogit/name

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · mandatory:
 - ogit/Auth/Account
 - ogit/SaaS/Component
 - ogit/SaaS/DeploymentTemplate
- · optional:
 - ogit/Attachment
 - ogit/Timeseries

2.3.0.14 ogit/description

Contains a description.

- id: http://www.purl.org/ogit/description
- · valid-from: Thu May 21 00:00:00 UTC 2015
- · creator: Peter Larem

used

- · optional:
 - ogit/SaaS/Component
 - ogit/SaaS/ConfigurationTemplate
 - ogit/SaaS/DeploymentTemplate
 - ogit/Timeseries

2.3.0.15 ogit/Auth/Account/acceptedProjectTerms

Flag about whether HIRO Project terms were accepted

- id: http://www.purl.org/ogit/Auth/Account/acceptedProjectTerms
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- · creator: arago GmbH

- · optional:
 - ogit/Auth/Account

2.3.0.16 ogit/Auth/Account/acceptedTerms

Flag about whether usage terms were accepted

```
• id: http://www.purl.org/ogit/Auth/Account/acceptedTerms
```

• valid-from: Mon Jan 01 00:00:00 UTC 2018

· creator: arago GmbH

used

- · optional:
 - ogit/Auth/Account

2.3.0.17 ogit/Version/minor

minor version according to https://semver.org/

- id: http://www.purl.org/ogit/Version/minor
- · valid-from: Fri May 25 00:00:00 UTC 2018
- creator: fotto@arago.de

used

- · mandatory:
 - ogit/SaaS/Component
 - ogit/SaaS/DeploymentTemplate

2.3.0.18 ogit/type

Type of an an entity.

- id: http://www.purl.org/ogit/type
- valid-from: Thu May 21 00:00:00 UTC 2015
- · creator: Peter Larem

- · optional:
 - ogit/Attachment

2.3.0.19 ogit/Auth/Account/allowCookies

Flag about whether cookies are allowed

```
• id: http://www.purl.org/ogit/Auth/Account/allowCookies
```

• valid-from: Mon Jan 01 00:00:00 UTC 2018

· creator: arago GmbH

used

- · optional:
 - ogit/Auth/Account

2.3.0.20 ogit/isMutable

True if the value can be changed. E.g. after a service is provisioned.

```
• id: http://www.purl.org/ogit/isMutable
```

valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
 - ogit/Timeseries

2.3.0.21 ogit/sourceTable

Contains the source table, that stores where the data are coming from.

```
• id: http://www.purl.org/ogit/sourceTable
```

valid-from: Thu Aug 20 00:00:00 UTC 2015

• creator: Aymen Ayoub

- · optional:
 - ogit/Attachment

2.3.0.22 ogit/creator

Creator of an entity.

```
• id: http://www.purl.org/ogit/creator
```

• valid-from: Thu Aug 20 00:00:00 UTC 2015

· creator: Aymen Ayoub

used

- · optional:
 - ogit/Attachment

2.3.0.23 ogit/id

General id.

- id: http://www.purl.org/ogit/id
- · valid-from: Thu May 21 00:00:00 UTC 2015
- · creator: Peter Larem

used

- · mandatory:
 - ogit/SaaS/ComponentInstance
 - ogit/SaaS/ConfigurationTemplate
 - ogit/SaaS/Deployment
- optional:
 - ogit/Attachment

2.3.0.24 ogit/Auth/Account/acceptedPrivacy

Flag about whether privacy terms were accepted

- id: http://www.purl.org/ogit/Auth/Account/acceptedPrivacy
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- · creator: arago GmbH

- · optional:
 - ogit/Auth/Account

2.3.0.25 ogit/size

The size, e.g. of a file.

• id: http://www.purl.org/ogit/size

• valid-from: Thu Mar 26 00:00:00 UTC 2015

• creator: arago Technologies

used

- · optional:
 - ogit/Attachment

2.3.0.26 ogit/instance

Defines the name of an instance.

- id: http://www.purl.org/ogit/instance
- valid-from: Wed Aug 03 00:00:00 UTC 2016
- creator: Philipp Pelchmann

- · optional:
 - ogit/Timeseries