

---

MRO

---

August 27, 2020

<b>1 MRO</b>	<b>1</b>
<b>2 Module Documentation</b>	<b>2</b>
2.1 Entities	2
2.1.0.1 ogit/Organization	2
2.1.0.2 ogit/MRO/Aviation/Component	3
2.1.0.3 ogit/MRO/Aviation/AircraftType	3
2.1.0.4 ogit/MRO/Aviation/Aircraft	4
2.1.0.5 ogit/Person	4
2.1.0.6 ogit/MRP/Workshop	5
2.1.0.7 ogit/MRO/Aviation/Workstation	5
2.1.0.8 ogit/MRO/Aviation/Layover	6
2.1.0.9 ogit/MRO/Aviation/Task	6
2.1.0.10 ogit/MRO/Aviation/Capability	7
2.1.0.11 ogit/MRO/Aviation/MPD	7
2.1.0.12 ogit/MRO/Aviation/Facility	8
2.1.0.13 ogit/Location	9
2.1.0.14 ogit/MRO/Aviation/Airport	9
2.1.0.15 ogit/MRO/Aviation/Bay	10
2.2 Verbs	11
2.2.0.1 ogit/MRO/Aviation/conflictsWith	11
2.2.0.2 ogit/MRO/Aviation/isPartOf	11
2.2.0.3 ogit/MRO/Aviation/suppliedBy	11
2.2.0.4 ogit/worksOn	11
2.2.0.5 ogit/MRO/Aviation/linksTo	12
2.2.0.6 ogit/includes	12
2.2.0.7 ogit/MRO/Aviation/overhaul	12
2.2.0.8 ogit/MRO/Aviation/alternatesWith	13
2.2.0.9 ogit/locatedIn	13
2.2.0.10 ogit/affects	13
2.2.0.11 ogit/MRO/Aviation/characterize	14
2.2.0.12 ogit/requires	14
2.2.0.13 ogit/owns	14
2.2.0.14 ogit/MRO/Aviation/performedAt	14
2.2.0.15 ogit/belongs	15
2.2.0.16 ogit/MRO/Aviation/references	15
2.2.0.17 ogit/MRO/Aviation/suit	15
2.2.0.18 ogit/relates	16
2.2.0.19 ogit/MRO/Aviation/orders	16
2.3 Attributes	17
2.3.0.1 ogit/postalCode	17
2.3.0.2 ogit/email	17

---

2.3.0.3 ogit/alternativeName . . . . .	17
2.3.0.4 ogit/function . . . . .	18
2.3.0.5 ogit/country . . . . .	18
2.3.0.6 ogit/businessCategory . . . . .	18
2.3.0.7 ogit/notification . . . . .	19
2.3.0.8 ogit/sourceId . . . . .	19
2.3.0.9 ogit/mobilePhone . . . . .	19
2.3.0.10 ogit/city . . . . .	20
2.3.0.11 ogit/status . . . . .	20
2.3.0.12 ogit/lastName . . . . .	20
2.3.0.13 ogit/middleName . . . . .	21
2.3.0.14 ogit/streetAddress . . . . .	21
2.3.0.15 ogit/firstName . . . . .	21
2.3.0.16 ogit/title . . . . .	22
2.3.0.17 ogit/name . . . . .	22
2.3.0.18 ogit/description . . . . .	22
2.3.0.19 ogit/officePhone . . . . .	23
2.3.0.20 ogit/phone . . . . .	23
2.3.0.21 ogit/fax . . . . .	23
2.3.0.22 ogit/otherPhone . . . . .	24
2.3.0.23 ogit/webPage . . . . .	24
2.3.0.24 ogit/id . . . . .	24
2.3.0.25 ogit/position . . . . .	25

# Chapter 1

## MRO

### Overview

The Maintenance, Repair, Overhaul (MRO) is the overhaul, repair, inspection or modification of an aircraft or aircraft component.

## Chapter 2

# Module Documentation

## 2.1 Entities

### 2.1.0.1 ogit/Organization

An identity that represents an organization, company, or some other grouping of Person objects. Entities of this type should be created with a predefined ID. Those IDs should be named like a domain name, i.e. a concatenation of some strings separated with a dot. If organization data is created from a LDAP then a mapping like "cn=John Doe,dc=example,dc=com" => "john\_doe.example.com" should be employed. The ogit/function attribute should be used to tell what kind of grouping an entity of type Organization is: company, department, group, ...

- id: <http://www.purl.org/ogit/Organization>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem
- scope: SGO
- parent: ogit/Node

#### attributes

- mandatory:
  - [ogit/name](#)
- optional:
  - [ogit/businessCategory](#)
  - [ogit/city](#)
  - [ogit/country](#)
  - [ogit/description](#)
  - [ogit/email](#)
  - [ogit/function](#)
  - [ogit/phone](#)
  - [ogit/postalCode](#)
  - [ogit/sourceId](#)
  - [ogit/status](#)
  - [ogit/streetAddress](#)
  - [ogit/webPage](#)

## outgoing edges

- [ogit/MRO/Aviation/orders](#) => [ogit/MRO/Aviation/Layover](#)
- [ogit/owns](#) => [ogit/MRO/Aviation/Aircraft](#)

2.1.0.2 [ogit/MRO/Aviation/Component](#)

TODO.

- id: <http://www.purl.org/ogit/MRO/Aviation/Component>
- valid-from: Fri Sep 07 00:00:00 UTC 2018
- creator: Kaushik
- scope: NTO
- parent: [ogit/Node](#)

## incoming edges

- [ogit/affects](#) <= [ogit/MRO/Aviation/Task](#)

## outgoing edges

- [ogit/MRO/Aviation/suit](#) => [ogit/MRO/Aviation/AircraftType](#)

2.1.0.3 [ogit/MRO/Aviation/AircraftType](#)

TODO.

- id: <http://www.purl.org/ogit/MRO/Aviation/AircraftType>
- valid-from: Fri Sep 07 00:00:00 UTC 2018
- creator: Kaushik
- scope: NTO
- parent: [ogit/Node](#)

## incoming edges

- [ogit/MRO/Aviation/linksTo](#) <= [ogit/MRO/Aviation/Task](#)
- [ogit/MRO/Aviation/suit](#) <= [ogit/MRO/Aviation/Component](#)

## outgoing edges

- [ogit/MRO/Aviation/characterize](#) => [ogit/MRO/Aviation/Aircraft](#)

## 2.1.0.4 ogit/MRO/Aviation/Aircraft

TODO.

- id: <http://www.purl.org/ogit/MRO/Aviation/Aircraft>
- valid-from: Fri Sep 07 00:00:00 UTC 2018
- creator: Kaushik
- scope: NTO
- parent: ogit/Node

## incoming edges

- [ogit/MRO/Aviation/characterize](#) <= [ogit/MRO/Aviation/AircraftType](#)
- [ogit/MRO/Aviation/overhaul](#) <= [ogit/MRO/Aviation/Layover](#)
- [ogit/owns](#) <= [ogit/Organization](#)
- [ogit/worksOn](#) <= [ogit/MRO/Aviation/Workstation](#)

## outgoing edges

- [ogit/locatedIn](#) => [ogit/Location](#)
- [ogit/locatedIn](#) => [ogit/MRO/Aviation/Bay](#)

## 2.1.0.5 ogit/Person

A Person represents a human identity.

- id: <http://www.purl.org/ogit/Person>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem
- scope: SGO
- parent: ogit/Node

## attributes

- optional:
  - [ogit/alternativeName](#)
  - [ogit/email](#)
  - [ogit/fax](#)
  - [ogit/firstName](#)
  - [ogit/lastName](#)
  - [ogit/middleName](#)
  - [ogit/mobilePhone](#)
  - [ogit/notification](#)
  - [ogit/officePhone](#)
  - [ogit/otherPhone](#)
  - [ogit/position](#)
  - [ogit/sourceId](#)
  - [ogit/status](#)
  - [ogit/title](#)
  - [ogit/webPage](#)

## incoming edges

- [ogit/MRO/Aviation/suppliedBy](#) <= [ogit/MRO/Aviation/Capability](#)

2.1.0.6 [ogit/MRP/Workshop](#)

TODO.

- id: <http://www.purl.org/ogit/MRP/Workshop>
- valid-from: Fri Sep 07 00:00:00 UTC 2018
- creator: Kaushik
- scope: NTO
- parent: [ogit/Node](#)

## outgoing edges

- [ogit/belongs](#) => [ogit/MRO/Aviation/Facility](#)

2.1.0.7 [ogit/MRO/Aviation/Workstation](#)

TODO.

- id: <http://www.purl.org/ogit/MRO/Aviation/Workstation>
- valid-from: Fri Sep 07 00:00:00 UTC 2018
- creator: Kaushik
- scope: NTO
- parent: [ogit/Node](#)

## attributes

- optional:
  - [ogit/id](#)
  - [ogit/name](#)

## incoming edges

- [ogit/MRO/Aviation/performedAt](#) <= [ogit/MRO/Aviation/Task](#)

## outgoing edges

- [ogit/locatedIn](#) => [ogit/MRO/Aviation/Bay](#)
- [ogit/worksOn](#) => [ogit/MRO/Aviation/Aircraft](#)



## 2.1.0.8 ogit/MRO/Aviation/Layover

The IL-Check (intermediate layover check) is – in addition to the D-Check – one of the biggest, most elaborate aircraft overhauls.

- id: <http://www.purl.org/ogit/MRO/Aviation/Layover>
- valid-from: Fri Sep 07 00:00:00 UTC 2018
- creator: Kaushik
- scope: NTO
- parent: ogit/Node

## attributes

- optional:
  - [ogit/id](#)
  - [ogit/name](#)

## incoming edges

- [ogit/MRO/Aviation/orders](#) <= [ogit/Organization](#)
- [ogit/relates](#) <= [ogit/MRO/Aviation/Task](#)

## outgoing edges

- [ogit/MRO/Aviation/overhaul](#) => [ogit/MRO/Aviation/Aircraft](#)

## 2.1.0.9 ogit/MRO/Aviation/Task

TODO.

- id: <http://www.purl.org/ogit/MRO/Aviation/Task>
- valid-from: Fri Sep 07 00:00:00 UTC 2018
- creator: Kaushik
- scope: NTO
- parent: ogit/Node

## attributes

- optional:
  - [ogit/id](#)
  - [ogit/name](#)

## outgoing edges

- [ogit/MRO/Aviation/linksTo](#) => [ogit/MRO/Aviation/AircraftType](#)
- [ogit/MRO/Aviation/performedAt](#) => [ogit/MRO/Aviation/Workstation](#)
- [ogit/MRO/Aviation/references](#) => [ogit/MRO/Aviation/MPD](#)
- [ogit/affects](#) => [ogit/MRO/Aviation/Component](#)
- [ogit/relates](#) => [ogit/MRO/Aviation/Layover](#)
- [ogit/requires](#) => [ogit/MRO/Aviation/Capability](#)

2.1.0.10 [ogit/MRO/Aviation/Capability](#)

TODO.

- id: <http://www.purl.org/ogit/MRO/Aviation/Capability>
- valid-from: Fri Sep 07 00:00:00 UTC 2018
- creator: Kaushik
- scope: NTO
- parent: [ogit/Node](#)

## incoming edges

- [ogit/requires](#) <= [ogit/MRO/Aviation/Task](#)

## outgoing edges

- [ogit/MRO/Aviation/suppliedBy](#) => [ogit/Person](#)

2.1.0.11 [ogit/MRO/Aviation/MPD](#)

Maintenance Planning Data documents data developed by the manufacturer of a particular airplane that contains the information each operator of that airplane needs to develop a customized, scheduled maintenance and inspection program.

- id: <http://www.purl.org/ogit/MRO/Aviation/MPD>
- valid-from: Fri Sep 07 00:00:00 UTC 2018
- creator: Kaushik
- scope: NTO
- parent: [ogit/Node](#)

## attributes

- optional:
  - [ogit/description](#)
  - [ogit/id](#)
  - [ogit/name](#)

## incoming edges

- [ogit/MRO/Aviation/alternatesWith](#) <= [ogit/MRO/Aviation/MPD](#)
- [ogit/MRO/Aviation/conflictsWith](#) <= [ogit/MRO/Aviation/MPD](#)
- [ogit/MRO/Aviation/references](#) <= [ogit/MRO/Aviation/MPD](#)
- [ogit/MRO/Aviation/references](#) <= [ogit/MRO/Aviation/Task](#)
- [ogit/includes](#) <= [ogit/MRO/Aviation/MPD](#)
- [ogit/requires](#) <= [ogit/MRO/Aviation/MPD](#)

## outgoing edges

- [ogit/MRO/Aviation/alternatesWith](#) => [ogit/MRO/Aviation/MPD](#)
- [ogit/MRO/Aviation/conflictsWith](#) => [ogit/MRO/Aviation/MPD](#)
- [ogit/MRO/Aviation/references](#) => [ogit/MRO/Aviation/MPD](#)
- [ogit/includes](#) => [ogit/MRO/Aviation/MPD](#)
- [ogit/requires](#) => [ogit/MRO/Aviation/MPD](#)

2.1.0.12 [ogit/MRO/Aviation/Facility](#)

TODO.

- id: <http://www.purl.org/ogit/MRO/Aviation/Facility>
- valid-from: Fri Sep 07 00:00:00 UTC 2018
- creator: Kaushik
- scope: NTO
- parent: [ogit/Node](#)

## incoming edges

- [ogit/belongs](#) <= [ogit/MRO/Aviation/Bay](#)
- [ogit/belongs](#) <= [ogit/MRP/Workshop](#)

## 2.1.0.13 ogit/Location

A place where some service is offered or requested. In many cases this will be related to an address of an Organization. Similar to <http://purl.org/goodrelations/v1#Location>

- id: <http://www.purl.org/ogit/Location>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem
- scope: SGO
- parent: ogit/Node

## attributes

- mandatory:
  - [ogit/name](#)
- optional:
  - [ogit/description](#)

## incoming edges

- [ogit/locatedIn](#) <= [ogit/MRO/Aviation/Aircraft](#)
- [ogit/locatedIn](#) <= [ogit/MRO/Aviation/Airport](#)

## 2.1.0.14 ogit/MRO/Aviation/Airport

TODO.

- id: <http://www.purl.org/ogit/MRO/Aviation/Airport>
- valid-from: Fri Sep 07 00:00:00 UTC 2018
- creator: Kaushik
- scope: NTO
- parent: ogit/Node

## outgoing edges

- [ogit/locatedIn](#) => [ogit/Location](#)

## 2.1.0.15 ogit/MRO/Aviation/Bay

TODO.

- id: <http://www.purl.org/ogit/MRO/Aviation/Bay>
- valid-from: Fri Sep 07 00:00:00 UTC 2018
- creator: Kaushik
- scope: NTO
- parent: ogit/Node

## incoming edges

- [ogit/locatedIn](#) <= [ogit/MRO/Aviation/Aircraft](#)
- [ogit/locatedIn](#) <= [ogit/MRO/Aviation/Workstation](#)

## outgoing edges

- [ogit/belongs](#) => [ogit/MRO/Aviation/Facility](#)

## 2.2 Verbs

### 2.2.0.1 ogit/MRO/Aviation/conflictsWith

TODO.

- id: <http://www.purl.org/ogit/MRO/Aviation/conflictsWith>
- valid-from: Thu Feb 25 00:00:00 UTC 2016
- creator: [bneal@arago.de](mailto:bneal@arago.de)

#### Allowed Connection

- [ogit/MRO/Aviation/MPD](#) => [ogit/MRO/Aviation/MPD](#)

### 2.2.0.2 ogit/MRO/Aviation/isPartOf

TODO.

- id: <http://www.purl.org/ogit/MRO/Aviation/isPartOf>
- valid-from: Thu Feb 25 00:00:00 UTC 2016
- creator: [bneal@arago.de](mailto:bneal@arago.de)

### 2.2.0.3 ogit/MRO/Aviation/suppliedBy

TODO.

- id: <http://www.purl.org/ogit/MRO/Aviation/suppliedBy>
- valid-from: Thu Feb 25 00:00:00 UTC 2016
- creator: [bneal@arago.de](mailto:bneal@arago.de)

#### Allowed Connection

- [ogit/MRO/Aviation/Capability](#) => [ogit/Person](#)

### 2.2.0.4 ogit/worksOn

Indicates if one entity is currently working on another entity.

- id: <http://www.purl.org/ogit/worksOn>
- valid-from: Wed Jun 24 00:00:00 UTC 2015
- creator: Peter Larem

**Allowed Connection**

- [ogit/MRO/Aviation/Workstation](#) => [ogit/MRO/Aviation/Aircraft](#)

**2.2.0.5 ogit/MRO/Aviation/linksTo**

TODO.

- id: <http://www.purl.org/ogit/MRO/Aviation/linksTo>
- valid-from: Thu Feb 25 00:00:00 UTC 2016
- creator: [bneal@arago.de](mailto:bneal@arago.de)

**Allowed Connection**

- [ogit/MRO/Aviation/Task](#) => [ogit/MRO/Aviation/AircraftType](#)

**2.2.0.6 ogit/includes**

Indicates if an entity includes something else.

- id: <http://www.purl.org/ogit/includes>
- valid-from: Thu Jul 05 00:00:00 UTC 2018
- creator: [qikram@arago.de](mailto:qikram@arago.de)

**Allowed Connection**

- [ogit/MRO/Aviation/MPD](#) => [ogit/MRO/Aviation/MPD](#)

**2.2.0.7 ogit/MRO/Aviation/overhaul**

TODO.

- id: <http://www.purl.org/ogit/MRO/Aviation/overhaul>
- valid-from: Thu Feb 25 00:00:00 UTC 2016
- creator: [bneal@arago.de](mailto:bneal@arago.de)

**Allowed Connection**

- [ogit/MRO/Aviation/Layover](#) => [ogit/MRO/Aviation/Aircraft](#)

## 2.2.0.8 ogit/MRO/Aviation/alternatesWith

TODO.

- id: <http://www.purl.org/ogit/MRO/Aviation/alternatesWith>
- valid-from: Thu Feb 25 00:00:00 UTC 2016
- creator: [bneal@arago.de](mailto:bneal@arago.de)

## Allowed Connection

- [ogit/MRO/Aviation/MPD](#) => [ogit/MRO/Aviation/MPD](#)

## 2.2.0.9 ogit/locatedIn

indicate that something has its place somewhere

- id: <http://www.purl.org/ogit/locatedIn>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

## Allowed Connection

- [ogit/MRO/Aviation/Aircraft](#) => [ogit/Location](#)
- [ogit/MRO/Aviation/Aircraft](#) => [ogit/MRO/Aviation/Bay](#)
- [ogit/MRO/Aviation/Airport](#) => [ogit/Location](#)
- [ogit/MRO/Aviation/Workstation](#) => [ogit/MRO/Aviation/Bay](#)

## 2.2.0.10 ogit/affects

The relationship indicates that one entity affects some other entity.

- id: <http://www.purl.org/ogit/affects>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

## Allowed Connection

- [ogit/MRO/Aviation/Task](#) => [ogit/MRO/Aviation/Component](#)



## 2.2.0.11 ogit/MRO/Aviation/characterize

TODO.

- id: <http://www.purl.org/ogit/MRO/Aviation/characterize>
- valid-from: Thu Feb 25 00:00:00 UTC 2016
- creator: [bneal@arago.de](mailto:bneal@arago.de)

## Allowed Connection

- [ogit/MRO/Aviation/AircraftType](#) => [ogit/MRO/Aviation/Aircraft](#)

## 2.2.0.12 ogit/requires

Indicates dependencies between entities in the sense of "necessary condition".

- id: <http://www.purl.org/ogit/requires>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

## Allowed Connection

- [ogit/MRO/Aviation/MPD](#) => [ogit/MRO/Aviation/MPD](#)
- [ogit/MRO/Aviation/Task](#) => [ogit/MRO/Aviation/Capability](#)

## 2.2.0.13 ogit/owns

This relationship indicates that one entity owns some other.

- id: <http://www.purl.org/ogit/owns>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

## Allowed Connection

- [ogit/Organization](#) => [ogit/MRO/Aviation/Aircraft](#)

## 2.2.0.14 ogit/MRO/Aviation/performedAt

TODO.

- id: <http://www.purl.org/ogit/MRO/Aviation/performedAt>
- valid-from: Thu Feb 25 00:00:00 UTC 2016
- creator: [bneal@arago.de](mailto:bneal@arago.de)

## Allowed Connection

- [ogit/MRO/Aviation/Task](#) => [ogit/MRO/Aviation/Workstation](#)

## 2.2.0.15 ogit/belongs

Verb showing if one entity belongs to another.

- id: <http://www.purl.org/ogit/belongs>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

## Allowed Connection

- [ogit/MRO/Aviation/Bay](#) => [ogit/MRO/Aviation/Facility](#)
- [ogit/MRP/Workshop](#) => [ogit/MRO/Aviation/Facility](#)

## 2.2.0.16 ogit/MRO/Aviation/references

TODO.

- id: <http://www.purl.org/ogit/MRO/Aviation/references>
- valid-from: Thu Feb 25 00:00:00 UTC 2016
- creator: [bneal@arago.de](mailto:bneal@arago.de)

## Allowed Connection

- [ogit/MRO/Aviation/MPD](#) => [ogit/MRO/Aviation/MPD](#)
- [ogit/MRO/Aviation/Task](#) => [ogit/MRO/Aviation/MPD](#)

## 2.2.0.17 ogit/MRO/Aviation/suit

TODO.

- id: <http://www.purl.org/ogit/MRO/Aviation/suit>
- valid-from: Thu Feb 25 00:00:00 UTC 2016
- creator: [bneal@arago.de](mailto:bneal@arago.de)

## Allowed Connection

- [ogit/MRO/Aviation/Component](#) => [ogit/MRO/Aviation/AircraftType](#)

## 2.2.0.18 ogit/relates

General relationship indicating that one entity is related to another one.

- id: <http://www.purl.org/ogit/relates>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

## Allowed Connection

- [ogit/MRO/Aviation/Task](#) => [ogit/MRO/Aviation/Layover](#)

## 2.2.0.19 ogit/MRO/Aviation/orders

TODO.

- id: <http://www.purl.org/ogit/MRO/Aviation/orders>
- valid-from: Thu Feb 25 00:00:00 UTC 2016
- creator: [bneal@arago.de](mailto:bneal@arago.de)

## Allowed Connection

- [ogit/Organization](#) => [ogit/MRO/Aviation/Layover](#)

## 2.3 Attributes

### 2.3.0.1 ogit/postalCode

The postal code. For example, 60433.

- id: <http://www.purl.org/ogit/postalCode>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Organization](#)

### 2.3.0.2 ogit/email

An email address.

- id: <http://www.purl.org/ogit/email>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Organization](#)
  - [ogit/Person](#)

### 2.3.0.3 ogit/alternativeName

Alternative name of something. In context of a Person this can be the full name or an alias/nick name.

- id: <http://www.purl.org/ogit/alternativeName>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Person](#)

#### 2.3.0.4 ogit/function

Attribute used to specify a function that some entity does/provides. This is more specific than 'description'. Should contain a short string. At this level of specification it is still a free from string. However, unlike 'description', it is expected to contain some list of fixed values.

- id: <http://www.purl.org/ogit/function>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Organization](#)

#### 2.3.0.5 ogit/country

Name of a country.

- id: <http://www.purl.org/ogit/country>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - [ogit/Organization](#)

#### 2.3.0.6 ogit/businessCategory

The category of a business.

- id: <http://www.purl.org/ogit/businessCategory>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - [ogit/Organization](#)

### 2.3.0.7 ogit/notification

A notification.

- id: <http://www.purl.org/ogit/notification>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - [ogit/Person](#)

### 2.3.0.8 ogit/sourceId

The Id of the source system.

- id: <http://www.purl.org/ogit/sourceId>
- valid-from: Thu Jun 11 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Organization](#)
  - [ogit/Person](#)

### 2.3.0.9 ogit/mobilePhone

A mobile phone number.

- id: <http://www.purl.org/ogit/mobilePhone>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Person](#)

## 2.3.0.10 ogit/city

Name of a city.

- id: <http://www.purl.org/ogit/city>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - [ogit/Organization](#)

## 2.3.0.11 ogit/status

A status for an entity. At this level of specification no list of values is specified. However, applications using this attribute are expected to allow only a fixed list of values that seems usefual in the application's semantic context.

- id: <http://www.purl.org/ogit/status>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Organization](#)
  - [ogit/Person](#)

## 2.3.0.12 ogit/lastName

Last name of a person.

- id: <http://www.purl.org/ogit/lastName>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Person](#)

#### 2.3.0.13 ogit/middleName

Middle name of a person.

- id: <http://www.purl.org/ogit/middleName>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - [ogit/Person](#)

#### 2.3.0.14 ogit/streetAddress

The street address. For example, Eschersheimer Landstr. 526-532

- id: <http://www.purl.org/ogit/streetAddress>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Organization](#)

#### 2.3.0.15 ogit/firstName

First name of a person

- id: <http://www.purl.org/ogit/firstName>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Person](#)



**2.3.0.16 ogit/title**

Title of any kind. In the context of a Person this can be a courtesy title, an academic title, or a job title.

- id: <http://www.purl.org/ogit/title>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Person](#)

**2.3.0.17 ogit/name**

Contains a name.

- id: <http://www.purl.org/ogit/name>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- mandatory:
  - [ogit/Location](#)
  - [ogit/Organization](#)
- optional:
  - [ogit/MRO/Aviation/Layover](#)
  - [ogit/MRO/Aviation/MPD](#)
  - [ogit/MRO/Aviation/Task](#)
  - [ogit/MRO/Aviation/Workstation](#)

**2.3.0.18 ogit/description**

Contains a description.

- id: <http://www.purl.org/ogit/description>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Location](#)
  - [ogit/MRO/Aviation/MPD](#)
  - [ogit/Organization](#)

#### 2.3.0.19 ogit/officePhone

The phone number in the office.

- id: <http://www.purl.org/ogit/officePhone>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - [ogit/Person](#)

#### 2.3.0.20 ogit/phone

a phone number

- id: <http://www.purl.org/ogit/phone>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Organization](#)

#### 2.3.0.21 ogit/fax

The number of a fax.

- id: <http://www.purl.org/ogit/fax>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - [ogit/Person](#)

#### 2.3.0.22 ogit/otherPhone

The number of an other phone.

- id: <http://www.purl.org/ogit/otherPhone>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - [ogit/Person](#)

#### 2.3.0.23 ogit/webPage

A web page.

- id: <http://www.purl.org/ogit/webPage>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - [ogit/Organization](#)
  - [ogit/Person](#)

#### 2.3.0.24 ogit/id

General id.

- id: <http://www.purl.org/ogit/id>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/MRO/Aviation/Layover](#)
  - [ogit/MRO/Aviation/MPD](#)
  - [ogit/MRO/Aviation/Task](#)
  - [ogit/MRO/Aviation/Workstation](#)

## 2.3.0.25 ogit/position

Indicates user's position. This field contains a string value.

- id: <http://www.purl.org/ogit/position>
- valid-from: Tue Oct 18 00:00:00 UTC 2016
- creator: Arthur Shoba

used

- optional:
  - [ogit/Person](#)