

---

## Statistics

---

June 19, 2020

---

|  |          |
|--|----------|
| <b>1 Statistics</b>                                | <b>1</b> |
| <b>2 Module Documentation</b>                      | <b>2</b> |
| 2.1 Entities . . . . .                             | 2        |
| 2.1.0.1 ogit/Statistics/AutomationFamily . . . . . | 2        |
| 2.2 Attributes . . . . .                           | 3        |
| 2.2.0.1 ogit/category . . . . .                    | 3        |
| 2.2.0.2 ogit/name . . . . .                        | 3        |
| 2.2.0.3 ogit/description . . . . .                 | 3        |
| 2.2.0.4 ogit/Automation/marsNodeType . . . . .     | 4        |

## **Chapter 1**

# **Statistics**

Elements for the autopilot statistics are grouped under the stats NTO and can be found in OGIT under "ogit/stats".

## Chapter 2

# Module Documentation

### 2.1 Entities

#### 2.1.0.1 ogit/Statistics/AutomationFamily

AutomationFamily defines the group of cases for automation of IT environment and its functionality.

- id: <http://www.purl.org/ogit/Statistics/AutomationFamily>
- valid-from: Mon Mar 07 00:00:00 UTC 2016
- creator: Liudmyla Nechepurenko
- scope: NTO
- parent: ogit/Node

#### attributes

- mandatory:
  - [ogit/name](#)
- optional:
  - [ogit/Automation/marsNodeType](#)
  - [ogit/category](#)
  - [ogit/description](#)

## 2.2 Attributes

### 2.2.0.1 ogit/category

Used to categorize things.

- id: <http://www.purl.org/ogit/category>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Statistics/AutomationFamily](#)

### 2.2.0.2 ogit/name

Contains a name.

- id: <http://www.purl.org/ogit/name>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- mandatory:
  - [ogit/Statistics/AutomationFamily](#)

### 2.2.0.3 ogit/description

Contains a description.

- id: <http://www.purl.org/ogit/description>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Statistics/AutomationFamily](#)

## 2.2.0.4 ogit/Automation/marsNodeType

Obsolete attribute. Not used for HIRO  $\geq 6$ . Contains The Type of the Mars Node. Should be one of Application, Machine, Software, Resource.

- id: <http://www.purl.org/ogit/Automation/marsNodeType>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Statistics/AutomationFamily](#)