

1 Module Documenta	tion	1
1.1 Entities		1
1.1.0.	.1 ogit/Schedule/Attendee	1
1.1.0.	.2 ogit/Schedule/Event	2
1.1.0.	.3 ogit/Schedule/Schedule	2
1.1.0.	.4 ogit/Auth/Account	3
1.1.0.	.5 ogit/Schedule/Calendar	4
1.1.0.	.6 ogit/Schedule/Activity	4
1.2 Verbs		5
1.2.0.	.1 ogit/contains	5
1.2.0.	.2 ogit/dependsOn	5
1.2.0.	.3 ogit/belongs	5
1.2.0.	.4 ogit/has	5
1.3 Attributes		6
1.3.0.	.1 ogit/email	6
1.3.0.	.2 ogit/Schedule/startTime	6
1.3.0.	.3 ogit/Schedule/isOrganizer	6
1.3.0.	.4 ogit/Schedule/resources	7
1.3.0.	.5 ogit/status	7
1.3.0.	.6 ogit/Schedule/location	7
1.3.0.	.7 ogit/Auth/Account/statusReason	8
1.3.0.	.8 ogit/title	8
1.3.0.	.9 ogit/Auth/Account/type	8
1.3.0.	.10 ogit/name	9
1.3.0.	.11 ogit/Schedule/endTime	9
1.3.0.	.12 ogit/description	9
1.3.0.	.13 ogit/Auth/Account/acceptedProjectTerms	10
1.3.0.	.14 ogit/Auth/Account/acceptedTerms	10
1.3.0.	.15 ogit/Schedule/dependencies	10
1.3.0.	.16 ogit/Auth/Account/allowCookies	11
1.3.0.	.17 ogit/subType	11
1.3.0.	.18 ogit/Auth/Account/acceptedPrivacy	11
1.3.0.	.19 ogit/Schedule/attendanceStatus	12
1.3.0.	20 ogit/rank	12

Chapter 1

Module Documentation

1.1 Entities

1.1.0.1 ogit/Schedule/Attendee

An attendee of a calendar event.

• id: http://www.purl.org/ogit/Schedule/Attendee

• valid-from: Tue Jul 02 00:00:00 UTC 2019

· creator: Marek Meyer

· scope: NTO

· parent: ogit/Node

attributes

- · mandatory:
 - ogit/name
- optional:
 - ogit/Schedule/attendanceStatus
 - ogit/Schedule/isOrganizer
 - ogit/email

incoming edges

• ogit/has <= ogit/Schedule/Event

outgoing edges

• ogit/has => ogit/Auth/Account

1.1 Entities 2

1.1.0.2 ogit/Schedule/Event

An event planned or occuring as part of a calendar.

• id: http://www.purl.org/ogit/Schedule/Event

• valid-from: Tue Jul 02 00:00:00 UTC 2019

· creator: Marek Meyer

· scope: NTO

· parent: ogit/Node

attributes

- · mandatory:
 - ogit/Schedule/endTime
 - ogit/Schedule/startTime
- · optional:
 - ogit/Schedule/location
 - ogit/description
 - ogit/subType
 - ogit/title

incoming edges

• ogit/contains <= ogit/Schedule/Calendar

outgoing edges

• ogit/has => ogit/Schedule/Attendee

1.1.0.3 ogit/Schedule/Schedule

A schedule consisting of planned activities.

• id: http://www.purl.org/ogit/Schedule/Schedule

valid-from: Tue Jul 02 00:00:00 UTC 2019

· creator: Marek Meyer

• scope: NTO

• parent: ogit/Node

1.1 Entities 3

attributes

- · optional:
 - ogit/description
 - ogit/title

outgoing edges

• ogit/contains => ogit/Schedule/Activity

1.1.0.4 ogit/Auth/Account

An account is used for authentication and authorization.

• id: http://www.purl.org/ogit/Auth/Account

• valid-from: Mon Jan 01 00:00:00 UTC 2018

· creator: arago GmbH

· scope: NTO

· parent: ogit/Node

attributes

- · mandatory:
 - ogit/Auth/Account/type
 - ogit/name
 - ogit/status
- · optional:
 - ogit/Auth/Account/acceptedPrivacy
 - ogit/Auth/Account/acceptedProjectTerms
 - ogit/Auth/Account/acceptedTerms
 - ogit/Auth/Account/allowCookies
 - ogit/Auth/Account/statusReason
 - ogit/email

incoming edges

- ogit/belongs <= ogit/Schedule/Calendar
- ogit/has <= ogit/Schedule/Attendee

1.1 Entities 4

1.1.0.5 ogit/Schedule/Calendar

A calendar containing events.

• id: http://www.purl.org/ogit/Schedule/Calendar

valid-from: Tue Jul 02 00:00:00 UTC 2019

· creator: Marek Meyer

· scope: NTO

· parent: ogit/Node

attributes

- optional:
 - ogit/description
 - ogit/subType
 - ogit/title

outgoing edges

- ogit/belongs => ogit/Auth/Account
- ogit/contains => ogit/Schedule/Event

1.1.0.6 ogit/Schedule/Activity

An activity planned as part of a schedule.

- id: http://www.purl.org/ogit/Schedule/Activity
- valid-from: Tue Jul 02 00:00:00 UTC 2019
- · creator: Marek Meyer
- · scope: NTO
- · parent: ogit/Node

attributes

- · optional:
 - ogit/Schedule/dependencies
 - ogit/Schedule/resources
 - ogit/description
 - ogit/rank
 - ogit/status
 - ogit/subType
 - ogit/title

incoming edges

- ogit/contains <= ogit/Schedule/Schedule
- ogit/dependsOn <= ogit/Schedule/Activity

outgoing edges

• ogit/dependsOn => ogit/Schedule/Activity

1.2 Verbs 5

1.2 Verbs

1.2.0.1 ogit/contains

This relationship indicates that something is part of something else. see also "includes"

• id: http://www.purl.org/ogit/contains

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

Allowed Connection

- ogit/Schedule/Calendar => ogit/Schedule/Event
- ogit/Schedule/Schedule => ogit/Schedule/Activity

1.2.0.2 ogit/dependsOn

This relationship indicates that some entity is depending on some other. E.g. machine hosts software.

```
• id: http://www.purl.org/ogit/dependsOn
```

valid-from: Thu Oct 15 00:00:00 UTC 2015

· creator: Aymen Ayoub

Allowed Connection

ogit/Schedule/Activity => ogit/Schedule/Activity

1.2.0.3 ogit/belongs

Verb showing if one entity belongs to another.

```
• id: http://www.purl.org/ogit/belongs
```

valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

Allowed Connection

• ogit/Schedule/Calendar => ogit/Auth/Account

1.2.0.4 ogit/has

Indicates if an entity has another entity.

```
• id: http://www.purl.org/ogit/has
```

· valid-from: Thu Mar 28 00:00:00 UTC 2019

• creator: Kaushik Gondaliya

Allowed Connection

- ogit/Schedule/Attendee => ogit/Auth/Account
- ogit/Schedule/Event => ogit/Schedule/Attendee

1.3 Attributes

1.3.0.1 ogit/email

An email address.

```
• id: http://www.purl.org/ogit/email
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
 - ogit/Auth/Account
 - ogit/Schedule/Attendee

1.3.0.2 ogit/Schedule/startTime

Start time of a calendar event.

```
• id: http://www.purl.org/ogit/Schedule/startTime
```

• valid-from: Tue Jul 02 00:00:00 UTC 2019

· creator: Marek Meyer

used

- · mandatory:
 - ogit/Schedule/Event

1.3.0.3 ogit/Schedule/isOrganizer

Boolean indicating whether an attendee is the organizer of a calendar event.

```
• id: http://www.purl.org/ogit/Schedule/isOrganizer
```

• valid-from: Tue Jul 02 00:00:00 UTC 2019

· creator: Marek Meyer

- optional:
 - ogit/Schedule/Attendee

1.3.0.4 ogit/Schedule/resources

Resources required for a schedule activity.

```
• id: http://www.purl.org/ogit/Schedule/resources
```

valid-from: Tue Jul 02 00:00:00 UTC 2019

· creator: Marek Meyer

used

- · optional:
 - ogit/Schedule/Activity

1.3.0.5 ogit/status

A status for an entity. At this level of specification no list of values is specified. However, applications using this attribute are expected to allow only a fixed list of values that seems usefual in the application's semantic context.

```
• id: http://www.purl.org/ogit/status
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · mandatory:
 - ogit/Auth/Account
- optional:
 - ogit/Schedule/Activity

1.3.0.6 ogit/Schedule/location

Location of a calendar event.

```
• id: http://www.purl.org/ogit/Schedule/location
```

• valid-from: Tue Jul 02 00:00:00 UTC 2019

· creator: Marek Meyer

- optional:
 - ogit/Schedule/Event

1.3.0.7 ogit/Auth/Account/statusReason

Status Reason of an ogit/Auth/Account

• id: http://www.purl.org/ogit/Auth/Account/statusReason

· valid-from: Mon Jan 01 00:00:00 UTC 2018

· creator: arago GmbH

used

- · optional:
 - ogit/Auth/Account

1.3.0.8 ogit/title

Title of any kind. In the context of a Person this can be a courtesy title, an academic title, or a job tilte.

```
• id: http://www.purl.org/ogit/title
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
 - ogit/Schedule/Activity
 - ogit/Schedule/Calendar
 - ogit/Schedule/Event
 - ogit/Schedule/Schedule

1.3.0.9 ogit/Auth/Account/type

Type of an account. Values: person, application

- id: http://www.purl.org/ogit/Auth/Account/type
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- · creator: arago GmbH

- · mandatory:
 - ogit/Auth/Account

1.3.0.10 ogit/name

Contains a name.

• id: http://www.purl.org/ogit/name

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · mandatory:
 - ogit/Auth/Account
 - ogit/Schedule/Attendee

1.3.0.11 ogit/Schedule/endTime

End time of a calendar event.

- id: http://www.purl.org/ogit/Schedule/endTime
- valid-from: Tue Jul 02 00:00:00 UTC 2019
- · creator: Marek Meyer

used

- · mandatory:
 - ogit/Schedule/Event

1.3.0.12 ogit/description

Contains a description.

- id: http://www.purl.org/ogit/description
- valid-from: Thu May 21 00:00:00 UTC 2015
- · creator: Peter Larem

- optional:
 - ogit/Schedule/Activity
 - ogit/Schedule/Calendar
 - ogit/Schedule/Event
 - ogit/Schedule/Schedule

1.3.0.13 ogit/Auth/Account/acceptedProjectTerms

Flag about whether HIRO Project terms were accepted

```
• id: http://www.purl.org/ogit/Auth/Account/acceptedProjectTerms
```

• valid-from: Mon Jan 01 00:00:00 UTC 2018

· creator: arago GmbH

used

- · optional:
 - ogit/Auth/Account

1.3.0.14 ogit/Auth/Account/acceptedTerms

Flag about whether usage terms were accepted

- id: http://www.purl.org/ogit/Auth/Account/acceptedTerms
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- · creator: arago GmbH

used

- · optional:
 - ogit/Auth/Account

1.3.0.15 ogit/Schedule/dependencies

Dependencies of a schedule activity.

- id: http://www.purl.org/ogit/Schedule/dependencies
- valid-from: Tue Jul 02 00:00:00 UTC 2019
- · creator: Marek Meyer

- optional:
 - ogit/Schedule/Activity

1.3.0.16 ogit/Auth/Account/allowCookies

Flag about whether cookies are allowed

```
• id: http://www.purl.org/ogit/Auth/Account/allowCookies
```

· valid-from: Mon Jan 01 00:00:00 UTC 2018

· creator: arago GmbH

used

- · optional:
 - ogit/Auth/Account

1.3.0.17 ogit/subType

A subtype of an an entity.

```
• id: http://www.purl.org/ogit/subType
```

• valid-from: Mon Jul 27 00:00:00 UTC 2015

· creator: Aymen Ayoub

used

- · optional:
 - ogit/Schedule/Activity
 - ogit/Schedule/Calendar
 - ogit/Schedule/Event

1.3.0.18 ogit/Auth/Account/acceptedPrivacy

Flag about whether privacy terms were accepted

```
• id: http://www.purl.org/ogit/Auth/Account/acceptedPrivacy
```

• valid-from: Mon Jan 01 00:00:00 UTC 2018

· creator: arago GmbH

- optional:
 - ogit/Auth/Account

1.3.0.19 ogit/Schedule/attendanceStatus

Status of event attendence.

• id: http://www.purl.org/ogit/Schedule/attendanceStatus

• valid-from: Tue Jul 02 00:00:00 UTC 2019

· creator: Marek Meyer

used

- · optional:
 - ogit/Schedule/Attendee

1.3.0.20 ogit/rank

The rank of an item within an ordered list.

• id: http://www.purl.org/ogit/rank

• valid-from: Tue Jul 02 00:00:00 UTC 2019

· creator: Marek Meyer

- optional:
 - ogit/Schedule/Activity