
Survey

February 14, 2021

1 Module Documentation	1
1.1 Entities	1
1.1.0.1 ogit/Organization	1
1.1.0.2 ogit/Person	2
1.1.0.3 ogit/Survey/Iteration	3
1.1.0.4 ogit/Survey/Reply	3
1.1.0.5 ogit/Survey/Survey	4
1.1.0.6 ogit/Auth/Account	5
1.1.0.7 ogit/Project/Milestone	5
1.1.0.8 ogit/Auth/Organization	6
1.1.0.9 ogit/Project/Project	7
1.2 Verbs	8
1.2.0.1 ogit/supports	8
1.2.0.2 ogit/consumes	8
1.2.0.3 ogit/produces	8
1.2.0.4 ogit/belongs	9
1.2.0.5 ogit/repliedWith	9
1.2.0.6 ogit/relates	9
1.3 Attributes	10
1.3.0.1 ogit/category	10
1.3.0.2 ogit/comment	10
1.3.0.3 ogit/postalCode	10
1.3.0.4 ogit/email	11
1.3.0.5 ogit/alternativeName	11
1.3.0.6 ogit/function	11
1.3.0.7 ogit/country	12
1.3.0.8 ogit/businessCategory	12
1.3.0.9 ogit/question	12
1.3.0.10 ogit/notification	13
1.3.0.11 ogit/sourceld	13
1.3.0.12 ogit/mobilePhone	13
1.3.0.13 ogit/startedAt	14
1.3.0.14 ogit/city	14
1.3.0.15 ogit/status	14
1.3.0.16 ogit/lastName	15
1.3.0.17 ogit/middleName	15
1.3.0.18 ogit/plannedFinishDate	16
1.3.0.19 ogit/streetAddress	16
1.3.0.20 ogit/Auth/Account/statusReason	16
1.3.0.21 ogit/firstName	17
1.3.0.22 ogit/title	17
1.3.0.23 ogit/isInternal	17

1.3.0.24 ogit/schedule	18
1.3.0.25 ogit/Auth/Account/type	18
1.3.0.26 ogit/name	18
1.3.0.27 ogit/description	19
1.3.0.28 ogit/placement	19
1.3.0.29 ogit/Auth/Account/acceptedProjectTerms	19
1.3.0.30 ogit/finishedAt	20
1.3.0.31 ogit/Auth/Account/acceptedTerms	20
1.3.0.32 ogit/plannedStartDate	20
1.3.0.33 ogit/officePhone	21
1.3.0.34 ogit/phone	21
1.3.0.35 ogit/fax	21
1.3.0.36 ogit/type	22
1.3.0.37 ogit/Auth/Account/allowCookies	22
1.3.0.38 ogit/otherPhone	22
1.3.0.39 ogit/webPage	23
1.3.0.40 ogit/Auth/Account/acceptedPrivacy	23
1.3.0.41 ogit/position	23

Chapter 1

Module Documentation

1.1 Entities

1.1.0.1 ogit/Organization

An identity that represents an organization, company, or some other grouping of Person objects. Entities of this type should be created with a predefined ID. Those IDs should be named like a domain name, i.e. a concatenation of some strings separated with a dot. If organization data is created from a LDAP then a mapping like "cn=John Doe,dc=example,dc=com" => "john_doe.example.com" should be employed. The ogit/function attribute should be used to tell what kind of grouping an entity of type Organization is: company, department, group, ...

- id: <http://www.purl.org/ogit/Organization>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem
- scope: SGO
- parent: ogit/Node

attributes

- mandatory:
 - [ogit/name](#)
- optional:
 - [ogit/businessCategory](#)
 - [ogit/city](#)
 - [ogit/country](#)
 - [ogit/description](#)
 - [ogit/email](#)
 - [ogit/function](#)
 - [ogit/phone](#)
 - [ogit/postalCode](#)
 - [ogit/sourceId](#)
 - [ogit/status](#)
 - [ogit/streetAddress](#)
 - [ogit/webPage](#)

incoming edges

- [ogit/belongs](#) <= [ogit/Survey/Survey](#)

outgoing edges

- [ogit/consumes](#) => [ogit/Survey/Iteration](#)
- [ogit/produces](#) => [ogit/Survey/Iteration](#)
- [ogit/supports](#) => [ogit/Survey/Iteration](#)

1.1.0.2 [ogit/Person](#)

A Person represents a human identity.

- id: <http://www.purl.org/ogit/Person>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem
- scope: SGO
- parent: [ogit/Node](#)

attributes

- optional:
 - [ogit/alternativeName](#)
 - [ogit/email](#)
 - [ogit/fax](#)
 - [ogit/firstName](#)
 - [ogit/lastName](#)
 - [ogit/middleName](#)
 - [ogit/mobilePhone](#)
 - [ogit/notification](#)
 - [ogit/officePhone](#)
 - [ogit/otherPhone](#)
 - [ogit/position](#)
 - [ogit/sourceId](#)
 - [ogit/status](#)
 - [ogit/title](#)
 - [ogit/webPage](#)

outgoing edges

- [ogit/relates](#) => [ogit/Survey/Iteration](#)
- [ogit/repliedWith](#) => [ogit/Survey/Reply](#)

1.1.0.3 ogit/Survey/Iteration

Iteration of the same survey

- id: <http://www.purl.org/ogit/Survey/Iteration>
- valid-from: Mon Aug 08 00:00:00 UTC 2016
- creator: Alexander Ryabtsev
- scope: NTO
- parent: ogit/Node

attributes

- optional:
 - [ogit/startedAt](#)
 - [ogit/status](#)

incoming edges

- [ogit/belongs](#) <= [ogit/Survey/Reply](#)
- [ogit/consumes](#) <= [ogit/Auth/Organization](#)
- [ogit/consumes](#) <= [ogit/Organization](#)
- [ogit/produces](#) <= [ogit/Auth/Organization](#)
- [ogit/produces](#) <= [ogit/Organization](#)
- [ogit/relates](#) <= [ogit/Person](#)
- [ogit/supports](#) <= [ogit/Auth/Organization](#)
- [ogit/supports](#) <= [ogit/Organization](#)

outgoing edges

- [ogit/belongs](#) => [ogit/Project/Milestone](#)
- [ogit/belongs](#) => [ogit/Project/Project](#)
- [ogit/belongs](#) => [ogit/Survey/Survey](#)

1.1.0.4 ogit/Survey/Reply

User's reply on a survey

- id: <http://www.purl.org/ogit/Survey/Reply>
- valid-from: Mon Aug 08 00:00:00 UTC 2016
- creator: Alexander Ryabtsev
- scope: NTO
- parent: ogit/Node

attributes

- optional:
 - [ogit/comment](#)
 - [ogit/question](#)

incoming edges

- [ogit/repliedWith](#) <= [ogit/Auth/Account](#)
- [ogit/repliedWith](#) <= [ogit/Person](#)

outgoing edges

- [ogit/belongs](#) => [ogit/Survey/Iteration](#)

1.1.0.5 ogit/Survey/Survey**List with questions**

- id: <http://www.purl.org/ogit/Survey/Survey>
- valid-from: Tue Jul 12 00:00:00 UTC 2016
- creator: Arthur Shoba
- scope: NTO
- parent: ogit/Node

attributes

- optional:
 - [ogit/category](#)
 - [ogit/description](#)
 - [ogit/question](#)
 - [ogit/schedule](#)
 - [ogit/status](#)
 - [ogit/title](#)
 - [ogit/type](#)

incoming edges

- [ogit/belongs](#) <= [ogit/Survey/Iteration](#)

outgoing edges

- [ogit/belongs](#) => [ogit/Organization](#)
- [ogit/belongs](#) => [ogit/Project/Milestone](#)
- [ogit/belongs](#) => [ogit/Project/Project](#)

1.1.0.6 [ogit/Auth/Account](#)

An account is used for authentication and authorization.

- id: <http://www.purl.org/ogit/Auth/Account>
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH
- scope: NTO
- parent: [ogit/Node](#)

attributes

- mandatory:
 - [ogit/Auth/Account/type](#)
 - [ogit/name](#)
 - [ogit/status](#)
- optional:
 - [ogit/Auth/Account/acceptedPrivacy](#)
 - [ogit/Auth/Account/acceptedProjectTerms](#)
 - [ogit/Auth/Account/acceptedTerms](#)
 - [ogit/Auth/Account/allowCookies](#)
 - [ogit/Auth/Account/statusReason](#)
 - [ogit/email](#)

outgoing edges

- [ogit/repliedWith](#) => [ogit/Survey/Reply](#)

1.1.0.7 [ogit/Project/Milestone](#)

An identity that represents an important event, achievement, ...

- id: <http://www.purl.org/ogit/Project/Milestone>
- valid-from: Mon Aug 08 00:00:00 UTC 2016
- creator: Arthur Shoba
- scope: NTO
- parent: [ogit/Node](#)

attributes

- optional:
 - [ogit/category](#)
 - [ogit/finishedAt](#)
 - [ogit/plannedFinishDate](#)
 - [ogit/plannedStartDate](#)
 - [ogit/startedAt](#)
 - [ogit/status](#)
 - [ogit/title](#)

incoming edges

- [ogit/belongs](#) <= [ogit/Survey/Iteration](#)
- [ogit/belongs](#) <= [ogit/Survey/Survey](#)

1.1.0.8 ogit/Auth/Organization

An ogit/Auth/Organization reflects a real world organization registered in hiro knowledge core

- id: <http://www.purl.org/ogit/Auth/Organization>
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH
- scope: NTO
- parent: ogit/Node

attributes

- mandatory:
 - [ogit/name](#)
- optional:
 - [ogit/isInternal](#)
 - [ogit/status](#)

outgoing edges

- [ogit/consumes](#) => [ogit/Survey/Iteration](#)
- [ogit/produces](#) => [ogit/Survey/Iteration](#)
- [ogit/supports](#) => [ogit/Survey/Iteration](#)

1.1.0.9 ogit/Project/Project

An identity that represents a grouping of Person, Milestone objects.

- id: <http://www.purl.org/ogit/Project/Project>
- valid-from: Mon Aug 08 00:00:00 UTC 2016
- creator: Arthur Shoba
- scope: NTO
- parent: ogit/Node

attributes

- optional:
 - [ogit/category](#)
 - [ogit/finishedAt](#)
 - [ogit/placement](#)
 - [ogit/plannedFinishDate](#)
 - [ogit/plannedStartDate](#)
 - [ogit/startedAt](#)
 - [ogit/status](#)
 - [ogit/title](#)

incoming edges

- [ogit/belongs](#) <= [ogit/Survey/Iteration](#)
- [ogit/belongs](#) <= [ogit/Survey/Survey](#)

1.2 Verbs

1.2.0.1 ogit/supports

This relationship defines that one entity provides/supports another entity.

- id: <http://www.purl.org/ogit/supports>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

Allowed Connection

- [ogit/Auth/Organization](#) => [ogit/Survey/Iteration](#)
- [ogit/Organization](#) => [ogit/Survey/Iteration](#)

1.2.0.2 ogit/consumes

This relationship indicates that one consumes result of work from another.

- id: <http://www.purl.org/ogit/consumes>
- valid-from: Mon Aug 08 00:00:00 UTC 2016
- creator: Alexander Ryabtsev

Allowed Connection

- [ogit/Auth/Organization](#) => [ogit/Survey/Iteration](#)
- [ogit/Organization](#) => [ogit/Survey/Iteration](#)

1.2.0.3 ogit/produces

This relationship indicates that one produces some work for another.

- id: <http://www.purl.org/ogit/produces>
- valid-from: Mon Aug 08 00:00:00 UTC 2016
- creator: Alexander Ryabtsev

Allowed Connection

- [ogit/Auth/Organization](#) => [ogit/Survey/Iteration](#)
- [ogit/Organization](#) => [ogit/Survey/Iteration](#)

1.2.0.4 ogit/belongs

Verb showing if one entity belongs to another.

- id: <http://www.purl.org/ogit/belongs>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

Allowed Connection

- [ogit/Survey/Iteration](#) => [ogit/Project/Milestone](#)
- [ogit/Survey/Iteration](#) => [ogit/Project/Project](#)
- [ogit/Survey/Iteration](#) => [ogit/Survey/Survey](#)
- [ogit/Survey/Reply](#) => [ogit/Survey/Iteration](#)
- [ogit/Survey/Survey](#) => [ogit/Organization](#)
- [ogit/Survey/Survey](#) => [ogit/Project/Milestone](#)
- [ogit/Survey/Survey](#) => [ogit/Project/Project](#)

1.2.0.5 ogit/repliedWith

This relationship indicates that user replied with something.

- id: <http://www.purl.org/ogit/repliedWith>
- valid-from: Mon Aug 08 00:00:00 UTC 2016
- creator: Alexander Ryabtsev

Allowed Connection

- [ogit/Auth/Account](#) => [ogit/Survey/Reply](#)
- [ogit/Person](#) => [ogit/Survey/Reply](#)

1.2.0.6 ogit/relates

General relationship indicating that one entity is related to another one.

- id: <http://www.purl.org/ogit/relates>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

Allowed Connection

- [ogit/Person](#) => [ogit/Survey/Iteration](#)

1.3 Attributes

1.3.0.1 ogit/category

Used to categorize things.

- id: <http://www.purl.org/ogit/category>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Project/Milestone](#)
 - [ogit/Project/Project](#)
 - [ogit/Survey/Survey](#)

1.3.0.2 ogit/comment

Contains a comment.

- id: <http://www.purl.org/ogit/comment>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Aymen Ayoub

used

- optional:
 - [ogit/Survey/Reply](#)

1.3.0.3 ogit/postalCode

The postal code. For example, 60433.

- id: <http://www.purl.org/ogit/postalCode>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Organization](#)

1.3.0.4 ogit/email

An email address.

- id: <http://www.purl.org/ogit/email>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Auth/Account](#)
 - [ogit/Organization](#)
 - [ogit/Person](#)

1.3.0.5 ogit/alternativeName

Alternative name of something. In context of a Person this can be the full name or an alias/nick name.

- id: <http://www.purl.org/ogit/alternativeName>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Person](#)

1.3.0.6 ogit/function

Attribute used to specify a function that some entity does/provides. This is more specific than 'description'. Should contain a short string. At this level of specification it is still a free form string. However, unlike 'description', it is expected to contain some list of fixed values.

- id: <http://www.purl.org/ogit/function>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Organization](#)

1.3.0.7 ogit/country

Name of a country.

- id: <http://www.purl.org/ogit/country>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
 - [ogit/Organization](#)

1.3.0.8 ogit/businessCategory

The category of a business.

- id: <http://www.purl.org/ogit/businessCategory>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
 - [ogit/Organization](#)

1.3.0.9 ogit/question

Contains a question.

- id: <http://www.purl.org/ogit/question>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Survey/Reply](#)
 - [ogit/Survey/Survey](#)

1.3.0.10 ogit/notification

A notification.

- id: <http://www.purl.org/ogit/notification>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
 - [ogit/Person](#)

1.3.0.11 ogit/sourceId

The Id of the source system.

- id: <http://www.purl.org/ogit/sourceId>
- valid-from: Thu Jun 11 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Organization](#)
 - [ogit/Person](#)

1.3.0.12 ogit/mobilePhone

A mobile phone number.

- id: <http://www.purl.org/ogit/mobilePhone>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Person](#)

1.3.0.13 ogit/startedAt

Defines a point in time when the work on a change, task, or similar entity was actually started. The values must be combined date and time with time zone designator according to ISO 8601

- id: <http://www.purl.org/ogit/startedAt>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Project/Milestone](#)
 - [ogit/Project/Project](#)
 - [ogit/Survey/Iteration](#)

1.3.0.14 ogit/city

Name of a city.

- id: <http://www.purl.org/ogit/city>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
 - [ogit/Organization](#)

1.3.0.15 ogit/status

A status for an entity. At this level of specification no list of values is specified. However, applications using this attribute are expected to allow only a fixed list of values that seems useful in the application's semantic context.

- id: <http://www.purl.org/ogit/status>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- mandatory:
 - [ogit/Auth/Account](#)
- optional:
 - [ogit/Auth/Organization](#)
 - [ogit/Organization](#)
 - [ogit/Person](#)
 - [ogit/Project/Milestone](#)
 - [ogit/Project/Project](#)
 - [ogit/Survey/Iteration](#)
 - [ogit/Survey/Survey](#)

1.3.0.16 [ogit/lastName](#)

Last name of a person.

- id: <http://www.purl.org/ogit/lastName>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Person](#)

1.3.0.17 [ogit/middleName](#)

Middle name of a person.

- id: <http://www.purl.org/ogit/middleName>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
 - [ogit/Person](#)

1.3.0.18 ogit/plannedFinishDate

Defines the date when something will be finished.

- id: <http://www.purl.org/ogit/plannedFinishDate>
- valid-from: Mon Aug 08 00:00:00 UTC 2016
- creator: Alexander Ryabtsev

used

- optional:
 - [ogit/Project/Milestone](#)
 - [ogit/Project/Project](#)

1.3.0.19 ogit/streetAddress

The street address. For example, Eschersheimer Landstr. 526-532

- id: <http://www.purl.org/ogit/streetAddress>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Organization](#)

1.3.0.20 ogit/Auth/Account/statusReason

Status Reason of an ogit/Auth/Account

- id: <http://www.purl.org/ogit/Auth/Account/statusReason>
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- optional:
 - [ogit/Auth/Account](#)

1.3.0.21 `ogit/firstName`

First name of a person

- id: <http://www.purl.org/ogit/firstName>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Person](#)

1.3.0.22 `ogit/title`

Title of any kind. In the context of a Person this can be a courtesy title, an academic title, or a job title.

- id: <http://www.purl.org/ogit/title>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Person](#)
 - [ogit/Project/Milestone](#)
 - [ogit/Project/Project](#)
 - [ogit/Survey/Survey](#)

1.3.0.23 `ogit/isInternal`

Boolean which can define internal data. The actual semantics depends on the usage context

- id: <http://www.purl.org/ogit/isInternal>
- valid-from: Fri Feb 01 00:00:00 UTC 2019
- creator: FCO

used

- optional:
 - [ogit/Auth/Organization](#)

1.3.0.24 ogit/schedule

Schedule represented by a string in cron format.

- id: <http://www.purl.org/ogit/schedule>
- valid-from: Mon Aug 08 00:00:00 UTC 2016
- creator: Alexander Ryabtsev

used

- optional:
 - [ogit/Survey/Survey](#)

1.3.0.25 ogit/Auth/Account/type

Type of an account. Values: person, application

- id: <http://www.purl.org/ogit/Auth/Account/type>
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- mandatory:
 - [ogit/Auth/Account](#)

1.3.0.26 ogit/name

Contains a name.

- id: <http://www.purl.org/ogit/name>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- mandatory:
 - [ogit/Auth/Account](#)
 - [ogit/Auth/Organization](#)
 - [ogit/Organization](#)

1.3.0.27 ogit/description

Contains a description.

- id: <http://www.purl.org/ogit/description>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Organization](#)
 - [ogit/Survey/Survey](#)

1.3.0.28 ogit/placement

A place where the object is placed.

- id: <http://www.purl.org/ogit/placement>
- valid-from: Mon Aug 08 00:00:00 UTC 2016
- creator: Alexander Ryabtsev

used

- optional:
 - [ogit/Project/Project](#)

1.3.0.29 ogit/Auth/Account/acceptedProjectTerms

Flag about whether HIRO Project terms were accepted

- id: <http://www.purl.org/ogit/Auth/Account/acceptedProjectTerms>
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- optional:
 - [ogit/Auth/Account](#)

1.3.0.30 ogit/finishedAt

Defines a point in time when the work on a change, task, or similar entity was actually finished. The values must be combined date and time with time zone designator according to ISO 8601

- id: <http://www.purl.org/ogit/finishedAt>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Project/Milestone](#)
 - [ogit/Project/Project](#)

1.3.0.31 ogit/Auth/Account/acceptedTerms

Flag about whether usage terms were accepted

- id: <http://www.purl.org/ogit/Auth/Account/acceptedTerms>
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- optional:
 - [ogit/Auth/Account](#)

1.3.0.32 ogit/plannedStartDate

Defines the date when something will be started.

- id: <http://www.purl.org/ogit/plannedStartDate>
- valid-from: Mon Aug 08 00:00:00 UTC 2016
- creator: Alexander Ryabtsev

used

- optional:
 - [ogit/Project/Milestone](#)
 - [ogit/Project/Project](#)

1.3.0.33 ogit/officePhone

The phone number in the office.

- id: <http://www.purl.org/ogit/officePhone>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
 - [ogit/Person](#)

1.3.0.34 ogit/phone

a phone number

- id: <http://www.purl.org/ogit/phone>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Organization](#)

1.3.0.35 ogit/fax

The number of a fax.

- id: <http://www.purl.org/ogit/fax>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
 - [ogit/Person](#)

1.3.0.36 ogit/type

Type of an an entity.

- id: <http://www.purl.org/ogit/type>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Survey/Survey](#)

1.3.0.37 ogit/Auth/Account/allowCookies

Flag about whether cookies are allowed

- id: <http://www.purl.org/ogit/Auth/Account/allowCookies>
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- optional:
 - [ogit/Auth/Account](#)

1.3.0.38 ogit/otherPhone

The number of an other phone.

- id: <http://www.purl.org/ogit/otherPhone>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
 - [ogit/Person](#)

1.3.0.39 ogit/webPage

A web page.

- id: <http://www.purl.org/ogit/webPage>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
 - [ogit/Organization](#)
 - [ogit/Person](#)

1.3.0.40 ogit/Auth/Account/acceptedPrivacy

Flag about whether privacy terms were accepted

- id: <http://www.purl.org/ogit/Auth/Account/acceptedPrivacy>
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- optional:
 - [ogit/Auth/Account](#)

1.3.0.41 ogit/position

Indicates user's position. This field contains a string value.

- id: <http://www.purl.org/ogit/position>
- valid-from: Tue Oct 18 00:00:00 UTC 2016
- creator: Arthur Shoba

used

- optional:
 - [ogit/Person](#)