

---

OSLC-perfmon

---

August 26, 2019

<b>1 OSLC-perfmon</b>	<b>1</b>
<b>2 Module Documentation</b>	<b>2</b>
2.1 Entities	2
2.1.0.1 ogit/OSLC-perfmon/SqlStatmentFailures	2
2.1.0.2 ogit/OSLC-perfmon/DiskMetrics	2
2.1.0.3 ogit/OSLC-perfmon/MessageCount	2
2.1.0.4 ogit/OSLC-perfmon/LogUsed	3
2.1.0.5 ogit/OSLC-perfmon/PerMinute	3
2.1.0.6 ogit/OSLC-perfmon/RemoteInboundConnections	3
2.1.0.7 ogit/OSLC-perfmon/AvgJmsGetTime	3
2.1.0.8 ogit/OSLC-perfmon/FailureMetrics	4
2.1.0.9 ogit/OSLC-perfmon/HighDepthQueueCount	4
2.1.0.10 ogit/OSLC-perfmon/RequestFailures	4
2.1.0.11 ogit/OSLC-perfmon/NetworkIOErrors	4
2.1.0.12 ogit/OSLC-perfmon/CpuMetrics	5
2.1.0.13 ogit/OSLC-perfmon/ResponseTimeMetrics	5
2.1.0.14 ogit/OSLC-perfmon/DiskSpaceOverCommitAmount	5
2.1.0.15 ogit/OSLC-perfmon/RequestMetrics	5
2.1.0.16 ogit/OSLC-perfmon/DiskSpaceUsed	6
2.1.0.17 ogit/OSLC-perfmon/ResourceExhaustionMetrics	6
2.1.0.18 ogit/OSLC-perfmon/NetworkMetrics	6
2.1.0.19 ogit/OSLC-perfmon/QueueDepth	6
2.1.0.20 ogit/OSLC-perfmon/BufferPoolMetrics	7
2.1.0.21 ogit/OSLC-perfmon/CpuUsed	7
2.1.0.22 ogit/OSLC-perfmon/TableSpaceUsed	7
2.1.0.23 ogit/OSLC-perfmon/TimeThreadPoolExhausted	7
2.1.0.24 ogit/OSLC-perfmon/ResponseTime	8
2.1.0.25 ogit/OSLC-perfmon/LockListUsed	8
2.1.0.26 ogit/OSLC-perfmon/CpuSpeed	8
2.1.0.27 ogit/OSLC-perfmon/VirtualMemoryUsed	8
2.1.0.28 ogit/OSLC-perfmon/MemoryMetrics	9
2.1.0.29 ogit/OSLC-perfmon/PerformanceMonitoringRecord	9
2.1.0.30 ogit/OSLC-perfmon/SortOverflows	9
2.1.0.31 ogit/OSLC-perfmon/HeapMemoryUsed	9
2.1.0.32 ogit/OSLC-perfmon/RealMemoryUsed	10
2.1.0.33 ogit/OSLC-perfmon/HostedDatabases	10
2.1.0.34 ogit/OSLC-perfmon/TableSpaceFree	10
2.1.0.35 ogit/OSLC-perfmon/BufferPoolHits	10
2.1.0.36 ogit/OSLC-perfmon/VirtualizationMetrics	11
2.1.0.37 ogit/OSLC-perfmon/AvgRequestFailures	11
2.1.0.38 ogit/OSLC-perfmon/TimeJCAThreadPoolExhausted	11

---

2.1.0.39	ogit/OSLC-perfmon/ThreadPoolMetrics	11
2.1.0.40	ogit/OSLC-perfmon/GarbageCollectionRequests	12
2.1.0.41	ogit/OSLC-perfmon/VmCpuReady	12
2.1.0.42	ogit/OSLC-perfmon/AvgLoginRequestFailures	12
2.1.0.43	ogit/OSLC-perfmon/QueueFull	12
2.1.0.44	ogit/OSLC-perfmon/MemoryAvailableAfterGarbageCollection	13
2.1.0.45	ogit/OSLC-perfmon/TimeDatabaseThreadPoolExhausted	13
2.1.0.46	ogit/OSLC-perfmon/ResourceAvailabilityMetrics	13
2.1.0.47	ogit/OSLC-perfmon/LocalInboundConnections	13
2.1.0.48	ogit/OSLC-perfmon/Metric	14
2.1.0.49	ogit/OSLC-perfmon/LoginRequestFailures	14
2.1.0.50	ogit/OSLC-perfmon/ResourceUsageMetrics	14
2.2	Verbs	15
2.2.0.1	ogit/OSLC-perfmon/process	15
2.3	Attributes	16
2.3.0.1	ogit/OSLC-perfmon/availabilityStatus	16
2.3.0.2	ogit/OSLC-perfmon/tableReorganizationNeeded	16
2.3.0.3	ogit/OSLC-perfmon/mobilityEnabled	16

## Chapter 1

# OSLC-perfmon

OSLC is a collection of specifications for software integration. This module contains entities for *performance monitoring*.

## Chapter 2

# Module Documentation

### 2.1 Entities

#### 2.1.0.1 ogit/OSLC-perfmon/SqlStatmentFailures

SQL statements that failed

- id: <http://www.purl.org/ogit/OSLC-perfmon/SqlStatmentFailures>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

#### 2.1.0.2 ogit/OSLC-perfmon/DiskMetrics

Metric category for disk-related metrics.

- id: <http://www.purl.org/ogit/OSLC-perfmon/DiskMetrics>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

#### 2.1.0.3 ogit/OSLC-perfmon/MessageCount

TODO

- id: <http://www.purl.org/ogit/OSLC-perfmon/MessageCount>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

#### 2.1.0.4 ogit/OSLC-perfmon/LogUsed

Amount of log used, either absolute or relative to some maximum

- id: <http://www.purl.org/ogit/OSLC-perfmon/LogUsed>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

#### 2.1.0.5 ogit/OSLC-perfmon/PerMinute

Units for a quantity where a value of one represents 60 seconds of time.

- id: <http://www.purl.org/ogit/OSLC-perfmon/PerMinute>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

#### 2.1.0.6 ogit/OSLC-perfmon/RemoteInboundConnections

Remote inbound connections

- id: <http://www.purl.org/ogit/OSLC-perfmon/RemoteInboundConnections>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

#### 2.1.0.7 ogit/OSLC-perfmon/AvgJmsGetTime

Average time required for a system to respond to a Java Messaging Service GET request

- id: <http://www.purl.org/ogit/OSLC-perfmon/AvgJmsGetTime>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

#### 2.1.0.8 ogit/OSLC-perfmon/FailureMetrics

Metric category for requests that fail.

- id: <http://www.purl.org/ogit/OSLC-perfmon/FailureMetrics>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

#### 2.1.0.9 ogit/OSLC-perfmon/HighDepthQueueCount

TODO

- id: <http://www.purl.org/ogit/OSLC-perfmon/HighDepthQueueCount>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

#### 2.1.0.10 ogit/OSLC-perfmon/RequestFailures

Request failures

- id: <http://www.purl.org/ogit/OSLC-perfmon/RequestFailures>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

#### 2.1.0.11 ogit/OSLC-perfmon/NetworkIOErrors

Network packets sent or received that did not complete successfully.

- id: <http://www.purl.org/ogit/OSLC-perfmon/NetworkIOErrors>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

#### 2.1.0.12 ogit/OSLC-perfmon/CpuMetrics

Metric category for CPU-related metrics.

- id: <http://www.purl.org/ogit/OSLC-perfmon/CpuMetrics>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

#### 2.1.0.13 ogit/OSLC-perfmon/ResponseTimeMetrics

Metric category for metrics that show time it takes for a response to be returned to a request.

- id: <http://www.purl.org/ogit/OSLC-perfmon/ResponseTimeMetrics>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

#### 2.1.0.14 ogit/OSLC-perfmon/DiskSpaceOverCommitAmount

Amount of disk space committed beyond the disk's capacity.

- id: <http://www.purl.org/ogit/OSLC-perfmon/DiskSpaceOverCommitAmount>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

#### 2.1.0.15 ogit/OSLC-perfmon/RequestMetrics

Metric category for requests on a resource, originating from an end user or a system component.

- id: <http://www.purl.org/ogit/OSLC-perfmon/RequestMetrics>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node



**2.1.0.16 ogit/OSLC-perfmon/DiskSpaceUsed**

Disk space used.

- id: <http://www.purl.org/ogit/OSLC-perfmon/DiskSpaceUsed>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

**2.1.0.17 ogit/OSLC-perfmon/ResourceExhaustionMetrics**

Metric category for metrics that show resource consumption in excess of capacity.

- id: <http://www.purl.org/ogit/OSLC-perfmon/ResourceExhaustionMetrics>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

**2.1.0.18 ogit/OSLC-perfmon/NetworkMetrics**

Metric category for network-related metrics.

- id: <http://www.purl.org/ogit/OSLC-perfmon/NetworkMetrics>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

**2.1.0.19 ogit/OSLC-perfmon/QueueDepth**

Size/lenght/depth of a queue

- id: <http://www.purl.org/ogit/OSLC-perfmon/QueueDepth>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

**2.1.0.20 ogit/OSLC-perfmon/BufferPoolMetrics**

Metric category for buffer pool-related metrics.

- id: <http://www.purl.org/ogit/OSLC-perfmon/BufferPoolMetrics>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

**2.1.0.21 ogit/OSLC-perfmon/CpuUsed**

CPU used.

- id: <http://www.purl.org/ogit/OSLC-perfmon/CpuUsed>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

**2.1.0.22 ogit/OSLC-perfmon/TableSpaceUsed**

Table space used.

- id: <http://www.purl.org/ogit/OSLC-perfmon/TableSpaceUsed>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

**2.1.0.23 ogit/OSLC-perfmon/TimeThreadPoolExhausted**

Time during which a thread pool was fully utilized (no threads were free)

- id: <http://www.purl.org/ogit/OSLC-perfmon/TimeThreadPoolExhausted>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

**2.1.0.24 ogit/OSLC-perfmon/ResponseTime**

Time required for some system to respond to a request

- id: <http://www.purl.org/ogit/OSLC-perfmon/ResponseTime>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

**2.1.0.25 ogit/OSLC-perfmon/LockListUsed**

Lock usage

- id: <http://www.purl.org/ogit/OSLC-perfmon/LockListUsed>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

**2.1.0.26 ogit/OSLC-perfmon/CpuSpeed**

Speed of the CPU

- id: <http://www.purl.org/ogit/OSLC-perfmon/CpuSpeed>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

**2.1.0.27 ogit/OSLC-perfmon/VirtualMemoryUsed**

Virtual memory used.

- id: <http://www.purl.org/ogit/OSLC-perfmon/VirtualMemoryUsed>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

**2.1.0.28 ogit/OSLC-perfmon/MemoryMetrics**

Metric category for memory-related metrics.

- id: <http://www.purl.org/ogit/OSLC-perfmon/MemoryMetrics>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

**2.1.0.29 ogit/OSLC-perfmon/PerformanceMonitoringRecord**

A resource representing performance monitoring information

- id: <http://www.purl.org/ogit/OSLC-perfmon/PerformanceMonitoringRecord>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

**2.1.0.30 ogit/OSLC-perfmon/SortOverflows**

A sort's performance was impacted because the data to be sorted is large enough for it to overflow from (relatively) fast to (relatively) slow storage.

- id: <http://www.purl.org/ogit/OSLC-perfmon/SortOverflows>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

**2.1.0.31 ogit/OSLC-perfmon/HeapMemoryUsed**

Heap memory used.

- id: <http://www.purl.org/ogit/OSLC-perfmon/HeapMemoryUsed>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

**2.1.0.32 ogit/OSLC-perfmon/RealMemoryUsed**

Real memory used.

- id: <http://www.purl.org/ogit/OSLC-perfmon/RealMemoryUsed>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

**2.1.0.33 ogit/OSLC-perfmon/HostedDatabases**

Databases hosted, either absolute or relative to some maximum

- id: <http://www.purl.org/ogit/OSLC-perfmon/HostedDatabases>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

**2.1.0.34 ogit/OSLC-perfmon/TableSpaceFree**

Table space free.

- id: <http://www.purl.org/ogit/OSLC-perfmon/TableSpaceFree>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

**2.1.0.35 ogit/OSLC-perfmon/BufferPoolHits**

Buffer pool hits, e.g. hit ratio or count

- id: <http://www.purl.org/ogit/OSLC-perfmon/BufferPoolHits>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

**2.1.0.36 ogit/OSLC-perfmon/VirtualizationMetrics**

Metric category for virtualization-related resource metrics.

- id: <http://www.purl.org/ogit/OSLC-perfmon/VirtualizationMetrics>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

**2.1.0.37 ogit/OSLC-perfmon/AvgRequestFailures**

Average request failures

- id: <http://www.purl.org/ogit/OSLC-perfmon/AvgRequestFailures>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

**2.1.0.38 ogit/OSLC-perfmon/TimeJCAThreadPoolExhausted**

Time during which a Java Connection Architecture thread pool was fully utilized (no threads were free)

- id: <http://www.purl.org/ogit/OSLC-perfmon/TimeJCAThreadPoolExhausted>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

**2.1.0.39 ogit/OSLC-perfmon/ThreadPoolMetrics**

Metric category for thread pool-related metrics.

- id: <http://www.purl.org/ogit/OSLC-perfmon/ThreadPoolMetrics>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

**2.1.0.40 ogit/OSLC-perfmon/GarbageCollectionRequests**

Garbage collection requests

- id: <http://www.purl.org/ogit/OSLC-perfmon/GarbageCollectionRequests>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

**2.1.0.41 ogit/OSLC-perfmon/VmCpuReady**

Amount of CPU ready from a virtual machine's point of view

- id: <http://www.purl.org/ogit/OSLC-perfmon/VmCpuReady>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

**2.1.0.42 ogit/OSLC-perfmon/AvgLoginRequestFailures**

Average login request failures

- id: <http://www.purl.org/ogit/OSLC-perfmon/AvgLoginRequestFailures>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

**2.1.0.43 ogit/OSLC-perfmon/QueueFull**

A queue filled to its maximum capacity

- id: <http://www.purl.org/ogit/OSLC-perfmon/QueueFull>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

**2.1.0.44 ogit/OSLC-perfmon/MemoryAvailableAfterGarbageCollection**

Memory available following completion of a garbage collection request.

- id: <http://www.purl.org/ogit/OSLC-perfmon/MemoryAvailableAfterGarbageCollection>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

**2.1.0.45 ogit/OSLC-perfmon/TimeDatabaseThreadPoolExhausted**

TODO

- id: <http://www.purl.org/ogit/OSLC-perfmon/TimeDatabaseThreadPoolExhausted>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

**2.1.0.46 ogit/OSLC-perfmon/ResourceAvailabilityMetrics**

Metric category for metrics that show resource availability.

- id: <http://www.purl.org/ogit/OSLC-perfmon/ResourceAvailabilityMetrics>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

**2.1.0.47 ogit/OSLC-perfmon/LocalInboundConnections**

Local inbound connections

- id: <http://www.purl.org/ogit/OSLC-perfmon/LocalInboundConnections>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node



**2.1.0.48 ogit/OSLC-perfmon/Metric**

Metric category for metrics defined in the Performance Monitoring vocabulary.

- id: <http://www.purl.org/ogit/OSLC-perfmon/Metric>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

**2.1.0.49 ogit/OSLC-perfmon/LoginRequestFailures**

Failed login requests

- id: <http://www.purl.org/ogit/OSLC-perfmon/LoginRequestFailures>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

**2.1.0.50 ogit/OSLC-perfmon/ResourceUsageMetrics**

Metric category for metrics that show resource usage.

- id: <http://www.purl.org/ogit/OSLC-perfmon/ResourceUsageMetrics>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- scope: NTO
- parent: ogit/Node

## 2.2 Verbs

### 2.2.0.1 ogit/OSLC-perfmon/process

A process running, for example, in a computer system. Typically refers to a resource with type `crtv:Computer↔System`, but it may refer to other resource types.

- id: <http://www.purl.org/ogit/OSLC-perfmon/process>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer
- cardinality: many2many

## 2.3 Attributes

### 2.3.0.1 ogit/OSLC-perfmon/availabilityStatus

An indication of availability.

- id: <http://www.purl.org/ogit/OSLC-perfmon/availabilityStatus>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer

### 2.3.0.2 ogit/OSLC-perfmon/tableReorganizationNeeded

Indicates whether a database's tables need to be reorganized.

- id: <http://www.purl.org/ogit/OSLC-perfmon/tableReorganizationNeeded>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer

### 2.3.0.3 ogit/OSLC-perfmon/mobilityEnabled

An indication about whether the resource can move about dynamically.

- id: <http://www.purl.org/ogit/OSLC-perfmon/mobilityEnabled>
- valid-from: Thu Sep 22 00:00:00 UTC 2016
- creator: OGIT Importer