
Statistics

July 23, 2019

| | |
|--|----------|
| 1 Statistics | 1 |
| 2 Module Documentation | 2 |
| 2.1 Entities | 2 |
| 2.1.0.1 ogit/Statistics/AutomationFamily | 2 |
| 2.2 Attributes | 3 |
| 2.2.0.1 ogit/category | 3 |
| 2.2.0.2 ogit/name | 3 |
| 2.2.0.3 ogit/description | 3 |
| 2.2.0.4 ogit/Automation/marsNodeType | 4 |

Chapter 1

Statistics

Elements for the autopilot statistics are grouped under the stats NTO and can be found in OGIT under "ogit/stats".

Chapter 2

Module Documentation

2.1 Entities

2.1.0.1 ogit/Statistics/AutomationFamily

AutomationFamily defines the group of cases for automation of IT environment and its functionality.

- id: <http://www.purl.org/ogit/Statistics/AutomationFamily>
- valid-from: Mon Mar 07 00:00:00 UTC 2016
- creator: Liudmyla Nechepurenko
- scope: NTO
- parent: ogit/Node

attributes

- mandatory:
 - [ogit/name](#)
- optional:
 - [ogit/Automation/marsNodeType](#)
 - [ogit/category](#)
 - [ogit/description](#)

2.2 Attributes

2.2.0.1 ogit/category

Used to categorize things.

- id: <http://www.purl.org/ogit/category>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Statistics/AutomationFamily](#)

2.2.0.2 ogit/name

Contains a name.

- id: <http://www.purl.org/ogit/name>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- mandatory:
 - [ogit/Statistics/AutomationFamily](#)

2.2.0.3 ogit/description

Contains a description.

- id: <http://www.purl.org/ogit/description>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Statistics/AutomationFamily](#)

2.2.0.4 ogit/Automation/marsNodeType

Obsolete attribute. Not used for HIRO ≥ 6 . Contains The Type of the Mars Node. Should be one of Application, Machine, Software, Resource.

- id: <http://www.purl.org/ogit/Automation/marsNodeType>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Statistics/AutomationFamily](#)