
UserMeta

December 18, 2019

1 ogit/UserMeta	1
2 Module Documentation	2
2.1 Entities	2
2.1.0.1 ogit/Person	2
2.1.0.2 ogit/UserMeta/Question	3
2.1.0.3 ogit/Auth/Account	3
2.1.0.4 ogit/UserMeta/Filter	4
2.1.0.5 ogit/UserMeta/Preferences	4
2.1.0.6 ogit/UserMeta/Game	5
2.2 Verbs	6
2.2.0.1 ogit/defines	6
2.2.0.2 ogit/UserMeta/asks	6
2.2.0.3 ogit/likes	6
2.2.0.4 ogit/UserMeta/loses	7
2.2.0.5 ogit/UserMeta/plays	7
2.2.0.6 ogit/UserMeta/wins	7
2.3 Attributes	8
2.3.0.1 ogit/email	8
2.3.0.2 ogit/alternativeName	8
2.3.0.3 ogit/notification	8
2.3.0.4 ogit/sourceId	9
2.3.0.5 ogit/mobilePhone	9
2.3.0.6 ogit/status	9
2.3.0.7 ogit/lastName	10
2.3.0.8 ogit/middleName	10
2.3.0.9 ogit/Auth/Account/statusReason	10
2.3.0.10 ogit/firstName	11
2.3.0.11 ogit/title	11
2.3.0.12 ogit/content	11
2.3.0.13 ogit/Auth/Account/type	12
2.3.0.14 ogit/name	12
2.3.0.15 ogit/Auth/Account/acceptedProjectTerms	12
2.3.0.16 ogit/Auth/Account/acceptedTerms	13
2.3.0.17 ogit/officePhone	13
2.3.0.18 ogit/fax	13
2.3.0.19 ogit/Auth/Account/allowCookies	14
2.3.0.20 ogit/otherPhone	14
2.3.0.21 ogit/webPage	14
2.3.0.22 ogit/Auth/Account/acceptedPrivacy	15
2.3.0.23 ogit/position	15

Chapter 1

ogit/UserMeta

This NTO pertains to generic meta around an ogit/Person. Initially used for Game Meta in aragold

Chapter 2

Module Documentation

2.1 Entities

2.1.0.1 ogit/Person

A Person represents a human identity.

- id: <http://www.purl.org/ogit/Person>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem
- scope: SGO
- parent: ogit/Node

attributes

- optional:
 - [ogit/alternativeName](#)
 - [ogit/email](#)
 - [ogit/fax](#)
 - [ogit/firstName](#)
 - [ogit/lastName](#)
 - [ogit/middleName](#)
 - [ogit/mobilePhone](#)
 - [ogit/notification](#)
 - [ogit/officePhone](#)
 - [ogit/otherPhone](#)
 - [ogit/position](#)
 - [ogit/sourceId](#)
 - [ogit/status](#)
 - [ogit/title](#)
 - [ogit/webPage](#)

outgoing edges

- [ogit/UserMeta/loses](#) => [ogit/UserMeta/Game](#)
- [ogit/UserMeta/plays](#) => [ogit/UserMeta/Game](#)
- [ogit/UserMeta/wins](#) => [ogit/UserMeta/Game](#)
- [ogit/defines](#) => [ogit/UserMeta/Filter](#)
- [ogit/likes](#) => [ogit/UserMeta/Preferences](#)

2.1.0.2 ogit/UserMeta/Question

A question which is part of a game, played to obtain meta data around user behaviour and perception

- id: <http://www.purl.org/ogit/UserMeta/Question>
- valid-from: Tue Jul 19 00:00:00 UTC 2016
- creator: bneal@arago.de
- scope: NTO
- parent: [ogit/Node](#)

incoming edges

- [ogit/UserMeta/asks](#) <= [ogit/UserMeta/Game](#)

2.1.0.3 ogit/Auth/Account

An account is used for authentication and authorization.

- id: <http://www.purl.org/ogit/Auth/Account>
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH
- scope: NTO
- parent: [ogit/Node](#)

attributes

- mandatory:
 - [ogit/Auth/Account/type](#)
 - [ogit/name](#)
 - [ogit/status](#)
- optional:
 - [ogit/Auth/Account/acceptedPrivacy](#)
 - [ogit/Auth/Account/acceptedProjectTerms](#)
 - [ogit/Auth/Account/acceptedTerms](#)
 - [ogit/Auth/Account/allowCookies](#)
 - [ogit/Auth/Account/statusReason](#)
 - [ogit/email](#)

outgoing edges

- [ogit/defines](#) => [ogit/UserMeta/Filter](#)

2.1.0.4 [ogit/UserMeta/Filter](#)

A filter set by user, indicating preferences

- id: <http://www.purl.org/ogit/UserMeta/Filter>
- valid-from: Tue Jul 19 00:00:00 UTC 2016
- creator: stravlos@arago.de
- scope: NTO
- parent: [ogit/Node](#)

attributes

- mandatory:
 - [ogit/content](#)
 - [ogit/name](#)

incoming edges

- [ogit/defines](#) <= [ogit/Auth/Account](#)
- [ogit/defines](#) <= [ogit/Person](#)

2.1.0.5 [ogit/UserMeta/Preferences](#)

User Preferences is a part of the User Model, a collection of information that describes the user's needs, preferences and interests

- id: <http://www.purl.org/ogit/UserMeta/Preferences>
- valid-from: Mon Oct 01 00:00:00 UTC 2018
- creator: amerdeev@arago.de
- scope: NTO
- parent: [ogit/Node](#)

incoming edges

- [ogit/likes](#) <= [ogit/Person](#)

2.1.0.6 ogit/UserMeta/Game

Something which is played to obtain meta data around user behaviour and perception

- id: <http://www.purl.org/ogit/UserMeta/Game>
- valid-from: Tue Jul 19 00:00:00 UTC 2016
- creator: bneal@arago.de
- scope: NTO
- parent: ogit/Node

incoming edges

- [ogit/UserMeta/loses](#) <= [ogit/Person](#)
- [ogit/UserMeta/plays](#) <= [ogit/Person](#)
- [ogit/UserMeta/wins](#) <= [ogit/Person](#)

outgoing edges

- [ogit/UserMeta/asks](#) => [ogit/UserMeta/Question](#)

2.2 Verbs

2.2.0.1 ogit/defines

General relationship indicating that some entity defines some other.

- id: <http://www.purl.org/ogit/defines>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

Allowed Connection

- [ogit/Auth/Account](#) => [ogit/UserMeta/Filter](#)
- [ogit/Person](#) => [ogit/UserMeta/Filter](#)

2.2.0.2 ogit/UserMeta/asks

This verb represents that a games asks a question

- id: <http://www.purl.org/ogit/UserMeta/asks>
- valid-from: Tue Jul 19 00:00:00 UTC 2016
- creator: bneal@arago.de

Allowed Connection

- [ogit/UserMeta/Game](#) => [ogit/UserMeta/Question](#)

2.2.0.3 ogit/likes

Indicates if an entity (mostly Person) likes something else.

- id: <http://www.purl.org/ogit/likes>
- valid-from: Tue Sep 15 00:00:00 UTC 2015
- creator: Peter Larem

Allowed Connection

- [ogit/Person](#) => [ogit/UserMeta/Preferences](#)

2.2.0.4 ogit/UserMeta/loses

This verb represents that a user has lost a game

- id: <http://www.purl.org/ogit/UserMeta/loses>
- valid-from: Tue Jul 19 00:00:00 UTC 2016
- creator: bneal@arago.de

Allowed Connection

- [ogit/Person](#) => [ogit/UserMeta/Game](#)

2.2.0.5 ogit/UserMeta/plays

This verb represents that a user has played a game

- id: <http://www.purl.org/ogit/UserMeta/plays>
- valid-from: Tue Jul 19 00:00:00 UTC 2016
- creator: bneal@arago.de

Allowed Connection

- [ogit/Person](#) => [ogit/UserMeta/Game](#)

2.2.0.6 ogit/UserMeta/wins

This verb represents that a user has won a game

- id: <http://www.purl.org/ogit/UserMeta/wins>
- valid-from: Tue Jul 19 00:00:00 UTC 2016
- creator: bneal@arago.de

Allowed Connection

- [ogit/Person](#) => [ogit/UserMeta/Game](#)

2.3 Attributes

2.3.0.1 ogit/email

An email address.

- id: <http://www.purl.org/ogit/email>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Auth/Account](#)
 - [ogit/Person](#)

2.3.0.2 ogit/alternativeName

Alternative name of something. In context of a Person this can be the full name or an alias/nick name.

- id: <http://www.purl.org/ogit/alternativeName>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Person](#)

2.3.0.3 ogit/notification

A notification.

- id: <http://www.purl.org/ogit/notification>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
 - [ogit/Person](#)

2.3.0.4 ogit/sourceId

The Id of the source system.

- id: <http://www.purl.org/ogit/sourceId>
- valid-from: Thu Jun 11 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Person](#)

2.3.0.5 ogit/mobilePhone

A mobile phone number.

- id: <http://www.purl.org/ogit/mobilePhone>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Person](#)

2.3.0.6 ogit/status

A status for an entity. At this level of specification no list of values is specified. However, applications using this attribute are expected to allow only a fixed list of values that seems useful in the application's semantic context.

- id: <http://www.purl.org/ogit/status>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- mandatory:
 - [ogit/Auth/Account](#)
- optional:
 - [ogit/Person](#)

2.3.0.7 ogit/lastName

Last name of a person.

- id: <http://www.purl.org/ogit/lastName>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Person](#)

2.3.0.8 ogit/middleName

Middle name of a person.

- id: <http://www.purl.org/ogit/middleName>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
 - [ogit/Person](#)

2.3.0.9 ogit/Auth/Account/statusReason

Status Reason of an ogit/Auth/Account

- id: <http://www.purl.org/ogit/Auth/Account/statusReason>
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- optional:
 - [ogit/Auth/Account](#)

2.3.0.10 ogit/firstName

First name of a person

- id: <http://www.purl.org/ogit/firstName>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Person](#)

2.3.0.11 ogit/title

Title of any kind. In the context of a Person this can be a courtesy title, an academic title, or a job title.

- id: <http://www.purl.org/ogit/title>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Person](#)

2.3.0.12 ogit/content

A string holding any type of content: plain string, XML fragments, RDF documents, ...

- id: <http://www.purl.org/ogit/content>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- mandatory:
 - [ogit/UserMeta/Filter](#)

2.3.0.13 `ogit/Auth/Account/type`

Type of an account. Values: person, application

- id: <http://www.purl.org/ogit/Auth/Account/type>
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- mandatory:
 - [ogit/Auth/Account](#)

2.3.0.14 `ogit/name`

Contains a name.

- id: <http://www.purl.org/ogit/name>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- mandatory:
 - [ogit/Auth/Account](#)
 - [ogit/UserMeta/Filter](#)

2.3.0.15 `ogit/Auth/Account/acceptedProjectTerms`

Flag about whether HIRO Project terms were accepted

- id: <http://www.purl.org/ogit/Auth/Account/acceptedProjectTerms>
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- optional:
 - [ogit/Auth/Account](#)

2.3.0.16 `ogit/Auth/Account/acceptedTerms`

Flag about whether usage terms were accepted

- id: <http://www.purl.org/ogit/Auth/Account/acceptedTerms>
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- optional:
 - [ogit/Auth/Account](#)

2.3.0.17 `ogit/officePhone`

The phone number in the office.

- id: <http://www.purl.org/ogit/officePhone>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
 - [ogit/Person](#)

2.3.0.18 `ogit/fax`

The number of a fax.

- id: <http://www.purl.org/ogit/fax>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
 - [ogit/Person](#)

2.3.0.19 ogit/Auth/Account/allowCookies

Flag about whether cookies are allowed

- id: <http://www.purl.org/ogit/Auth/Account/allowCookies>
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- optional:
 - [ogit/Auth/Account](#)

2.3.0.20 ogit/otherPhone

The number of an other phone.

- id: <http://www.purl.org/ogit/otherPhone>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
 - [ogit/Person](#)

2.3.0.21 ogit/webPage

A web page.

- id: <http://www.purl.org/ogit/webPage>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
 - [ogit/Person](#)

2.3.0.22 `ogit/Auth/Account/acceptedPrivacy`

Flag about whether privacy terms were accepted

- id: <http://www.purl.org/ogit/Auth/Account/acceptedPrivacy>
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- optional:
 - [ogit/Auth/Account](#)

2.3.0.23 `ogit/position`

Indicates user's position. This field contains a string value.

- id: <http://www.purl.org/ogit/position>
- valid-from: Tue Oct 18 00:00:00 UTC 2016
- creator: Arthur Shoba

used

- optional:
 - [ogit/Person](#)