

June 4, 2020

1 Statistics		1
2 Module Docu	umentation	2
2.1 Entities		2
	2.1.0.1 ogit/Statistics/AutomationFamily	2
2.2 Attribute	es	3
	2.2.0.1 ogit/category	3
	2.2.0.2 ogit/name	3
	2.2.0.3 ogit/description	3
	2.2.0.4 ogit/Automation/marsNodeType	4

Chapter 1

Statistics

Elements for the autopilot statistics are grouped under the stats NTO and can be found in OGIT under "ogit/stats".

Chapter 2

Module Documentation

2.1 Entities

2.1.0.1 ogit/Statistics/AutomationFamily

AutomationFamily defines the group of cases for automation of IT environment and its functionality.

• id: http://www.purl.org/ogit/Statistics/AutomationFamily

• valid-from: Mon Mar 07 00:00:00 UTC 2016

· creator: Liudmyla Nechepurenko

· scope: NTO

· parent: ogit/Node

attributes

- mandatory:
 - ogit/name
- optional:
 - ogit/Automation/marsNodeType
 - ogit/category
 - ogit/description

2.2 Attributes 3

2.2 Attributes

2.2.0.1 ogit/category

Used to categorize things.

```
• id: http://www.purl.org/ogit/category
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
 - ogit/Statistics/AutomationFamily

2.2.0.2 ogit/name

Contains a name.

```
• id: http://www.purl.org/ogit/name
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · mandatory:
 - ogit/Statistics/AutomationFamily

2.2.0.3 ogit/description

Contains a description.

```
• id: http://www.purl.org/ogit/description
```

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- optional:
 - ogit/Statistics/AutomationFamily

2.2 Attributes 4

2.2.0.4 ogit/Automation/marsNodeType

Obsolete attribute. Not used for HIRO >=6. Contains The Type of the Mars Node. Should be one of Application, Machine, Software, Resource.

• id: http://www.purl.org/ogit/Automation/marsNodeType

• valid-from: Thu May 21 00:00:00 UTC 2015

• creator: Peter Larem

used

- optional:
 - ogit/Statistics/AutomationFamily