Health

October 8, 2020

1 Module Documentation 1

1.1 Entities . . . 1

1.1.0.1 ogit/Organization . . . 1

1.1.0.2 ogit/Location/Address . . . 2

1.1.0.3 ogit/Health/Diagnostics/TestStation . . . 2

1.1.0.4 ogit/Health/Diagnostics/Test . . . 3

1.1.0.5 ogit/Health/Diagnostics/Laboratory . . . 4

1.1.0.6 ogit/Mobile/AppInstance . . . 5

1.1.0.7 ogit/Person . . . 6

1.1.0.8 ogit/Health/Diagnostics/Equipment . . . 7

1.1.0.9 ogit/Health/Diagnostics/Demographics . . . 7

1.1.0.10 ogit/Attachment . . . 8

1.1.0.11 ogit/Health/Diagnostics/Anamnesis . . . 9

1.1.0.12 ogit/Timeseries . . . 9

1.2 Verbs . . . 11

1.2.0.1 ogit/manages . . . 11

1.2.0.2 ogit/generates . . . 11

1.2.0.3 ogit/locatedAt . . . 11

1.2.0.4 ogit/includes . . . 12

1.2.0.5 ogit/performs . . . 12

1.2.0.6 ogit/describes . . . 12

1.2.0.7 ogit/connects . . . 13

1.2.0.8 ogit/belongs . . . 13

1.2.0.9 ogit/uses . . . 13

1.3 Attributes . . . 14

1.3.0.1 ogit/manufacturer . . . 14

1.3.0.2 ogit/Health/Diagnostics/batteryLevel . . . 14

1.3.0.3 ogit/postalCode . . . 14

1.3.0.4 ogit/Health/Diagnostics/equipmentID . . . 15

1.3.0.5 ogit/Mobile/bundleID . . . 15

1.3.0.6 ogit/email . . . 15

1.3.0.7 ogit/Health/Diagnostics/equipmentState . . . 16

1.3.0.8 ogit/Location/streetNumber . . . 16

1.3.0.9 ogit/alternativeName . . . 16

1.3.0.10 ogit/function . . . 17

1.3.0.11 ogit/locationPrecision . . . 17

1.3.0.12 ogit/Mobile/lastActive . . . 17

1.3.0.13 ogit/yearOfBirth . . . 18

1.3.0.14 ogit/Health/Diagnostics/testResult . . . 18

1.3.0.15 ogit/Health/Diagnostics/errorCode . . . 18

1.3.0.16 ogit/country . . . 19

1.3.0.17 ogit/businessCategory . . . 19

1.3.0.18 ogit/Location/zipCode . . . 19
1.3.0.19 ogit/Mobile/deviceType . . . 20
1.3.0.20 ogit/Location/city . . . 20
1.3.0.21 ogit/notification . . . 20
1.3.0.22 ogit/sourceId . . . 21
1.3.0.23 ogit/url . . . 21
1.3.0.24 ogit/Mobile/osVersion . . . 21
1.3.0.25 ogit/latitude . . . 22
1.3.0.26 ogit/Mobile/deviceCodeName . . . 22
1.3.0.27 ogit/mobilePhone . . . 22
1.3.0.28 ogit/unit . . . 23
1.3.0.29 ogit/city . . . 23
1.3.0.30 ogit/status . . . 23
1.3.0.31 ogit/Health/Diagnostics/equipmentStateChangeTime . . . 24
1.3.0.32 ogit/createdAt . . . 24
1.3.0.33 ogit/Location/streetName . . . 24
1.3.0.34 ogit/Mobile/appPermissions . . . 25
1.3.0.35 ogit/longitude . . . 25
1.3.0.36 ogit/lastName . . . 25
1.3.0.37 ogit/Mobile/firebaseToken . . . 26
1.3.0.38 ogit/Location/residenceCountry . . . 26
1.3.0.39 ogit/middleName . . . 26
1.3.0.40 ogit/accessControl . . . 27
1.3.0.41 ogit/Mobile/registrationType . . . 27
1.3.0.42 ogit/streetAddress . . . 27
1.3.0.43 ogit/firstName . . . 28
1.3.0.44 ogit/Mobile/appConfigMode . . . 28
1.3.0.45 ogit/Mobile/uuid . . . 28
1.3.0.46 ogit/title . . . 29
1.3.0.47 ogit/Health/Diagnostics/appID . . . 29
1.3.0.48 ogit/Mobile/deviceModel . . . 29
1.3.0.49 ogit/Health/Diagnostics/liquidContactTime . . . 30
1.3.0.50 ogit/Health/Diagnostics/testCompletedAt . . . 30
1.3.0.51 ogit/content . . . 30
1.3.0.52 ogit/Health/Diagnostics/symptoms . . . 31
1.3.0.53 ogit/Mobile/devicePlatform . . . 31
1.3.0.54 ogit/name . . . 31
1.3.0.55 ogit/description . . . 32
1.3.0.56 ogit/consentLevel . . . 32
1.3.0.57 ogit/Location/country . . . 33
1.3.0.58 ogit/locationAcquisitionTime . . . 33
1.3.0.59 ogit/lastUpdatedBy . . . 33

1.3.0.60 ogit/Health/Diagnostics/birthyearRange 34
1.3.0.61 ogit/officePhone 34
1.3.0.62 ogit/phone 34
1.3.0.63 ogit/fax 35
1.3.0.64 ogit/Health/Diagnostics/testStartedAt 35
1.3.0.65 ogit/Health/Diagnostics/firmwareVersion 35
1.3.0.66 ogit/Health/Diagnostics/testCounter 36
1.3.0.67 ogit/type 36
1.3.0.68 ogit/otherPhone 36
1.3.0.69 ogit/Health/Diagnostics/sensorID 36
1.3.0.70 ogit/isMutable 37
1.3.0.71 ogit/sourceTable 37
1.3.0.72 ogit/creator 37
1.3.0.73 ogit/Location/state 38
1.3.0.74 ogit/webPage 38
1.3.0.75 ogit/lastUpdatedAt 38
1.3.0.76 ogit/id 39
1.3.0.77 ogit/size 39
1.3.0.78 ogit/Mobile/osRadio 39
1.3.0.79 ogit/Mobile/activationTime 40
1.3.0.80 ogit/position 40
1.3.0.81 ogit/Mobile/appVersion 40
1.3.0.82 ogit/gender 41
1.3.0.83 ogit/instance 41

Chapter 1

Module Documentation

1.1 Entities

1.1.0.1 ogit/Organization

An identity that represents an organization, company, or some other grouping of Person objects. Entities of this type should be created with a predefined ID. Those IDs should be named like a domain name, i.e. a concatention of some strings separated with a dot. if organization data is created from a LDAP then a mapping like "cn=John Doe,dc=example,dc=com" => "john_doe.example.com" should be employed. The ogit/function attribute should be used to tell what kind of grouping an entity of type Organization is: company, department, group, ...

- id: http://www.purl.org/ogit/Organization
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem
- scope: SGO
- parent: ogit/Node

attributes

- mandatory:
  - ogit/name
- optional:
  - ogit/businessCategory
  - ogit/city
  - ogit/country
  - ogit/description
  - ogit/email
  - ogit/function
  - ogit/phone
  - ogit/postalCode
  - ogit/sourceId
  - ogit/status
  - ogit/streetAddress
  - ogit/webPage

outgoing edges

- ogit/manages => ogit/Health/Diagnostics/Equipment

1.1.0.2 ogit/Location/Address

A street address.

- id: http://www.purl.org/ogit/Location/Address
- valid-from: Fri Aug 23 00:00:00 UTC 2019
- creator: Marek Meyer
- scope: NTO
- parent: ogit/Node

attributes

- mandatory:
  - ogit/name
- optional:
  - ogit/Location/city
  - ogit/Location/country
  - ogit/Location/state
  - ogit/Location/streetName
  - ogit/Location/streetNumber
  - ogit/Location/zipCode

incoming edges

- ogit/locatedAt <= ogit/Health/Diagnostics/TestStation

1.1.0.3 ogit/Health/Diagnostics/TestStation

A station where diagnostics tests can be performed.

- id: http://www.purl.org/ogit/Health/Diagnostics/TestStation
- valid-from: Mon Sep 28 00:00:00 UTC 2020
- creator: Marek Meyer
- scope: NTO
- parent: ogit/Node

attributes

- mandatory:
  - ogit/name
- optional:
  - ogit/description
  - ogit/status

incoming edges

- ogit/belongs <= ogit/Health/Diagnostics/Equipment
- ogit/uses <= ogit/Person

outgoing edges

- ogit/locatedAt => ogit/Location/Address
- ogit/performs => ogit/Health/Diagnostics/Test

1.1.0.4 ogit/Health/Diagnostics/Test

Test

- id: http://www.purl.org/ogit/Health/Diagnostics/Test
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Viktor Voss
- scope: NTO
- parent: ogit/Node

attributes

- optional:
  - ogit/Health/Diagnostics/appID
  - ogit/Health/Diagnostics/equipmentID
  - ogit/Health/Diagnostics/errorCode
  - ogit/Health/Diagnostics/firmwareVersion
  - ogit/Health/Diagnostics/liquidContactTime
  - ogit/Health/Diagnostics/sensorID
  - ogit/Health/Diagnostics/testCompletedAt
  - ogit/Health/Diagnostics/testResult
  - ogit/Health/Diagnostics/testStartedAt
  - ogit/Mobile/appVersion

incoming edges

- ogit/connects <= ogit/Mobile/AppInstance
- ogit/manages <= ogit/Person
- ogit/performs <= ogit/Health/Diagnostics/Equipment
- ogit/performs <= ogit/Health/Diagnostics/Laboratory
- ogit/performs <= ogit/Health/Diagnostics/TestStation

outgoing edges

- ogit/describes => ogit/Person
- ogit/generates => ogit/Attachment
- ogit/generates => ogit/Timeseries
- ogit/includes => ogit/Health/Diagnostics/Anamnesis
- ogit/includes => ogit/Health/Diagnostics/Demographics

1.1.0.5 ogit/Health/Diagnostics/Laboratory

Test Laboratory

- id: http://www.purl.org/ogit/Health/Diagnostics/Laboratory
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Viktor Voss
- scope: NTO
- parent: ogit/Node

attributes

- mandatory:
  - ogit/name
- optional:
  - ogit/city
  - ogit/country
  - ogit/description
  - ogit/email
  - ogit/function
  - ogit/phone
  - ogit/postalCode
  - ogit/streetAddress
  - ogit/webPage

outgoing edges

- ogit/manages => ogit/Health/Diagnostics/Equipment
- ogit/performs => ogit/Health/Diagnostics/Test

1.1.0.6 ogit/Mobile/AppInstance

Mobile application instance.

- id: http://www.purl.org/ogit/Mobile/AppInstance
- valid-from: Sun Mar 15 00:00:00 UTC 2020
- creator: Kaushik Gondaliya
- scope: NTO
- parent: ogit/Node

attributes

- optional:
  - ogit/Mobile/appConfigMode
  - ogit/Mobile/appPermissions
  - ogit/Mobile/appVersion
  - ogit/Mobile/bundleID
  - ogit/Mobile/deviceCodeName
  - ogit/Mobile/deviceModel
  - ogit/Mobile/devicePlatform
  - ogit/Mobile/deviceType
  - ogit/Mobile/firebaseToken
  - ogit/Mobile/lastActive
  - ogit/Mobile/osRadio
  - ogit/Mobile/osVersion
  - ogit/Mobile/registrationType
  - ogit/Mobile/uuid
  - ogit/consentLevel
  - ogit/description
  - ogit/manufacturer

outgoing edges

- ogit/connects => ogit/Health/Diagnostics/Test
- ogit/generates => ogit/Health/Diagnostics/Demographics

1.1.0.7 ogit/Person

A Person represents a human identity.

- id: http://www.purl.org/ogit/Person
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem
- scope: SGO
- parent: ogit/Node

attributes

- optional:
  - ogit/alternativeName
  - ogit/email
  - ogit/fax
  - ogit/firstName
  - ogit/lastName
  - ogit/middleName
  - ogit/mobilePhone
  - ogit/notification
  - ogit/officePhone
  - ogit/otherPhone
  - ogit/position
  - ogit/sourceId
  - ogit/status
  - ogit/title
  - ogit/webPage

incoming edges

- ogit/describes <= ogit/Health/Diagnostics/Test

outgoing edges

- ogit/manages => ogit/Health/Diagnostics/Equipment
- ogit/manages => ogit/Health/Diagnostics/Test
- ogit/uses => ogit/Health/Diagnostics/TestStation

1.1.0.8 ogit/Health/Diagnostics/Equipment

Test Equipment (Sensor Hub). UDI of Sensor Hub is saved in the _xid attribute

- id: http://www.purl.org/ogit/Health/Diagnostics/Equipment
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Viktor Voss
- scope: NTO
- parent: ogit/Node

attributes

- optional:
  - ogit/Health/Diagnostics/batteryLevel
  - ogit/Health/Diagnostics/equipmentID
  - ogit/Health/Diagnostics/equipmentState
  - ogit/Health/Diagnostics/equipmentStateChangeTime
  - ogit/Health/Diagnostics/firmwareVersion
  - ogit/Mobile/activationTime
  - ogit/Mobile/deviceModel

incoming edges

- ogit/manages <= ogit/Health/Diagnostics/Laboratory
- ogit/manages <= ogit/Organization
- ogit/manages <= ogit/Person

outgoing edges

- ogit/belongs => ogit/Health/Diagnostics/TestStation
- ogit/generates => ogit/Timeseries
- ogit/performs => ogit/Health/Diagnostics/Test

1.1.0.9 ogit/Health/Diagnostics/Demographics

Demographics data of user

- id: http://www.purl.org/ogit/Health/Diagnostics/Demographics
- valid-from: Tue Sep 15 00:00:00 UTC 2020
- creator: Kaushik Gondaliya
- scope: NTO
- parent: ogit/Node

attributes

- optional:
  - ogit/Health/Diagnostics/birthyearRange
  - ogit/Health/Diagnostics/symptoms
  - ogit/Location/residenceCountry
  - ogit/Location/zipCode
  - ogit/gender
  - ogit/latitude
  - ogit/longitude

incoming edges

- ogit/generates <= ogit/Mobile/AppInstance
- ogit/includes <= ogit/Health/Diagnostics/Test

1.1.0.10 ogit/Attachment

This entity defines a file attachment that an IT service, issue, task or a ticket might have. The attachment itself is not saved in GraphIT, instead it contains an external url link for it.

- id: http://www.purl.org/ogit/Attachment
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem
- scope: SGO
- parent: ogit/Node

attributes

- optional:
  - ogit/accessControl
  - ogit/content
  - ogit/createdAt
  - ogit/creator
  - ogit/id
  - ogit/lastUpdatedAt
  - ogit/lastUpdatedBy
  - ogit/name
  - ogit/size
  - ogit/sourceTable
  - ogit/type
  - ogit/url

incoming edges

- ogit/generates <= ogit/Health/Diagnostics/Test

1.1.0.11 ogit/Health/Diagnostics/Anamnesis

Anamnesis (Demographics)

- id: http://www.purl.org/ogit/Health/Diagnostics/Anamnesis
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Viktor Voss
- scope: NTO
- parent: ogit/Node

attributes

- optional:
  - ogit/Health/Diagnostics/appID
  - ogit/Health/Diagnostics/symptoms
  - ogit/Mobile/appVersion
  - ogit/Mobile/deviceModel
  - ogit/Mobile/devicePlatform
  - ogit/Mobile/osVersion
  - ogit/gender
  - ogit/latitude
  - ogit/locationAcquisitionTime
  - ogit/locationPrecision
  - ogit/longitude
  - ogit/manufacturer
  - ogit/yearOfBirth

incoming edges

- ogit/includes <= ogit/Health/Diagnostics/Test

1.1.0.12 ogit/Timeseries

A time series is a sequence of data points, measured typically at successive points in time spaced at uniform time intervals.

- id: http://www.purl.org/ogit/Timeseries
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem
- scope: SGO
- parent: ogit/Node

attributes

- optional:
  - ogit/description
  - ogit/instance
  - ogit/isMutable
  - ogit/name
  - ogit/unit

incoming edges

- ogit/generates <= ogit/Health/Diagnostics/Equipment
- ogit/generates <= ogit/Health/Diagnostics/Test

1.2 Verbs

1.2.0.1 ogit/manages

This relationship indicates that one entity manages some other.

- id: http://www.purl.org/ogit/manages
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

Allowed Connection

- ogit/Health/Diagnostics/Laboratory => ogit/Health/Diagnostics/Equipment
- ogit/Organization => ogit/Health/Diagnostics/Equipment
- ogit/Person => ogit/Health/Diagnostics/Equipment
- ogit/Person => ogit/Health/Diagnostics/Test

1.2.0.2 ogit/generates

Verb indicating if an entity generates another entity.

- id: http://www.purl.org/ogit/generates
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

Allowed Connection

- ogit/Health/Diagnostics/Equipment => ogit/Timeseries
- ogit/Health/Diagnostics/Test => ogit/Attachment
- ogit/Health/Diagnostics/Test => ogit/Timeseries
- ogit/Mobile/AppInstance => ogit/Health/Diagnostics/Demographics

1.2.0.3 ogit/locatedAt

Indicates that an entity is located at another entity.

- id: http://www.purl.org/ogit/locatedAt
- valid-from: Fri Sep 20 00:00:00 UTC 2019
- creator: Marek Meyer

Allowed Connection

- ogit/Health/Diagnostics/TestStation => ogit/Location/Address

1.2.0.4 ogit/includes

Indicates if an entity includes something else.

- id: http://www.purl.org/ogit/includes
- valid-from: Thu Jul 05 00:00:00 UTC 2018
- creator: qikram@arago.de

Allowed Connection

- ogit/Health/Diagnostics/Test => ogit/Health/Diagnostics/Anamnesis
- ogit/Health/Diagnostics/Test => ogit/Health/Diagnostics/Demographics

1.2.0.5 ogit/performs

TODO.

- id: http://www.purl.org/ogit/performs
- valid-from: Thu Feb 25 00:00:00 UTC 2016
- creator: bneal@arago.de

Allowed Connection

- ogit/Health/Diagnostics/Equipment => ogit/Health/Diagnostics/Test
- ogit/Health/Diagnostics/Laboratory => ogit/Health/Diagnostics/Test
- ogit/Health/Diagnostics/TestStation => ogit/Health/Diagnostics/Test

1.2.0.6 ogit/describes

This relationship allows to associate additional information with an entity. The "described" node can have many "describing" nodes.

- id: http://www.purl.org/ogit/describes
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

Allowed Connection

- ogit/Health/Diagnostics/Test => ogit/Person

1.2.0.7 ogit/connects

Verb showing that an entity is physically/virtually connecting to another entity.

- id: http://www.purl.org/ogit/connects
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

Allowed Connection

- ogit/Mobile/AppInstance => ogit/Health/Diagnostics/Test

1.2.0.8 ogit/belongs

Verb showing if one entity belongs to another.

- id: http://www.purl.org/ogit/belongs
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

Allowed Connection

- ogit/Health/Diagnostics/Equipment => ogit/Health/Diagnostics/TestStation

1.2.0.9 ogit/uses

This relationship indicates that some entity is used by some other.

- id: http://www.purl.org/ogit/uses
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

Allowed Connection

- ogit/Person => ogit/Health/Diagnostics/TestStation

1.3 Attributes

1.3.0.1 ogit/manufacturer

Manufacturer of a device or component.

- id: http://www.purl.org/ogit/manufacturer
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Aymen Ayoub

used

- optional:
  - ogit/Health/Diagnostics/Anamnesis
  - ogit/Mobile/AppInstance

1.3.0.2 ogit/Health/Diagnostics/batteryLevel

battery level of equipment.

- id: http://www.purl.org/ogit/Health/Diagnostics/batteryLevel
- valid-from: Tue Sep 15 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Health/Diagnostics/Equipment

1.3.0.3 ogit/postalCode

The postal code. For example, 60433.

- id: http://www.purl.org/ogit/postalCode
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - ogit/Health/Diagnostics/Laboratory
  - ogit/Organization

1.3.0.4 ogit/Health/Diagnostics/equipmentID

UDI of an equipment, for example a Sensor Hub.

- id: http://www.purl.org/ogit/Health/Diagnostics/equipmentID
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
  - ogit/Health/Diagnostics/Equipment
  - ogit/Health/Diagnostics/Test

1.3.0.5 ogit/Mobile/bundleID

bundle id of the application, i.e debug, release.

- id: http://www.purl.org/ogit/Mobile/bundleID
- valid-from: Thu Aug 27 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/AppInstance

1.3.0.6 ogit/email

An email address.

- id: http://www.purl.org/ogit/email
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - ogit/Health/Diagnostics/Laboratory
  - ogit/Organization
  - ogit/Person

1.3.0.7 ogit/Health/Diagnostics/equipmentState

current equipment State.

- id: http://www.purl.org/ogit/Health/Diagnostics/equipmentState
- valid-from: Tue Sep 15 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Health/Diagnostics/Equipment

1.3.0.8 ogit/Location/streetNumber

The number of a street address.

- id: http://www.purl.org/ogit/Location/streetNumber
- valid-from: Fri Aug 23 00:00:00 UTC 2019
- creator: Marek Meyer

used

- optional:
  - ogit/Location/Address

1.3.0.9 ogit/alternativeName

Alternative name of something. In context of a Person this can be the full name or an alias/nick name.

- id: http://www.purl.org/ogit/alternativeName
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - ogit/Person

1.3.0.10 ogit/function

Attibute used to specify a function that some entity does/provides.This is more specific then 'description'. Should contain a short string. At this level of specification it is still a free from string. However, unlike 'description', it is expected to contain some list of fixed values.

- id: http://www.purl.org/ogit/function
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - ogit/Health/Diagnostics/Laboratory
  - ogit/Organization

1.3.0.11 ogit/locationPrecision

Estimated precision (in meters) of location.

- id: http://www.purl.org/ogit/locationPrecision
- valid-from: Mon Aug 24 00:00:00 UTC 2020
- creator: Kaushik gondaliya

used

- optional:
  - ogit/Health/Diagnostics/Anamnesis

1.3.0.12 ogit/Mobile/lastActive

the last day when app was used.

- id: http://www.purl.org/ogit/Mobile/lastActive
- valid-from: Thu Jul 09 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/AppInstance

1.3.0.13 ogit/yearOfBirth

Birth year of person.

- id: http://www.purl.org/ogit/yearOfBirth
- valid-from: Mon Aug 24 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Health/Diagnostics/Anamnesis

1.3.0.14 ogit/Health/Diagnostics/testResult

Test result (positive, negative, inconclusive).

- id: http://www.purl.org/ogit/Health/Diagnostics/testResult
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
  - ogit/Health/Diagnostics/Test

1.3.0.15 ogit/Health/Diagnostics/errorCode

Error code.

- id: http://www.purl.org/ogit/Health/Diagnostics/errorCode
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
  - ogit/Health/Diagnostics/Test

1.3.0.16 ogit/country

Name of a country.

- id: http://www.purl.org/ogit/country
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - ogit/Health/Diagnostics/Laboratory
  - ogit/Organization

1.3.0.17 ogit/businessCategory

The category of a business.

- id: http://www.purl.org/ogit/businessCategory
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - ogit/Organization

1.3.0.18 ogit/Location/zipCode

The zip code of a city.

- id: http://www.purl.org/ogit/Location/zipCode
- valid-from: Fri Aug 23 00:00:00 UTC 2019
- creator: Marek Meyer

used

- optional:
  - ogit/Health/Diagnostics/Demographics
  - ogit/Location/Address

1.3.0.19 ogit/Mobile/deviceType

type of device such as Mobile, FOB...

- id: http://www.purl.org/ogit/Mobile/deviceType
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/AppInstance

1.3.0.20 ogit/Location/city

The name of a city.

- id: http://www.purl.org/ogit/Location/city
- valid-from: Fri Aug 23 00:00:00 UTC 2019
- creator: Marek Meyer

used

- optional:
  - ogit/Location/Address

1.3.0.21 ogit/notification

A notification.

- id: http://www.purl.org/ogit/notification
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - ogit/Person

1.3.0.22 ogit/sourceId

The Id of the source system.

- id: http://www.purl.org/ogit/sourceId
- valid-from: Thu Jun 11 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - ogit/Organization
  - ogit/Person

1.3.0.23 ogit/url

Contains an URL (unified resource locator)

- id: http://www.purl.org/ogit/url
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - ogit/Attachment

1.3.0.24 ogit/Mobile/osVersion

operating system version on which application is installed

- id: http://www.purl.org/ogit/Mobile/osVersion
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Health/Diagnostics/Anamnesis
  - ogit/Mobile/AppInstance

1.3.0.25 ogit/latitude

It is a geographic coordinate that specifies the north–south position of a point on the Earth's surface..

- id: http://www.purl.org/ogit/latitude
- valid-from: Mon Aug 24 00:00:00 UTC 2020
- creator: Kaushik gondaliya

used

- optional:
  - ogit/Health/Diagnostics/Anamnesis
  - ogit/Health/Diagnostics/Demographics

1.3.0.26 ogit/Mobile/deviceCodeName

device code names, for ex walleye for google pixel 2.

- id: http://www.purl.org/ogit/Mobile/deviceCodeName
- valid-from: Mon Aug 31 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/AppInstance

1.3.0.27 ogit/mobilePhone

A mobile phone number.

- id: http://www.purl.org/ogit/mobilePhone
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - ogit/Person

1.3.0.28 ogit/unit

Unit of measurement of some value.

- id: http://www.purl.org/ogit/unit
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - ogit/Timeseries

1.3.0.29 ogit/city

Name of a city.

- id: http://www.purl.org/ogit/city
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - ogit/Health/Diagnostics/Laboratory
  - ogit/Organization

1.3.0.30 ogit/status

A status for an entity. At this level of specification no list of values is specified. However, applications using this attribute are expected to allow only a fixed list of values that seems usefual in the application's semantic context.

- id: http://www.purl.org/ogit/status
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - ogit/Health/Diagnostics/TestStation
  - ogit/Organization
  - ogit/Person

1.3.0.31 ogit/Health/Diagnostics/equipmentStateChangeTime

time when equipment state was updated (timestamp in millisecond).

- id: http://www.purl.org/ogit/Health/Diagnostics/equipmentStateChangeTime
- valid-from: Tue Sep 15 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Health/Diagnostics/Equipment

1.3.0.32 ogit/createdAt

Defines a point in time when a ticket/incident/event etc was created or recorded.

- id: http://www.purl.org/ogit/createdAt
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - ogit/Attachment

1.3.0.33 ogit/Location/streetName

The name of a street.

- id: http://www.purl.org/ogit/Location/streetName
- valid-from: Fri Aug 23 00:00:00 UTC 2019
- creator: Marek Meyer

used

- optional:
  - ogit/Location/Address

1.3.0.34 ogit/Mobile/appPermissions

permission available for the application

- id: http://www.purl.org/ogit/Mobile/appPermissions
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/AppInstance

1.3.0.35 ogit/longitude

It is a geographic coordinate that specifies the east–west position of a point on the Earth's surface.

- id: http://www.purl.org/ogit/longitude
- valid-from: Mon Aug 24 00:00:00 UTC 2020
- creator: Kaushik gondaliya

used

- optional:
  - ogit/Health/Diagnostics/Anamnesis
  - ogit/Health/Diagnostics/Demographics

1.3.0.36 ogit/lastName

Last name of a person.

- id: http://www.purl.org/ogit/lastName
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - ogit/Person

1.3.0.37 ogit/Mobile/firebaseToken

firebaseToken

- id: http://www.purl.org/ogit/Mobile/firebaseToken
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/AppInstance

1.3.0.38 ogit/Location/residenceCountry

The name of a residence country.

- id: http://www.purl.org/ogit/Location/residenceCountry
- valid-from: Fri Aug 23 00:00:00 UTC 2019
- creator: Marek Meyer

used

- optional:
  - ogit/Health/Diagnostics/Demographics

1.3.0.39 ogit/middleName

Middle name of a person.

- id: http://www.purl.org/ogit/middleName
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - ogit/Person

1.3.0.40 ogit/accessControl

The access control level of this Node. Value could mean different things to different applications / policies. Initial intent is that policies would treat "public-read" (inspired by Amazon AWS S3 ACLs) to mean anyone would have read-only access to this node.

- id: http://www.purl.org/ogit/accessControl
- valid-from: Thu Mar 26 00:00:00 UTC 2015
- creator: Chris Walker

used

- optional:
  - ogit/Attachment

1.3.0.41 ogit/Mobile/registrationType

registration Type, to identify push notification service used, if yes then which one

- id: http://www.purl.org/ogit/Mobile/registrationType
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/AppInstance

1.3.0.42 ogit/streetAddress

The street address. For example, Eschersheimer Landstr. 526-532

- id: http://www.purl.org/ogit/streetAddress
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - ogit/Health/Diagnostics/Laboratory
  - ogit/Organization

1.3.0.43 ogit/firstName

First name of a person

- id: http://www.purl.org/ogit/firstName
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - ogit/Person

1.3.0.44 ogit/Mobile/appConfigMode

app cofiguration mode, i.e debug, release.

- id: http://www.purl.org/ogit/Mobile/appConfigMode
- valid-from: Thu Aug 27 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/AppInstance

1.3.0.45 ogit/Mobile/uuid

uuid is unique identifier for application.

- id: http://www.purl.org/ogit/Mobile/uuid
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/AppInstance

1.3.0.46 ogit/title

Title of any kind. In the context of a Person this can be a courtesy title, an academic title, or a job tilte.

- id: http://www.purl.org/ogit/title
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - ogit/Person

1.3.0.47 ogit/Health/Diagnostics/appID

UDI of App (if paired).

- id: http://www.purl.org/ogit/Health/Diagnostics/appID
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
  - ogit/Health/Diagnostics/Anamnesis
  - ogit/Health/Diagnostics/Test

1.3.0.48 ogit/Mobile/deviceModel

model of device

- id: http://www.purl.org/ogit/Mobile/deviceModel
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Health/Diagnostics/Anamnesis
  - ogit/Health/Diagnostics/Equipment
  - ogit/Mobile/AppInstance

1.3.0.49 ogit/Health/Diagnostics/liquidContactTime

liquid contact time.

- id: http://www.purl.org/ogit/Health/Diagnostics/liquidContactTime
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
  - ogit/Health/Diagnostics/Test

1.3.0.50 ogit/Health/Diagnostics/testCompletedAt

timestamp of test completion.

- id: http://www.purl.org/ogit/Health/Diagnostics/testCompletedAt
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
  - ogit/Health/Diagnostics/Test

1.3.0.51 ogit/content

A string holding any type of content: plain string, XML fragments, RDF documents, ...

- id: http://www.purl.org/ogit/content
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - ogit/Attachment

1.3.0.52 ogit/Health/Diagnostics/symptoms

symptoms (enum).

- id: http://www.purl.org/ogit/Health/Diagnostics/symptoms
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
  - ogit/Health/Diagnostics/Anamnesis
  - ogit/Health/Diagnostics/Demographics

1.3.0.53 ogit/Mobile/devicePlatform

Platform of device i.e ios, android..

- id: http://www.purl.org/ogit/Mobile/devicePlatform
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Health/Diagnostics/Anamnesis
  - ogit/Mobile/AppInstance

1.3.0.54 ogit/name

Contains a name.

- id: http://www.purl.org/ogit/name
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- mandatory:
  - ogit/Health/Diagnostics/Laboratory
  - ogit/Health/Diagnostics/TestStation
  - ogit/Location/Address
  - ogit/Organization
- optional:
  - ogit/Attachment
  - ogit/Timeseries

1.3.0.55 ogit/description

Contains a description.

- id: http://www.purl.org/ogit/description
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - ogit/Health/Diagnostics/Laboratory
  - ogit/Health/Diagnostics/TestStation
  - ogit/Mobile/AppInstance
  - ogit/Organization
  - ogit/Timeseries

1.3.0.56 ogit/consentLevel

formal agreement with contact.

- id: http://www.purl.org/ogit/consentLevel
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/AppInstance

1.3.0.57 ogit/Location/country

The name of a country.

- id: http://www.purl.org/ogit/Location/country
- valid-from: Fri Aug 23 00:00:00 UTC 2019
- creator: Marek Meyer

used

- optional:
  - ogit/Location/Address

1.3.0.58 ogit/locationAcquisitionTime

Timestamp (with millisecond resolution) of acqusition of location..

- id: http://www.purl.org/ogit/locationAcquisitionTime
- valid-from: Mon Aug 24 00:00:00 UTC 2020
- creator: Kaushik gondaliya

used

- optional:
  - ogit/Health/Diagnostics/Anamnesis

1.3.0.59 ogit/lastUpdatedBy

Defines the last person or process who updated an entity.

- id: http://www.purl.org/ogit/lastUpdatedBy
- valid-from: Mon Jul 20 00:00:00 UTC 2015
- creator: Aymen Ayoub

used

- optional:
  - ogit/Attachment

1.3.0.60 ogit/Health/Diagnostics/birthyearRange

Birth year in range (“before 1910”, “1910-1920”).

- id: http://www.purl.org/ogit/Health/Diagnostics/birthyearRange
- valid-from: Mon Sep 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
  - ogit/Health/Diagnostics/Demographics

1.3.0.61 ogit/officePhone

The phone number in the office.

- id: http://www.purl.org/ogit/officePhone
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - ogit/Person

1.3.0.62 ogit/phone

a phone number

- id: http://www.purl.org/ogit/phone
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - ogit/Health/Diagnostics/Laboratory
  - ogit/Organization

1.3.0.63 ogit/fax

The number of a fax.

- id: http://www.purl.org/ogit/fax
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - ogit/Person

1.3.0.64 ogit/Health/Diagnostics/testStartedAt

timestamp of test start.

- id: http://www.purl.org/ogit/Health/Diagnostics/testStartedAt
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
  - ogit/Health/Diagnostics/Test

1.3.0.65 ogit/Health/Diagnostics/firmwareVersion

Sensor Hub firmware version.

- id: http://www.purl.org/ogit/Health/Diagnostics/firmwareVersion
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
  - ogit/Health/Diagnostics/Equipment
  - ogit/Health/Diagnostics/Test

1.3.0.66 ogit/Health/Diagnostics/testCounter

test counter (how often has this sensor been used - should always be 1!).

- id: http://www.purl.org/ogit/Health/Diagnostics/testCounter
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

1.3.0.67 ogit/type

Type of an an entity.

- id: http://www.purl.org/ogit/type
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - ogit/Attachment

1.3.0.68 ogit/otherPhone

The number of an other phone.

- id: http://www.purl.org/ogit/otherPhone
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - ogit/Person

1.3.0.69 ogit/Health/Diagnostics/sensorID

UDI of bio sensor (= Test ID).

- id: http://www.purl.org/ogit/Health/Diagnostics/sensorID
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
  - ogit/Health/Diagnostics/Test

1.3.0.70 ogit/isMutable

True if the value can be changed. E.g. after a service is provisioned.

- id: http://www.purl.org/ogit/isMutable
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - ogit/Timeseries

1.3.0.71 ogit/sourceTable

Contains the source table, that stores where the data are coming from.

- id: http://www.purl.org/ogit/sourceTable
- valid-from: Thu Aug 20 00:00:00 UTC 2015
- creator: Aymen Ayoub

used

- optional:
  - ogit/Attachment

1.3.0.72 ogit/creator

Creator of an entity.

- id: http://www.purl.org/ogit/creator
- valid-from: Thu Aug 20 00:00:00 UTC 2015
- creator: Aymen Ayoub

used

- optional:
  - ogit/Attachment

1.3.0.73 ogit/Location/state

The name of a state.

- id: http://www.purl.org/ogit/Location/state
- valid-from: Fri Aug 23 00:00:00 UTC 2019
- creator: Marek Meyer

used

- optional:
  - ogit/Location/Address

1.3.0.74 ogit/webPage

A web page.

- id: http://www.purl.org/ogit/webPage
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - ogit/Health/Diagnostics/Laboratory
  - ogit/Organization
  - ogit/Person

1.3.0.75 ogit/lastUpdatedAt

Defines latest date and time when a ticket or it's comment was updated. The format of this value could be according to ISO 8601.

- id: http://www.purl.org/ogit/lastUpdatedAt
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - ogit/Attachment

1.3.0.76 ogit/id

General id.

- id: http://www.purl.org/ogit/id
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - ogit/Attachment

1.3.0.77 ogit/size

The size, e.g. of a file.

- id: http://www.purl.org/ogit/size
- valid-from: Thu Mar 26 00:00:00 UTC 2015
- creator: arago Technologies

used

- optional:
  - ogit/Attachment

1.3.0.78 ogit/Mobile/osRadio

internal chipset or design identifier for mobile phones.

- id: http://www.purl.org/ogit/Mobile/osRadio
- valid-from: Thu Aug 27 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Mobile/AppInstance

1.3.0.79 ogit/Mobile/activationTime

time when licence code is activated.

- id: http://www.purl.org/ogit/Mobile/activationTime
- valid-from: Thu Jul 09 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Health/Diagnostics/Equipment

1.3.0.80 ogit/position

Indicates user's position. This field contains a string value.

- id: http://www.purl.org/ogit/position
- valid-from: Tue Oct 18 00:00:00 UTC 2016
- creator: Arthur Shoba

used

- optional:
  - ogit/Person

1.3.0.81 ogit/Mobile/appVersion

mobile application version

- id: http://www.purl.org/ogit/Mobile/appVersion
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - ogit/Health/Diagnostics/Anamnesis
  - ogit/Health/Diagnostics/Test
  - ogit/Mobile/AppInstance

1.3.0.82 ogit/gender

person's gender(sex). i.e male, female..

- id: http://www.purl.org/ogit/gender
- valid-from: Mon Aug 24 00:00:00 UTC 2020
- creator: Kaushik gondaliya

used

- optional:
  - ogit/Health/Diagnostics/Anamnesis
  - ogit/Health/Diagnostics/Demographics

1.3.0.83 ogit/instance

Defines the name of an instance.

- id: http://www.purl.org/ogit/instance
- valid-from: Wed Aug 03 00:00:00 UTC 2016
- creator: Philipp Pelchmann

used

- optional:
  - ogit/Timeseries