
Health

September 28, 2020

1 Module Documentation	1
1.1 Entities	1
1.1.0.1 ogit/Organization	1
1.1.0.2 ogit/Location/Address	2
1.1.0.3 ogit/Health/Diagnostics/TestStation	2
1.1.0.4 ogit/Health/Diagnostics/Test	3
1.1.0.5 ogit/Health/Diagnostics/Laboratory	4
1.1.0.6 ogit/Mobile/AppInstance	5
1.1.0.7 ogit/Person	5
1.1.0.8 ogit/Health/Diagnostics/Equipment	6
1.1.0.9 ogit/Health/Diagnostics/Demographics	7
1.1.0.10 ogit/Attachment	8
1.1.0.11 ogit/Health/Diagnostics/Anamnesis	8
1.1.0.12 ogit/Timeseries	9
1.2 Verbs	10
1.2.0.1 ogit/manages	10
1.2.0.2 ogit/generates	10
1.2.0.3 ogit/locatedAt	10
1.2.0.4 ogit/includes	11
1.2.0.5 ogit/performs	11
1.2.0.6 ogit/describes	11
1.2.0.7 ogit/connects	12
1.3 Attributes	13
1.3.0.1 ogit/manufacturer	13
1.3.0.2 ogit/Health/Diagnostics/batteryLevel	13
1.3.0.3 ogit/postalCode	13
1.3.0.4 ogit/Health/Diagnostics/equipmentID	14
1.3.0.5 ogit/Mobile/bundleID	14
1.3.0.6 ogit/email	14
1.3.0.7 ogit/Health/Diagnostics/equipmentState	15
1.3.0.8 ogit/Location/streetNumber	15
1.3.0.9 ogit/alternativeName	15
1.3.0.10 ogit/function	16
1.3.0.11 ogit/locationPrecision	16
1.3.0.12 ogit/Mobile/lastActive	16
1.3.0.13 ogit/yearOfBirth	17
1.3.0.14 ogit/Health/Diagnostics/testResult	17
1.3.0.15 ogit/Health/Diagnostics/errorCode	17
1.3.0.16 ogit/country	18
1.3.0.17 ogit/businessCategory	18
1.3.0.18 ogit/Location/zipCode	18
1.3.0.19 ogit/Mobile/deviceType	19

1.3.0.20 ogit/Location/city	19
1.3.0.21 ogit/notification	19
1.3.0.22 ogit/sourceId	20
1.3.0.23 ogit/url	20
1.3.0.24 ogit/Mobile/osVersion	20
1.3.0.25 ogit/latitude	21
1.3.0.26 ogit/Mobile/deviceCodeName	21
1.3.0.27 ogit/mobilePhone	21
1.3.0.28 ogit/unit	22
1.3.0.29 ogit/city	22
1.3.0.30 ogit/status	22
1.3.0.31 ogit/Health/Diagnostics/equipmentStateChangeTime	23
1.3.0.32 ogit/createdAt	23
1.3.0.33 ogit/Location/streetName	23
1.3.0.34 ogit/Mobile/appPermissions	24
1.3.0.35 ogit/longitude	24
1.3.0.36 ogit/lastName	24
1.3.0.37 ogit/Mobile/firebaseToken	25
1.3.0.38 ogit/Location/residenceCountry	25
1.3.0.39 ogit/middleName	25
1.3.0.40 ogit/accessControl	26
1.3.0.41 ogit/Mobile/registrationType	26
1.3.0.42 ogit/streetAddress	26
1.3.0.43 ogit/firstName	27
1.3.0.44 ogit/Mobile/appConfigMode	27
1.3.0.45 ogit/Mobile/uuid	27
1.3.0.46 ogit/title	28
1.3.0.47 ogit/Health/Diagnostics/appID	28
1.3.0.48 ogit/Mobile/deviceModel	28
1.3.0.49 ogit/Health/Diagnostics/liquidContactTime	29
1.3.0.50 ogit/Health/Diagnostics/testCompletedAt	29
1.3.0.51 ogit/content	29
1.3.0.52 ogit/Health/Diagnostics/symptoms	30
1.3.0.53 ogit/Mobile/devicePlatform	30
1.3.0.54 ogit/name	30
1.3.0.55 ogit/description	31
1.3.0.56 ogit/consentLevel	31
1.3.0.57 ogit/Location/country	32
1.3.0.58 ogit/locationAcquisitionTime	32
1.3.0.59 ogit/lastUpdatedBy	32
1.3.0.60 ogit/Health/Diagnostics/birthyearRange	33
1.3.0.61 ogit/officePhone	33

1.3.0.62 ogit/phone	33
1.3.0.63 ogit/fax	34
1.3.0.64 ogit/Health/Diagnostics/testStartedAt	34
1.3.0.65 ogit/Health/Diagnostics/firmwareVersion	34
1.3.0.66 ogit/Health/Diagnostics/testCounter	35
1.3.0.67 ogit/type	35
1.3.0.68 ogit/otherPhone	35
1.3.0.69 ogit/Health/Diagnostics/sensorID	35
1.3.0.70 ogit/isMutable	36
1.3.0.71 ogit/sourceTable	36
1.3.0.72 ogit/creator	36
1.3.0.73 ogit/Location/state	37
1.3.0.74 ogit/webPage	37
1.3.0.75 ogit/lastUpdatedAt	37
1.3.0.76 ogit/id	38
1.3.0.77 ogit/size	38
1.3.0.78 ogit/Mobile/osRadio	38
1.3.0.79 ogit/Mobile/activationTime	39
1.3.0.80 ogit/position	39
1.3.0.81 ogit/Mobile/appVersion	39
1.3.0.82 ogit/gender	40
1.3.0.83 ogit/instance	40

Chapter 1

Module Documentation

1.1 Entities

1.1.0.1 ogit/Organization

An identity that represents an organization, company, or some other grouping of Person objects. Entities of this type should be created with a predefined ID. Those IDs should be named like a domain name, i.e. a concatenation of some strings separated with a dot. If organization data is created from a LDAP then a mapping like "cn=John Doe,dc=example,dc=com" => "john_doe.example.com" should be employed. The ogit/function attribute should be used to tell what kind of grouping an entity of type Organization is: company, department, group, ...

- id: <http://www.purl.org/ogit/Organization>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem
- scope: SGO
- parent: ogit/Node

attributes

- mandatory:
 - [ogit/name](#)
- optional:
 - [ogit/businessCategory](#)
 - [ogit/city](#)
 - [ogit/country](#)
 - [ogit/description](#)
 - [ogit/email](#)
 - [ogit/function](#)
 - [ogit/phone](#)
 - [ogit/postalCode](#)
 - [ogit/sourceId](#)
 - [ogit/status](#)
 - [ogit/streetAddress](#)
 - [ogit/webPage](#)

outgoing edges

- [ogit/manages](#) => [ogit/Health/Diagnostics/Equipment](#)

1.1.0.2 [ogit/Location/Address](#)

A street address.

- id: <http://www.purl.org/ogit/Location/Address>
- valid-from: Fri Aug 23 00:00:00 UTC 2019
- creator: Marek Meyer
- scope: NTO
- parent: [ogit/Node](#)

attributes

- mandatory:
 - [ogit/name](#)
- optional:
 - [ogit/Location/city](#)
 - [ogit/Location/country](#)
 - [ogit/Location/state](#)
 - [ogit/Location/streetName](#)
 - [ogit/Location/streetNumber](#)
 - [ogit/Location/zipCode](#)

incoming edges

- [ogit/locatedAt](#) <= [ogit/Health/Diagnostics/TestStation](#)

1.1.0.3 [ogit/Health/Diagnostics/TestStation](#)

A station where diagnostics tests can be performed.

- id: <http://www.purl.org/ogit/Health/Diagnostics/TestStation>
- valid-from: Mon Sep 28 00:00:00 UTC 2020
- creator: Marek Meyer
- scope: NTO
- parent: [ogit/Node](#)

attributes

- mandatory:
 - [ogit/name](#)
- optional:
 - [ogit/description](#)
 - [ogit/status](#)

outgoing edges

- [ogit/locatedAt](#) => [ogit/Location/Address](#)
- [ogit/performs](#) => [ogit/Health/Diagnostics/Test](#)

1.1.0.4 [ogit/Health/Diagnostics/Test](#)**Test**

- id: <http://www.purl.org/ogit/Health/Diagnostics/Test>
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Viktor Voss
- scope: NTO
- parent: [ogit/Node](#)

attributes

- optional:
 - [ogit/Health/Diagnostics/appID](#)
 - [ogit/Health/Diagnostics/equipmentID](#)
 - [ogit/Health/Diagnostics/errorCode](#)
 - [ogit/Health/Diagnostics/firmwareVersion](#)
 - [ogit/Health/Diagnostics/liquidContactTime](#)
 - [ogit/Health/Diagnostics/sensorID](#)
 - [ogit/Health/Diagnostics/testCompletedAt](#)
 - [ogit/Health/Diagnostics/testResult](#)
 - [ogit/Health/Diagnostics/testStartedAt](#)
 - [ogit/Mobile/appVersion](#)

incoming edges

- [ogit/connects](#) <= [ogit/Mobile/AppInstance](#)
- [ogit/manages](#) <= [ogit/Person](#)
- [ogit/performs](#) <= [ogit/Health/Diagnostics/Equipment](#)
- [ogit/performs](#) <= [ogit/Health/Diagnostics/Laboratory](#)
- [ogit/performs](#) <= [ogit/Health/Diagnostics/TestStation](#)

outgoing edges

- [ogit/describes](#) => [ogit/Person](#)
- [ogit/generates](#) => [ogit/Attachment](#)
- [ogit/includes](#) => [ogit/Health/Diagnostics/Anamnesis](#)
- [ogit/includes](#) => [ogit/Health/Diagnostics/Demographics](#)

1.1.0.5 [ogit/Health/Diagnostics/Laboratory](#)

Test Laboratory

- id: <http://www.purl.org/ogit/Health/Diagnostics/Laboratory>
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Viktor Voss
- scope: NTO
- parent: [ogit/Node](#)

attributes

- mandatory:
 - [ogit/name](#)
- optional:
 - [ogit/city](#)
 - [ogit/country](#)
 - [ogit/description](#)
 - [ogit/email](#)
 - [ogit/function](#)
 - [ogit/phone](#)
 - [ogit/postalCode](#)
 - [ogit/streetAddress](#)
 - [ogit/webPage](#)

outgoing edges

- [ogit/manages](#) => [ogit/Health/Diagnostics/Equipment](#)
- [ogit/performs](#) => [ogit/Health/Diagnostics/Test](#)

1.1.0.6 ogit/Mobile/AppInstance

Mobile application instance.

- id: <http://www.purl.org/ogit/Mobile/AppInstance>
- valid-from: Sun Mar 15 00:00:00 UTC 2020
- creator: Kaushik Gondaliya
- scope: NTO
- parent: ogit/Node

attributes

- optional:
 - [ogit/Mobile/appConfigMode](#)
 - [ogit/Mobile/appPermissions](#)
 - [ogit/Mobile/appVersion](#)
 - [ogit/Mobile/bundleID](#)
 - [ogit/Mobile/deviceCodeName](#)
 - [ogit/Mobile/deviceModel](#)
 - [ogit/Mobile/devicePlatform](#)
 - [ogit/Mobile/deviceType](#)
 - [ogit/Mobile/firebaseToken](#)
 - [ogit/Mobile/lastActive](#)
 - [ogit/Mobile/osRadio](#)
 - [ogit/Mobile/osVersion](#)
 - [ogit/Mobile/registrationType](#)
 - [ogit/Mobile/uuid](#)
 - [ogit/consentLevel](#)
 - [ogit/description](#)
 - [ogit/manufacture](#)

outgoing edges

- [ogit/connects](#) => [ogit/Health/Diagnostics/Test](#)
- [ogit/generates](#) => [ogit/Health/Diagnostics/Demographics](#)

1.1.0.7 ogit/Person

A Person represents a human identity.

- id: <http://www.purl.org/ogit/Person>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem
- scope: SGO
- parent: ogit/Node

attributes

- optional:
 - [ogit/alternativeName](#)
 - [ogit/email](#)
 - [ogit/fax](#)
 - [ogit/firstName](#)
 - [ogit/lastName](#)
 - [ogit/middleName](#)
 - [ogit/mobilePhone](#)
 - [ogit/notification](#)
 - [ogit/officePhone](#)
 - [ogit/otherPhone](#)
 - [ogit/position](#)
 - [ogit/sourceld](#)
 - [ogit/status](#)
 - [ogit/title](#)
 - [ogit/webPage](#)

incoming edges

- [ogit/describes](#) <= [ogit/Health/Diagnostics/Test](#)

outgoing edges

- [ogit/manages](#) => [ogit/Health/Diagnostics/Equipment](#)
- [ogit/manages](#) => [ogit/Health/Diagnostics/Test](#)

1.1.0.8 ogit/Health/Diagnostics/Equipment

Test Equipment (Sensor Hub). UDI of Sensor Hub is saved in the `_xid` attribute

- id: <http://www.purl.org/ogit/Health/Diagnostics/Equipment>
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Viktor Voss
- scope: NTO
- parent: [ogit/Node](#)

attributes

- optional:
 - [ogit/Health/Diagnostics/batteryLevel](#)
 - [ogit/Health/Diagnostics/equipmentID](#)
 - [ogit/Health/Diagnostics/equipmentState](#)
 - [ogit/Health/Diagnostics/equipmentStateChangeTime](#)
 - [ogit/Health/Diagnostics/firmwareVersion](#)
 - [ogit/Mobile/activationTime](#)
 - [ogit/Mobile/deviceModel](#)

incoming edges

- [ogit/manages](#) <= [ogit/Health/Diagnostics/Laboratory](#)
- [ogit/manages](#) <= [ogit/Organization](#)
- [ogit/manages](#) <= [ogit/Person](#)

outgoing edges

- [ogit/generates](#) => [ogit/Timeseries](#)
- [ogit/performs](#) => [ogit/Health/Diagnostics/Test](#)

1.1.0.9 ogit/Health/Diagnostics/Demographics**Demographics data of user**

- id: <http://www.purl.org/ogit/Health/Diagnostics/Demographics>
- valid-from: Tue Sep 15 00:00:00 UTC 2020
- creator: Kaushik Gondaliya
- scope: NTO
- parent: [ogit/Node](#)

attributes

- optional:
 - [ogit/Health/Diagnostics/birthyearRange](#)
 - [ogit/Health/Diagnostics/symptoms](#)
 - [ogit/Location/residenceCountry](#)
 - [ogit/Location/zipCode](#)
 - [ogit/gender](#)
 - [ogit/latitude](#)
 - [ogit/longitude](#)

incoming edges

- [ogit/generates](#) <= [ogit/Mobile/AppInstance](#)
- [ogit/includes](#) <= [ogit/Health/Diagnostics/Test](#)

1.1.0.10 ogit/Attachment

This entity defines a file attachment that an IT service, issue, task or a ticket might have. The attachment itself is not saved in GraphIT, instead it contains an external url link for it.

- id: <http://www.purl.org/ogit/Attachment>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem
- scope: SGO
- parent: ogit/Node

attributes

- optional:
 - [ogit/accessControl](#)
 - [ogit/content](#)
 - [ogit/createdAt](#)
 - [ogit/creator](#)
 - [ogit/id](#)
 - [ogit/lastUpdatedAt](#)
 - [ogit/lastUpdatedBy](#)
 - [ogit/name](#)
 - [ogit/size](#)
 - [ogit/sourceTable](#)
 - [ogit/type](#)
 - [ogit/url](#)

incoming edges

- [ogit/generates](#) <= [ogit/Health/Diagnostics/Test](#)

1.1.0.11 ogit/Health/Diagnostics/Anamnesis

Anamnesis (Demographics)

- id: <http://www.purl.org/ogit/Health/Diagnostics/Anamnesis>
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Viktor Voss
- scope: NTO
- parent: ogit/Node

attributes

- optional:
 - [ogit/Health/Diagnostics/appID](#)
 - [ogit/Health/Diagnostics/symptoms](#)
 - [ogit/Mobile/appVersion](#)
 - [ogit/Mobile/deviceModel](#)
 - [ogit/Mobile/devicePlatform](#)
 - [ogit/Mobile/osVersion](#)
 - [ogit/gender](#)
 - [ogit/latitude](#)
 - [ogit/locationAcquisitionTime](#)
 - [ogit/locationPrecision](#)
 - [ogit/longitude](#)
 - [ogit/manufacture](#)
 - [ogit/yearOfBirth](#)

incoming edges

- [ogit/includes](#) ≤ [ogit/Health/Diagnostics/Test](#)

1.1.0.12 [ogit/Timeseries](#)

A time series is a sequence of data points, measured typically at successive points in time spaced at uniform time intervals.

- id: <http://www.purl.org/ogit/Timeseries>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem
- scope: SGO
- parent: [ogit/Node](#)

attributes

- optional:
 - [ogit/description](#)
 - [ogit/instance](#)
 - [ogit/isMutable](#)
 - [ogit/name](#)
 - [ogit/unit](#)

incoming edges

- [ogit/generates](#) ≤ [ogit/Health/Diagnostics/Equipment](#)

1.2 Verbs

1.2.0.1 ogit/manages

This relationship indicates that one entity manages some other.

- id: <http://www.purl.org/ogit/manages>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

Allowed Connection

- [ogit/Health/Diagnostics/Laboratory](#) => [ogit/Health/Diagnostics/Equipment](#)
- [ogit/Organization](#) => [ogit/Health/Diagnostics/Equipment](#)
- [ogit/Person](#) => [ogit/Health/Diagnostics/Equipment](#)
- [ogit/Person](#) => [ogit/Health/Diagnostics/Test](#)

1.2.0.2 ogit/generates

Verb indicating if an entity generates another entity.

- id: <http://www.purl.org/ogit/generates>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

Allowed Connection

- [ogit/Health/Diagnostics/Equipment](#) => [ogit/Timeseries](#)
- [ogit/Health/Diagnostics/Test](#) => [ogit/Attachment](#)
- [ogit/Mobile/AppInstance](#) => [ogit/Health/Diagnostics/Demographics](#)

1.2.0.3 ogit/locatedAt

Indicates that an entity is located at another entity.

- id: <http://www.purl.org/ogit/locatedAt>
- valid-from: Fri Sep 20 00:00:00 UTC 2019
- creator: Marek Meyer

Allowed Connection

- [ogit/Health/Diagnostics/TestStation](#) => [ogit/Location/Address](#)

1.2.0.4 ogit/includes

Indicates if an entity includes something else.

- id: <http://www.purl.org/ogit/includes>
- valid-from: Thu Jul 05 00:00:00 UTC 2018
- creator: qikram@arago.de

Allowed Connection

- [ogit/Health/Diagnostics/Test](#) => [ogit/Health/Diagnostics/Anamnesis](#)
- [ogit/Health/Diagnostics/Test](#) => [ogit/Health/Diagnostics/Demographics](#)

1.2.0.5 ogit/performs

TODO.

- id: <http://www.purl.org/ogit/performs>
- valid-from: Thu Feb 25 00:00:00 UTC 2016
- creator: bneal@arago.de

Allowed Connection

- [ogit/Health/Diagnostics/Equipment](#) => [ogit/Health/Diagnostics/Test](#)
- [ogit/Health/Diagnostics/Laboratory](#) => [ogit/Health/Diagnostics/Test](#)
- [ogit/Health/Diagnostics/TestStation](#) => [ogit/Health/Diagnostics/Test](#)

1.2.0.6 ogit/describes

This relationship allows to associate additional information with an entity. The "described" node can have many "describing" nodes.

- id: <http://www.purl.org/ogit/describes>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

Allowed Connection

- [ogit/Health/Diagnostics/Test](#) => [ogit/Person](#)

1.2.0.7 ogit/connects

Verb showing that an entity is physically/virtually connecting to another entity.

- id: <http://www.purl.org/ogit/connects>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

Allowed Connection

- [ogit/Mobile/AppInstance](#) => [ogit/Health/Diagnostics/Test](#)

1.3 Attributes

1.3.0.1 ogit/manufacturer

Manufacturer of a device or component.

- id: <http://www.purl.org/ogit/manufacturer>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Aymen Ayoub

used

- optional:
 - [ogit/Health/Diagnostics/Anamnesis](#)
 - [ogit/Mobile/AppInstance](#)

1.3.0.2 ogit/Health/Diagnostics/batteryLevel

battery level of equipment.

- id: <http://www.purl.org/ogit/Health/Diagnostics/batteryLevel>
- valid-from: Tue Sep 15 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
 - [ogit/Health/Diagnostics/Equipment](#)

1.3.0.3 ogit/postalCode

The postal code. For example, 60433.

- id: <http://www.purl.org/ogit/postalCode>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Health/Diagnostics/Laboratory](#)
 - [ogit/Organization](#)

1.3.0.4 ogit/Health/Diagnostics/equipmentID

UDI of an equipment, for example a Sensor Hub.

- id: <http://www.purl.org/ogit/Health/Diagnostics/equipmentID>
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
 - [ogit/Health/Diagnostics/Equipment](#)
 - [ogit/Health/Diagnostics/Test](#)

1.3.0.5 ogit/Mobile/bundleID

bundle id of the application, i.e debug, release.

- id: <http://www.purl.org/ogit/Mobile/bundleID>
- valid-from: Thu Aug 27 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
 - [ogit/Mobile/AppInstance](#)

1.3.0.6 ogit/email

An email address.

- id: <http://www.purl.org/ogit/email>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Health/Diagnostics/Laboratory](#)
 - [ogit/Organization](#)
 - [ogit/Person](#)

1.3.0.7 ogit/Health/Diagnostics/equipmentState

current equipment State.

- id: <http://www.purl.org/ogit/Health/Diagnostics/equipmentState>
- valid-from: Tue Sep 15 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
 - [ogit/Health/Diagnostics/Equipment](#)

1.3.0.8 ogit/Location/streetNumber

The number of a street address.

- id: <http://www.purl.org/ogit/Location/streetNumber>
- valid-from: Fri Aug 23 00:00:00 UTC 2019
- creator: Marek Meyer

used

- optional:
 - [ogit/Location/Address](#)

1.3.0.9 ogit/alternativeName

Alternative name of something. In context of a Person this can be the full name or an alias/nick name.

- id: <http://www.purl.org/ogit/alternativeName>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Person](#)

1.3.0.10 ogit/function

Attribute used to specify a function that some entity does/provides. This is more specific than 'description'. Should contain a short string. At this level of specification it is still a free form string. However, unlike 'description', it is expected to contain some list of fixed values.

- id: <http://www.purl.org/ogit/function>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Health/Diagnostics/Laboratory](#)
 - [ogit/Organization](#)

1.3.0.11 ogit/locationPrecision

Estimated precision (in meters) of location.

- id: <http://www.purl.org/ogit/locationPrecision>
- valid-from: Mon Aug 24 00:00:00 UTC 2020
- creator: Kaushik gondaliya

used

- optional:
 - [ogit/Health/Diagnostics/Anamnesis](#)

1.3.0.12 ogit/Mobile/lastActive

the last day when app was used.

- id: <http://www.purl.org/ogit/Mobile/lastActive>
- valid-from: Thu Jul 09 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
 - [ogit/Mobile/AppInstance](#)

1.3.0.13 ogit/yearOfBirth

Birth year of person.

- id: <http://www.purl.org/ogit/yearOfBirth>
- valid-from: Mon Aug 24 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
 - [ogit/Health/Diagnostics/Anamnesis](#)

1.3.0.14 ogit/Health/Diagnostics/testResult

Test result (positive, negative, inconclusive).

- id: <http://www.purl.org/ogit/Health/Diagnostics/testResult>
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
 - [ogit/Health/Diagnostics/Test](#)

1.3.0.15 ogit/Health/Diagnostics/errorCode

Error code.

- id: <http://www.purl.org/ogit/Health/Diagnostics/errorCode>
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
 - [ogit/Health/Diagnostics/Test](#)

1.3.0.16 ogit/country

Name of a country.

- id: <http://www.purl.org/ogit/country>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
 - [ogit/Health/Diagnostics/Laboratory](#)
 - [ogit/Organization](#)

1.3.0.17 ogit/businessCategory

The category of a business.

- id: <http://www.purl.org/ogit/businessCategory>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
 - [ogit/Organization](#)

1.3.0.18 ogit/Location/zipCode

The zip code of a city.

- id: <http://www.purl.org/ogit/Location/zipCode>
- valid-from: Fri Aug 23 00:00:00 UTC 2019
- creator: Marek Meyer

used

- optional:
 - [ogit/Health/Diagnostics/Demographics](#)
 - [ogit/Location/Address](#)

1.3.0.19 ogit/Mobile/deviceType

type of device such as Mobile, FOB...

- id: <http://www.purl.org/ogit/Mobile/deviceType>
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
 - [ogit/Mobile/AppInstance](#)

1.3.0.20 ogit/Location/city

The name of a city.

- id: <http://www.purl.org/ogit/Location/city>
- valid-from: Fri Aug 23 00:00:00 UTC 2019
- creator: Marek Meyer

used

- optional:
 - [ogit/Location/Address](#)

1.3.0.21 ogit/notification

A notification.

- id: <http://www.purl.org/ogit/notification>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
 - [ogit/Person](#)

1.3.0.22 ogit/sourceId

The Id of the source system.

- id: <http://www.purl.org/ogit/sourceId>
- valid-from: Thu Jun 11 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Organization](#)
 - [ogit/Person](#)

1.3.0.23 ogit/url

Contains an URL (unified resource locator)

- id: <http://www.purl.org/ogit/url>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Attachment](#)

1.3.0.24 ogit/Mobile/osVersion

operating system version on which application is installed

- id: <http://www.purl.org/ogit/Mobile/osVersion>
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
 - [ogit/Health/Diagnostics/Anamnesis](#)
 - [ogit/Mobile/AppInstance](#)

1.3.0.25 ogit/latitude

It is a geographic coordinate that specifies the north–south position of a point on the Earth's surface..

- id: <http://www.purl.org/ogit/latitude>
- valid-from: Mon Aug 24 00:00:00 UTC 2020
- creator: Kaushik gondaliya

used

- optional:
 - [ogit/Health/Diagnostics/Anamnesis](#)
 - [ogit/Health/Diagnostics/Demographics](#)

1.3.0.26 ogit/Mobile/deviceCodeName

device code names, for ex walleye for google pixel 2.

- id: <http://www.purl.org/ogit/Mobile/deviceCodeName>
- valid-from: Mon Aug 31 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
 - [ogit/Mobile/AppInstance](#)

1.3.0.27 ogit/mobilePhone

A mobile phone number.

- id: <http://www.purl.org/ogit/mobilePhone>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Person](#)

1.3.0.28 ogit/unit

Unit of measurement of some value.

- id: <http://www.purl.org/ogit/unit>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Timeseries](#)

1.3.0.29 ogit/city

Name of a city.

- id: <http://www.purl.org/ogit/city>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
 - [ogit/Health/Diagnostics/Laboratory](#)
 - [ogit/Organization](#)

1.3.0.30 ogit/status

A status for an entity. At this level of specification no list of values is specified. However, applications using this attribute are expected to allow only a fixed list of values that seems useful in the application's semantic context.

- id: <http://www.purl.org/ogit/status>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Health/Diagnostics/TestStation](#)
 - [ogit/Organization](#)
 - [ogit/Person](#)

1.3.0.31 ogit/Health/Diagnostics/equipmentStateChangeTime

time when equipment state was updated (timestamp in millisecond).

- id: <http://www.purl.org/ogit/Health/Diagnostics/equipmentStateChangeTime>
- valid-from: Tue Sep 15 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
 - [ogit/Health/Diagnostics/Equipment](#)

1.3.0.32 ogit/createdAt

Defines a point in time when a ticket/incident/event etc was created or recorded.

- id: <http://www.purl.org/ogit/createdAt>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Attachment](#)

1.3.0.33 ogit/Location/streetName

The name of a street.

- id: <http://www.purl.org/ogit/Location/streetName>
- valid-from: Fri Aug 23 00:00:00 UTC 2019
- creator: Marek Meyer

used

- optional:
 - [ogit/Location/Address](#)

1.3.0.34 ogit/Mobile/appPermissions

permission available for the application

- id: <http://www.purl.org/ogit/Mobile/appPermissions>
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
 - [ogit/Mobile/AppInstance](#)

1.3.0.35 ogit/longitude

It is a geographic coordinate that specifies the east–west position of a point on the Earth's surface.

- id: <http://www.purl.org/ogit/longitude>
- valid-from: Mon Aug 24 00:00:00 UTC 2020
- creator: Kaushik gondaliya

used

- optional:
 - [ogit/Health/Diagnostics/Anamnesis](#)
 - [ogit/Health/Diagnostics/Demographics](#)

1.3.0.36 ogit/lastName

Last name of a person.

- id: <http://www.purl.org/ogit/lastName>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Person](#)

1.3.0.37 ogit/Mobile/firebaseToken

firebaseToken

- id: <http://www.purl.org/ogit/Mobile/firebaseToken>
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
 - [ogit/Mobile/AppInstance](#)

1.3.0.38 ogit/Location/residenceCountry

The name of a residence country.

- id: <http://www.purl.org/ogit/Location/residenceCountry>
- valid-from: Fri Aug 23 00:00:00 UTC 2019
- creator: Marek Meyer

used

- optional:
 - [ogit/Health/Diagnostics/Demographics](#)

1.3.0.39 ogit/middleName

Middle name of a person.

- id: <http://www.purl.org/ogit/middleName>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
 - [ogit/Person](#)

1.3.0.40 ogit/accessControl

The access control level of this Node. Value could mean different things to different applications / policies. Initial intent is that policies would treat "public-read" (inspired by Amazon AWS S3 ACLs) to mean anyone would have read-only access to this node.

- id: <http://www.purl.org/ogit/accessControl>
- valid-from: Thu Mar 26 00:00:00 UTC 2015
- creator: Chris Walker

used

- optional:
 - [ogit/Attachment](#)

1.3.0.41 ogit/Mobile/registrationType

registration Type, to identify push notification service used, if yes then which one

- id: <http://www.purl.org/ogit/Mobile/registrationType>
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
 - [ogit/Mobile/AppInstance](#)

1.3.0.42 ogit/streetAddress

The street address. For example, Eschersheimer Landstr. 526-532

- id: <http://www.purl.org/ogit/streetAddress>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Health/Diagnostics/Laboratory](#)
 - [ogit/Organization](#)

1.3.0.43 ogit/firstName

First name of a person

- id: <http://www.purl.org/ogit/firstName>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Person](#)

1.3.0.44 ogit/Mobile/appConfigMode

app configuration mode, i.e debug, release.

- id: <http://www.purl.org/ogit/Mobile/appConfigMode>
- valid-from: Thu Aug 27 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
 - [ogit/Mobile/AppInstance](#)

1.3.0.45 ogit/Mobile/uuid

uuid is unique identifier for application.

- id: <http://www.purl.org/ogit/Mobile/uuid>
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
 - [ogit/Mobile/AppInstance](#)

1.3.0.46 ogit/title

Title of any kind. In the context of a Person this can be a courtesy title, an academic title, or a job title.

- id: <http://www.purl.org/ogit/title>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Person](#)

1.3.0.47 ogit/Health/Diagnostics/appID

UDI of App (if paired).

- id: <http://www.purl.org/ogit/Health/Diagnostics/appID>
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
 - [ogit/Health/Diagnostics/Anamnesis](#)
 - [ogit/Health/Diagnostics/Test](#)

1.3.0.48 ogit/Mobile/deviceModel

model of device

- id: <http://www.purl.org/ogit/Mobile/deviceModel>
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
 - [ogit/Health/Diagnostics/Anamnesis](#)
 - [ogit/Health/Diagnostics/Equipment](#)
 - [ogit/Mobile/AppInstance](#)

1.3.0.49 ogit/Health/Diagnostics/liquidContactTime

liquid contact time.

- id: <http://www.purl.org/ogit/Health/Diagnostics/liquidContactTime>
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
 - [ogit/Health/Diagnostics/Test](#)

1.3.0.50 ogit/Health/Diagnostics/testCompletedAt

timestamp of test completion.

- id: <http://www.purl.org/ogit/Health/Diagnostics/testCompletedAt>
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
 - [ogit/Health/Diagnostics/Test](#)

1.3.0.51 ogit/content

A string holding any type of content: plain string, XML fragments, RDF documents, ...

- id: <http://www.purl.org/ogit/content>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Attachment](#)

1.3.0.52 ogit/Health/Diagnostics/symptoms

symptoms (enum).

- id: <http://www.purl.org/ogit/Health/Diagnostics/symptoms>
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
 - [ogit/Health/Diagnostics/Anamnesis](#)
 - [ogit/Health/Diagnostics/Demographics](#)

1.3.0.53 ogit/Mobile/devicePlatform

Platform of device i.e ios, android..

- id: <http://www.purl.org/ogit/Mobile/devicePlatform>
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
 - [ogit/Health/Diagnostics/Anamnesis](#)
 - [ogit/Mobile/AppInstance](#)

1.3.0.54 ogit/name

Contains a name.

- id: <http://www.purl.org/ogit/name>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- mandatory:
 - [ogit/Health/Diagnostics/Laboratory](#)
 - [ogit/Health/Diagnostics/TestStation](#)
 - [ogit/Location/Address](#)
 - [ogit/Organization](#)
- optional:
 - [ogit/Attachment](#)
 - [ogit/Timeseries](#)

1.3.0.55 ogit/description

Contains a description.

- id: <http://www.purl.org/ogit/description>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Health/Diagnostics/Laboratory](#)
 - [ogit/Health/Diagnostics/TestStation](#)
 - [ogit/Mobile/AppInstance](#)
 - [ogit/Organization](#)
 - [ogit/Timeseries](#)

1.3.0.56 ogit/consentLevel

formal agreement with contact.

- id: <http://www.purl.org/ogit/consentLevel>
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
 - [ogit/Mobile/AppInstance](#)

1.3.0.57 ogit/Location/country

The name of a country.

- id: <http://www.purl.org/ogit/Location/country>
- valid-from: Fri Aug 23 00:00:00 UTC 2019
- creator: Marek Meyer

used

- optional:
 - [ogit/Location/Address](#)

1.3.0.58 ogit/locationAcquisitionTime

Timestamp (with millisecond resolution) of acquisition of location..

- id: <http://www.purl.org/ogit/locationAcquisitionTime>
- valid-from: Mon Aug 24 00:00:00 UTC 2020
- creator: Kaushik gondaliya

used

- optional:
 - [ogit/Health/Diagnostics/Anamnesis](#)

1.3.0.59 ogit/lastUpdatedBy

Defines the last person or process who updated an entity.

- id: <http://www.purl.org/ogit/lastUpdatedBy>
- valid-from: Mon Jul 20 00:00:00 UTC 2015
- creator: Aymen Ayoub

used

- optional:
 - [ogit/Attachment](#)

1.3.0.60 `ogit/Health/Diagnostics/birthyearRange`

Birth year in range ("before 1910", "1910-1920").

- id: <http://www.purl.org/ogit/Health/Diagnostics/birthyearRange>
- valid-from: Mon Sep 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
 - [ogit/Health/Diagnostics/Demographics](#)

1.3.0.61 `ogit/officePhone`

The phone number in the office.

- id: <http://www.purl.org/ogit/officePhone>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
 - [ogit/Person](#)

1.3.0.62 `ogit/phone`

a phone number

- id: <http://www.purl.org/ogit/phone>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Health/Diagnostics/Laboratory](#)
 - [ogit/Organization](#)

1.3.0.63 ogit/fax

The number of a fax.

- id: <http://www.purl.org/ogit/fax>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
 - [ogit/Person](#)

1.3.0.64 ogit/Health/Diagnostics/testStartedAt

timestamp of test start.

- id: <http://www.purl.org/ogit/Health/Diagnostics/testStartedAt>
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
 - [ogit/Health/Diagnostics/Test](#)

1.3.0.65 ogit/Health/Diagnostics/firmwareVersion

Sensor Hub firmware version.

- id: <http://www.purl.org/ogit/Health/Diagnostics/firmwareVersion>
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
 - [ogit/Health/Diagnostics/Equipment](#)
 - [ogit/Health/Diagnostics/Test](#)

1.3.0.66 `ogit/Health/Diagnostics/testCounter`

test counter (how often has this sensor been used - should always be 1!).

- id: <http://www.purl.org/ogit/Health/Diagnostics/testCounter>
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

1.3.0.67 `ogit/type`

Type of an an entity.

- id: <http://www.purl.org/ogit/type>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Attachment](#)

1.3.0.68 `ogit/otherPhone`

The number of an other phone.

- id: <http://www.purl.org/ogit/otherPhone>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
 - [ogit/Person](#)

1.3.0.69 `ogit/Health/Diagnostics/sensorID`

UDI of bio sensor (= Test ID).

- id: <http://www.purl.org/ogit/Health/Diagnostics/sensorID>
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
 - [ogit/Health/Diagnostics/Test](#)

1.3.0.70 ogit/isMutable

True if the value can be changed. E.g. after a service is provisioned.

- id: <http://www.purl.org/ogit/isMutable>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Timeseries](#)

1.3.0.71 ogit/sourceTable

Contains the source table, that stores where the data are coming from.

- id: <http://www.purl.org/ogit/sourceTable>
- valid-from: Thu Aug 20 00:00:00 UTC 2015
- creator: Aymen Ayoub

used

- optional:
 - [ogit/Attachment](#)

1.3.0.72 ogit/creator

Creator of an entity.

- id: <http://www.purl.org/ogit/creator>
- valid-from: Thu Aug 20 00:00:00 UTC 2015
- creator: Aymen Ayoub

used

- optional:
 - [ogit/Attachment](#)

1.3.0.73 [ogit/Location/state](#)

The name of a state.

- id: <http://www.purl.org/ogit/Location/state>
- valid-from: Fri Aug 23 00:00:00 UTC 2019
- creator: Marek Meyer

used

- optional:
 - [ogit/Location/Address](#)

1.3.0.74 [ogit/webPage](#)

A web page.

- id: <http://www.purl.org/ogit/webPage>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
 - [ogit/Health/Diagnostics/Laboratory](#)
 - [ogit/Organization](#)
 - [ogit/Person](#)

1.3.0.75 [ogit/lastUpdatedAt](#)

Defines latest date and time when a ticket or it's comment was updated. The format of this value could be according to ISO 8601.

- id: <http://www.purl.org/ogit/lastUpdatedAt>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Attachment](#)

1.3.0.76 ogit/id

General id.

- id: <http://www.purl.org/ogit/id>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Attachment](#)

1.3.0.77 ogit/size

The size, e.g. of a file.

- id: <http://www.purl.org/ogit/size>
- valid-from: Thu Mar 26 00:00:00 UTC 2015
- creator: arago Technologies

used

- optional:
 - [ogit/Attachment](#)

1.3.0.78 ogit/Mobile/osRadio

internal chipset or design identifier for mobile phones.

- id: <http://www.purl.org/ogit/Mobile/osRadio>
- valid-from: Thu Aug 27 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
 - [ogit/Mobile/AppInstance](#)

1.3.0.79 ogit/Mobile/activationTime

time when licence code is activated.

- id: <http://www.purl.org/ogit/Mobile/activationTime>
- valid-from: Thu Jul 09 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
 - [ogit/Health/Diagnostics/Equipment](#)

1.3.0.80 ogit/position

Indicates user's position. This field contains a string value.

- id: <http://www.purl.org/ogit/position>
- valid-from: Tue Oct 18 00:00:00 UTC 2016
- creator: Arthur Shoba

used

- optional:
 - [ogit/Person](#)

1.3.0.81 ogit/Mobile/appVersion

mobile application version

- id: <http://www.purl.org/ogit/Mobile/appVersion>
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
 - [ogit/Health/Diagnostics/Anamnesis](#)
 - [ogit/Health/Diagnostics/Test](#)
 - [ogit/Mobile/AppInstance](#)

1.3.0.82 ogit/gender

person's gender(sex). i.e male, female..

- id: <http://www.purl.org/ogit/gender>
- valid-from: Mon Aug 24 00:00:00 UTC 2020
- creator: Kaushik gondaliya

used

- optional:
 - [ogit/Health/Diagnostics/Anamnesis](#)
 - [ogit/Health/Diagnostics/Demographics](#)

1.3.0.83 ogit/instance

Defines the name of an instance.

- id: <http://www.purl.org/ogit/instance>
- valid-from: Wed Aug 03 00:00:00 UTC 2016
- creator: Philipp Pelchmann

used

- optional:
 - [ogit/Timeseries](#)