Snowflake task

1. Check Current Snowflake Environment

```
SELECT CURRENT_USER(),
CURRENT_ROLE(),
CURRENT_DATABASE(),
CURRENT_SCHEMA()
CURRENT_WAREHOUSE();
```

2. Create a Virtual Warehous

```
CREATE WAREHOUSE IF NOT EXISTS STUDENTS_WH
WAREHOUSE_SIZE = 'XSMALL'
AUTO_SUSPEND= 60
AUTO_RESUME=TRUE
INITIALLY_SUSPENDED=true;
```

3. Verify Warehouse Creation

```
SHOW WAREHOUSES LIKE 'STUDENTS_WH';
```

4. Activate Warehouse

```
USE WAREHOUSE STUDENTS_WH;
```

5. Check Active Warehouse

```
SELECT CURRENT_WAREHOUSE();
```

6. Create Database

```
CREATE DATABASE IF NOT EXISTS STUDENTS_DB;
```

7. Verify Database Creation

```
SHOW DATABASES LIKE 'STUDENTS_DB';
```

8. Activate Database

```
USE DATABASE STUDENTS_DB;
```

9. Check Active Schema

```
SELECT CURRENT_SCHEMA() AS ACTIVE_SCHEMA;
```

10. Create Schema

```
CREATE SCHEMA IF NOT EXISTS STUDENTS_DB.RAW;
```

11. Activate Schema

```
USE SCHEMA STUDENTS_DB.RAW;
```

12. Verify Schema Creation

```
SHOW SCHEMAS IN DATABASE STUDENTS_DB;
```

13. Create STUDENTS Table

```
CREATE TABLE IF NOT EXISTS STUDENTS_DB.RAW.STUDENTS (
   ORDER_ID NUMBER(10,0),
   PRODUCT VARCHAR(100),
   QUANTITY NUMBER(10,0),
   UNIT_PRICE NUMBER(12,2),
   CITY VARCHAR(100)
);
```

14. Verify Table Creation

```
SHOW TABLES LIKE 'STUDENTS'
IN SCHEMA STUDENTS_DB.RAW;
```

15. Describe Table Structure

```
DESCRIBE TABLE STUDENTS_DB.RAW.STUDENTS;
```

16. Create CSV File Format

```
CREATE FILE FORMAT IF NOT EXISTS
STUDENTS_DB.RAW.STUDENTS_CSV_FORMAT
TYPE = CSV
SKIP_HEADER = 1
FIELD_OPTIONALLY_ENCLOSED_BY = ""
EMPTY_FIELD_AS_NULL = TRUE;
```

17. Verify File Format

```
SHOW FILE FORMATS IN SCHEMA STUDENTS_DB.RAW;
```

18. Create Internal Stage

```
CREATE STAGE IF NOT EXISTS
STUDENTS_DB.RAW.STUDENTS_STAGE
FILE_FORMAT = STUDENTS_DB.RAW.STUDENTS_CSV_FORMAT;
```

19. Verify Internal Stage

```
SHOW STAGES IN SCHEMA STUDENTS_DB.RAW;
```

20. List Files in Internal Stage

```
LIST @STUDENTS_DB.RAW.STUDENTS_STAGE;
```

21. Load CSV Data Using COPY INTO

```
COPY INTO STUDENTS_DB.RAW.STUDENTS
FROM @STUDENTS_DB.RAW.STUDENTS_STAGE
FILE_FORMAT = (
   FORMAT_NAME = 'STUDENTS_DB.RAW.STUDENTS_CSV_FORMAT'
)
ON_ERROR = 'ABORT_STATEMENT';
```

22. Count Total Records

```
SELECT COUNT(*) AS TOTAL_RECORDS
FROM STUDENTS_DB.RAW.STUDENTS;
```

23. Display All STUDENTS Records

```
SELECT *
FROM STUDENTS_DB.RAW.STUDENTS;
```

27. Switch to ACCOUNTADMIN

```
USE ROLE ACCOUNTADMIN;
```

28. Delete Database and All Its Objects


```
DROP DATABASE IF EXISTS STUDENTS_DB;
```

29. Delete Virtual Warehouse


```
DROP WAREHOUSE IF EXISTS STUDENTS_WH;
```

SCREENSHOTS:


Create table:



Create warehouse:



Search for tables name starting with STUDE:



Create a stage:

```
40  CREATE STAGE IF NOT EXISTS
41  STUDENTS_DB.RAW.STUDENTS_STAGE
42  FILE_FORMAT=STUDENTS_DB.RAW.STUDENTS_CSV_FORMAT;
```

Results (just now)

Table | Chart | Pivot — 1 row — 94ms

	status
1	Stage area STUDENTS_STAGE successfully created.

File format creation


```
32
33  CREATE FILE FORMAT IF NOT EXISTS
34  STUDENTS_DB.RAW.STUDENTS_CSV_FORMAT
35  TYPE=CSV
36  SKIP_HEADER=1
37  FIELD_OPTIONALLY_ENCLOSED_BY = '"'
38  EMPTY_FIELD_AS_NULL = TR
39
```

(just nov


Table | Chart | Pivot — 1 row — 23ms

	status
1	STUDENTS_CSV_FORMAT already exists, statement succeeded.


Screenshot after uploading csv file on stage



Copying from file to students table



Printing the students table



Counting rows

```
53
54    SELECT COUNT(*)FROM STUDENTS_DB.RAW.STUDENTS;
```

Results (just now)

Table | Chart | Pivot

1 row | 22ms

	# COUNT(*)
1	15

SELECTING Students who scored more than class average

```
55
56    SELECT NAME FROM STUDENTS_DB.RAW.STUDENTS
57    WHERE MARKS > (SELECT AVG(MARKS) FROM STUDENTS_DB.RAW.STUDENTS);
```

Results (just now)

Table | Chart | Pivot

	A NAME
1	Aarav
2	Diya
3	Rohan
4	Meera
5	Ishita
6	Saanvi
7	Myra
8	Kiara