>Create database, schema and the table

```sql
CREATE DATABASE IF NOT EXISTS SALES;

CREATE SCHEMA IF NOT EXISTS SALES.RAW;

CREATE TABLE IF NOT EXISTS SALES.RAW.SALES_TABLE (
    ORDER_ID              VARCHAR(20),
    ORDER_DATE            DATE,
    CUSTOMER_ID           VARCHAR(20),
    CUSTOMER_NAME         VARCHAR(100),
    STATE                 VARCHAR(50),
    CITY                  VARCHAR(50),
    REGION                VARCHAR(20),
    SALES_CHANNEL         VARCHAR(30),
    CATEGORY              VARCHAR(50),
    SUBCATEGORY           VARCHAR(50),
    PRODUCT               VARCHAR(100),
    QUANTITY              NUMBER(10,0),
    UNIT_PRICE_INR        NUMBER(12,2),
    DISCOUNT_PCT          NUMBER(5,2),
    GROSS_SALES_INR       NUMBER(14,2),
    DISCOUNT_AMOUNT_INR   NUMBER(14,2),
    SHIPPING_FEE_INR      NUMBER(12,2),
    NET_REVENUE_INR       NUMBER(14,2),
    PAYMENT_METHOD        VARCHAR(30),
    ORDER_STATUS          VARCHAR(20)
);
```

> CREATING a file format and a stage

```
CREATE FILE FORMAT IF NOT EXISTS SALES.RAW.CSV_FORMAT
TYPE= CSV
SKIP_HEADER=1
FIELD_OPTIONALLY_ENCLOSED_BY = '"'
EMPTY_FIELD_AS_NULL = TRUE;

CREATE STAGE IF NOT EXISTS SALES.RAW.FILE_STAGE
FILE_FORMAT = SALES.RAW.CSV_FORMAT;
```

> Uploaded file and Copied rows into table


```
39
40  USE WAREHOUSE ECOM_WH;
41
42  COPY INTO SALES.RAW.SALES_TABLE
43  FROM @SALES.RAW.FILE_STAGE
44  ON_ERROR = 'ABORT_STATEMENT';
45
46
```


Results (1 minute ago)

Table | Chart | Pivot


	file	status	rows_pars	rows_loaded
1	file_stage/powerbi_sale	LOADED	1000	1000

> POWER BI (online version - signed in with college email)





> loading sales data



> made a dashboard

