	,,						
Test Paper : III	Test Booklet Serial No. :						
Test Subject : COMPUTER SCIENCE AND							
APPLICATION	OMR Sheet No.:						
Test Subject Code : K-2413	Roll No. (Figures as per admission card)						
Name & Signature of Invigilator/s							
Signature:	Signature:						
Name :	Name :						
Paper :	III •						
Subject: Time: 2 Hours 30 Minutes	COMPUTER SCIENCE AND APPLICATION Maximum Marks: 150						
Number of Pages in this Booklet : 16	Number of Questions in this Booklet : 75.						
ಆಭ್ಯರ್ಥಿಗಳಿಗೆ ಸೂಚನೆಗಳು 1. ಈ ಪುಟದ ಮೇಲ್ತುದಿಯಲ್ಲಿ ಒದಗಿಸಿದ ಸ್ಥಳದಲ್ಲಿ ನಿಮ್ಮ ರೋಲ್ ನಂಬರನ್ನು ಬರೆಯಿರಿ. 2. ಈ ಪತ್ರಿಕೆಯು ಬಹು ಆಯ್ಕೆ ವಿಧದ ಎಪ್ಪತ್ತೆದು ಪ್ರಶ್ನೆಗಳನ್ನು ಒಳಗೊಂಡಿದೆ. 3. ಪರೀಕ್ಷೆಯ ಪ್ರಾರಂಭದಲ್ಲಿ, ಪ್ರಶ್ನೆಪ್ರಸ್ತಿಕೆಯನ್ನು ನಿಮಗೆ ನೀಡಲಾಗುವುದು. ಮೊದಲ5 ನಿಮಿಷಗಳಲ್ಲಿ ನೀವು ಪ್ರಸ್ತಿಕೆಯನ್ನು ತೆರೆಯಲು ಮತ್ತು ಕೆಳಗಿನಂತೆ ಕಡ್ಡಾಯವಾಗಿ ಪರೀಕ್ಷಿಸಲು ಕೋರಲಾಗಿದೆ. (i) ಪ್ರಶ್ನೆಪುಸ್ತಿಕೆಗೆ ಪ್ರವೇಶಾವಕಾಶ ಪಡೆಯಲು, ಈ ಹೊದಿಕೆ ಪುಟದ ಅಂಚಿನ ಮೇಲಿರುವ ಪೇಪರ್ ಸೀಲನ್ನು ಹರಿಯಿರಿ. ಸ್ಟಿಕ್ಟರ್ ಸೀಲ್ ಇಲ್ಲದ ಪ್ರಶ್ನೆಪುಸ್ತಿಕೆ ಸ್ಟೀಕರಿಸಬೇಡಿ. ತೆರೆದ ಪುಸ್ತಿಕೆಯನ್ನು ಸ್ಟೀಕರಿಸಬೇಡಿ. (ii) ಪುಸ್ತಿಕೆಯಲ್ಲಿನ ಪ್ರಶ್ನೆಗಳ ಸಂಖ್ಯೆ ಮತ್ತು ಪುಟಗಳ ಸಂಖ್ಯೆಯನ್ನು ಮುಖಪುಟದ ಮೇಲೆ ಮುದ್ರಿಸಿದ ಮಹಿತಿಯೊಂದಿಗೆ ತಾಳೆ ನೋಡಿರಿ. ಪುಟಗಳು/ ಪ್ರಶ್ನೆಗಳು ಕಾಣೆಯಾದ, ಅಥವಾ ದ್ವಿಪ್ರತಿ ಅಥವಾ ಅನುಕ್ರಮವಾಗಿಲ್ಲದ ಅಥವಾ ಇತರ ಯಾವುದೇ ವ್ಯತ್ಯಾಸದ ದೋಷಪೂರಿತ ಪುಸ್ತಿಕೆಯನ್ನು ಕೂಡಲೆ5 ನಿಮಿಷದ ಅವಧಿ ಒಳಗೆ, ಸಂವೀಕ್ಷಕ್ಷರಿಂದ ಸರಿ ಇರುವ ಪುಸ್ತಿಕೆಗೆ ಬದಲಾಯಿಸಿಕೊಳ್ಳಬೇಕು. ಆ ಬಳಿಕ ಪ್ರಶ್ನೆ ಪತ್ರಿಕೆಯನ್ನು ಬದಲಾಯಿಸಲಾಗುವುದಿಲ್ಲ, ಯಾವುದೇ ಹೆಚ್ಚು ಸಮಯವನ್ನೂ ಕೊಡಲಾಗುವುದಿಲ್ಲ. 4. ಪ್ರತಿಯೊಂದು ಪ್ರಶ್ನೆಗೂ(A), (B), (C) ಮತ್ತು (D) ಎಂದು ಗುರುತಿಸಿದ ನಾಲ್ಕು ಪರ್ಯಾಯ ಉತ್ತರಗಳಿವೆ. ನೀವು ಪ್ರಶ್ನೆಯ ಎದುರು ಸರಿಯಾದ ಉತ್ತರದ ಮೇಲೆ, ಕೆಳಗೆ ಕಾಣಿಸಿದಂತೆ ಅಂಡಾಕೃತಿಯನ್ನು ಕಪ್ಪಾಗಿಸಬೇಕು. ಉದಾಹರಣೆ: (A) (B) (D) (C) ಸರಿಯಾದ ಉತ್ತರವಾಗಿದ್ದಾಗೆ.	be given to you. In the first 5 minutes, you are requested to open the booklet and compulsorily examine it as below: (i) To have access to the Question Booklet, tear off the paper seal on the edge of this cover page. Do not accept a booklet without sticker-seal and do not accept an open booklet. (ii) Tally the number of pages and number of questions in the booklet with the information printed on the cover page. Faulty booklets due to pages/questions missing or duplicate or not in serial order or any other discrepancy should be got replaced immediately by a correct booklet from the invigilator within the period of 5 minutes. Afterwards, neither the Question Booklet will be replaced nor any extra time will be given. 4. Each item has four alternative responses marked (A), (B), (C) and (D). You have to darken the oval as indicated below on the correct response against each item. Example: (A) (B) (D)						
 ಪ್ರಶ್ನೆಗಳಿಗೆ ಉತ್ತರಗಳನ್ನು, ಪತ್ರಿಕೆ III ಪುಸ್ತಿಕೆಯೊಳಗೆ ಕೊಟ್ಟಿರುವ OMR ಉತ್ತರ ಹಾಳೆಯಲ್ಲಿ ಮಾತ್ರವೇ ಸೂಚಿಸತಕ್ಕದ್ದು OMR ಉತ್ತರ ಹಾಳೆಯಲ್ಲಿನ ಅಂಡಾಕೃತಿ ಹೊರತುಪಡಿಸಿ ಬೇರೆ ಯಾವುದೇ ಸ್ಥಳದಲ್ಲಿ ಗುರುತಿಸಿದರೆ, ಅದರ ಮೌಲ್ಯ ಮಾಪನ ಮಾಡಲಾಗುವುದಿಲ್ಲ. OMR ಉತ್ತರ ಹಾಳೆಯಲ್ಲಿ ಕೊಟ್ಟ ಸೂಚನೆಗಳನ್ನು ಜಾಗರೂಕತೆಯಿಂದ ಓದಿರಿ. ಎಲ್ಲಾ ಕರಡು ಕೆಲಸವನ್ನು ಪುಸ್ತಿಕೆಯ ಕೊನೆಯಲ್ಲಿ ಮಾಡತಕ್ಕದ್ದು. 							
8. ನಿಮ್ಮ ಗುರುತನ್ನು ಬಹಿರಂಗಪಡಿಸಬಹುದಾದ ನಿಮ್ಮ ಹೆಸರು ಅಥವಾ ಯಾವುದೇ ಚಿಹ್ನೆಯನ್ನು, ಸಂಗತವಾದ ಸ್ಥಳ ಹೊರತು ಪಡಿಸಿ, OMR ಉತ್ತರ ಹಾಳೆಯ ಯಾವುದೇ ಭಾಗದಲ್ಲಿ ಬರೆದರೆ, ನೀವು ಅನರ್ಹತೆಗೆ ಬಾಧ್ಯರಾಗಿರುತ್ತೀರಿ.	 7. Rough Work is to be done in the end of this booklet. 8. If you write your name or put any mark on any part of the OMR Answer Sheet, except for the space allotted for the relevant entries, which may disclose your identity, you will render yourself 						
9. ಪರೀಕ್ಷೆಯು ಮುಗಿದನಂತರ, ಕಡ್ಡಾಯವಾಗಿ OMR ಉತ್ತರ ಹಾಳೆಯನ್ನು ಸಂವೀಕ್ಷಕರಿಗೆ ನೀವು ಹಿಂತಿರುಗಿಸಬೇಕು ಮತ್ತು ಪರೀಕ್ಷಾ ಕೊಠಡಿಯ ಹೊರಗೆ OMR ನ್ನು ನಿಮ್ಮೆಂದಿಗೆ ಕೊಂಡೊಯ್ಯ ಕೂಡದು. 10. ಪರೀಕ್ಷೆಯ ನಂತರ, ಪರೀಕ್ಷಾ ಪ್ರಶ್ನೆ ಪತ್ರಿಕೆಯನ್ನು ಮತ್ತು ನಕಲು OMR ಉತ್ತರ ಹಾಳೆಯನ್ನು	liable to disqualification. 9. You have to return the test OMR Answer Sheet to the invigilators at the end of the examination compulsorily and must NOT carry it with you outside the Examination Hall.						
ನಿಮ್ಮೊಂದಿಗೆ ತೆಗೆದುಕೊಂಡು ಹೋಗಬಹುದು.	10. You can take away question booklet and carbon copy of OMR Answer Sheet soon after the examination.						
11. ನೀಲಿ/ಕಪ್ಪು ಬಾಲ್ಪಾಯಿಂಟ್ ಪೆನ್ ಮಾತ್ರವೇ ಉಪಯೋಗಿಸಿರಿ.12. ಕ್ನಾಲ್ಕುಲೇಟರ್ ಅಥವಾ ಲಾಗ್ ಟೇಬಲ್ ಇತ್ನಾದಿಯ ಉಪಯೋಗವನ್ನು ನಿಷೇಧಿಸಲಾಗಿದೆ.	11. Use only Blue/Black Ball point pen.						
13. ಸರಿ ಅಲ್ಲದ ಉತ್ತರಗಳಿಗೆ ಋಣ ಅಂಕ ಇರುವುದಿಲ್ಲ.	12. Use of any calculator or log table etc., is prohibited.13. There is no negative marks for incorrect answers.						
K-2413	ಪು.ತಿ.ನೋ./P.T.O.						



COMPUTER SCIENCE AND APPLICATION Paper – III

Note: This paper contains **seventy-five (75)** objective type questions. **Each** question carries **two (2)** marks. **All** questions are **compulsory**.

- **1.** The Pentium microprocessor has _____ execution unit.
 - (A) 1
 - (B) 2
 - (C) 3
 - (D) 4
- 2. Ready pin of a microprocessor is used
 - (A) To indicate that the microprocessor is ready to receive inputs
 - (B) To indicate that the microprocessor is ready to receive outputs
 - (C) To introduce wait states
 - (D) To provide direct memory access
- 3. The following statements are with respect to the 8259 A (PIC)
 - (i) It can only be used for eight interrupt inputs
 - (ii) It has two central words, OCW and ICW
 - (iii) First ICW is initialized and then OCW
 - (iv) It has three status registers
 - (A) All above statements are true
 - (B) First three statements are true
 - (C) Only last three are true
 - (D) Only (ii) and (iii) are true


- **4.** The 8255 interfacing chip has following features
 - (i) It has three ports which can be used I/o mode
 - (ii) It has one internal command register
 - (iii) It can be used in three different modes
 - (iv) Port C has some different features
 - (A) All are true
 - (B) (i), (iii) and (iv) are true
 - (C) (ii), (iii) and (iv) are true
 - (D) (i) and (iv) are true
- 5. A number of 256 × 8 bit memory chips are available. To design a memory organisation of 2K × 8 memory, number of chips needed and type of multiplexor required are
 - (A) 16 and 2:4
 - (B) 32 and 3:8
 - (C) 8 and 3:8
 - (D) 256 and 3:8



- 6. Create, Alter and Drop are the examples of
 - (A) DDL
 - (B) DML
 - (C) VDL
 - (D) SDL
- **7.** What is the cardinality of a table with 50 rows and 5 coloums?
 - (A) 5
 - (B) 50
 - (C) 250
 - (D) 550
- **8.** A buffer use to store results of the recent query
 - (A) Triggers
 - (B) Packages
 - (C) Cursor
 - (D) Exceptions
- **9.** If a relation has 7 attributes then there will be how many subsets of these attributes
 - (A) 16
 - (B) 4
 - (C) 256
 - (D) 128

- **10.** When a transaction never progresses then we say that it is
 - (A) Aborted
 - (B) Starved
 - (C) Shared
 - (D) Locked
- 11. The phenomenon of having a continuous glow of a beam on the screen even after it is removed is called as?
 - (A) Flourence
 - (B) Persistence
 - (C) Phosphorence
 - (D) Incadescence
- **12.** Which of the following statement is true?
 - (A) Request, sample and event are the three basic modes of input
 - (B) Keyboard is a device ideally suited for use in sample mode
 - (C) A mouse is typically a device for inputting an absolute position on the screen
 - (D) Special graphics hardware support is essential to an application

K-2413 (3) Paper III





- **13.** The format for storing digital audio in multimedia application
 - (A) JPEG
 - (B) TIFF
 - (C) WAV
 - (D) BMP
- **14.** The following statements are made with respect to the Bezier functions
 - (i) The basis functions of the Bezier curves are convex
 - (ii) The basis functions are non-negative
 - (iii) The Bezier curves are Affine variant
 - (iv) When control points lie on a straight line, then the corresponding B'ezier curve will also be a straight line
 - (A) All (i), (ii), (iii) and (iv) are true
 - (B) (i), (ii), (iii) are true, (iv) false
 - (C) (i), (iii), (iv) are true, (ii) false
 - (D) (i), (ii), (iv) are true, (iii) false

- 15. Match the following:
 - (i) Homogeneous Coordinate
- (a) Shading
- (ii) Phong model
- (b) Clipping
- (iii) BSP Tree
- (c) Translation
- (iv) Cyrus Beck
- (d) Back to front ordering
- (A) (i-b) (ii-a) (iii-d) (iv-c)
- (B) (i-d) (ii-c) (iii-b) (iv-a)
- (C) (i-c) (ii-b) (iii-d) (iv-a)
- (D) (i-c) (ii-a) (iii-d) (iv-b)
- 16. Which is not object-oriented concept?
 - (A) Data Abstraction
 - (B) Inheritance
 - (C) Polymorphism
 - (D) Subroutine
- 17. Which is functional language?
 - (A) PROLOG
 - (B) FOTRAN
 - (C) LISP
 - (D) PERL
- **18.** Which is not scripting language?
 - (A) Perl
 - (B) Java
 - (C) VB
 - (D) C++



19.	Whic	ch falls unde	r regu	lar paradigm	?	23.	Flov	w control take	es place	e at wh	at level in	
	(A)	Java	(E	3) Lisp			OSI	model?				
	(C)	Prolog	1)	D) Perl			(A)	Physical				
20.	Which is not data type ?						(B)	Network				
	(A)	Int					(C)	Transport				
	(B)	Complet					(D)	Data Link				
	(C) String											
	(D)	Numeric				24. Consider the following statements						
21.	For a given level of noise, the data rate could be increased by						(i)	Most logical			-	
	(A) Increasing signal strength and decreasing bandwidth						(ii)	factory Session	laye	ər	handles	
	(B) Decreasing signal strength and increasing band width						synchronization (iii) Error detection and recovery ar					
	. ,	Increasing e	either s	signal streng	th or		done in Data link layer					
	(D)	(D) Not possible to change it						(A) All are true				
							(B)	(i) and (iii) a	re true	and (ii)	false	
22.	For microwave transmission, loss will follow the following rule (A) Increase with distance and frequency						(C)	(ii) is true ar	nd (i) ar	nd (iii) f	alse	
							(D) All are false					
	(B)	B) Increase with distance and wavelength						AN create Unicast		_ dom	ains.	
	(C)	(C) Increase with square of distance and square of frequency (D) Increase with square of distance and						(B) Multicast				
								(C) Broadcast				

K-2413 Paper III

square of wavelength

(D) Point-to-point



- **26.** The order of time complexities from most efficient to least efficient is
 - (A) $O(2^n)$, $O(n^2)$, O(nlogn), O(n), O(logn)
 - (B) O(n), O(n²), O(2ⁿ), O(logn), O(nlogn)
 - (C) O(logn), O(n), O(nlogn), O(n²), O(2ⁿ)
 - (D) O(nlogn), O(logn), O(n²), O(n), O(2ⁿ)
- **27.** Find the running time of the following piece of code

for
$$i = 1$$
 to n

insert (i², s)

for i = 1 to n

remove (s)

Assume both insert (i, s) and remove (s) take time O(log |s|), and choose the correct estimate

- (A) O(nlogn)
- (B) O(nlogn²)
- (C) $O(n^2)$
- (D) O(n²logn)
- 28. What is the maximum height of any AVL-tree with 7 nodes? Assume the length of the tree with a single node is 0(zero)
 - (A) 2
 - (B) 3
 - (C) 4
 - (D) 5

29. A hash table of length 10 uses open addressing with hash function h(K) = K mod 10, and linear probing. After inserting 6 values into an empty hash table, the table is as shown below

0	
1	
2	42
3	23
4	34
5	52
6	46
7	33
8	
9	

Which one of the following gives a possible order in which the key value could have been inserted in the table?

- (A) 46, 42, 34, 52, 23, 33
- (B) 34, 42, 23, 52, 33, 46
- (C) 46, 34, 42, 23, 52, 33
- (D) 42, 46, 33, 23, 34, 52
- **30.** Which of the following sorting algorithms has the lowest worst-case complexity?
 - (A) Merge-sort
 - (B) Bubble-sort
 - (C) Quick-sort
 - (D) Selection-sort



31. What does the statement

import Java.util. *;

Import?

- (A) All the classes in the package Java.util
- (B) All the methods in the class Java.util
- (C) All the packages starting with Java.util
- (D) None of these
- 32. The statements

int a = 5;

System.out.printer (a - = a + = a - = a + = a); prints

- (A) 0
- (B) 5
- (C) -5
- (D) None of these
- **33.** C++ encourages structing of a software as a collection of components that are
 - (A) Highly cohesive and loosely coupled
 - (B) Not highly cohesive but loosely coupled
 - (C) Highly cohesive and tightly coupled
 - (D) Not highly cohesive but tightly coupled

- **34.** Forcing variable type to become another type before accessing an appropriate function is known as
 - (A) Regression
 - (B) Recursion
 - (C) Conversion
 - (D) Coercion
- **35.** The type to be used in an instantiation of a class template follows
 - (A) The generic class name
 - (B) The keyword template
 - (C) The keyword class
 - (D) The template definition
- **36.** Which of the following is NOT desired in a good SRS document?
 - (A) Functional requirements
 - (B) Non-functional requirements
 - (C) Goals of implementation
 - (D) Algorithms for software implementation
- **37.** The concurrent development model is
 - (A) Another name for the rapid application development model
 - (B) Often used for the development of client/server applications
 - (C) Only used for development of parallel and distributed systems
 - (D) Used whenever a large number of change requests are anticipated

K-2413 (7) Paper III



- 38. Project risk factor is considered in
 - (A) Spiral model
 - (B) Waterfall model
 - (C) Prototyping model
 - (D) Iterative enhance model
- **39.** The testing technique that requires devising test cases to demonstrate that each program function is operational is called
 - (A) Glass-box testing
 - (B) Grey-box testing
 - (C) Black-box testing
 - (D) White-box testing
- **40.** According to Bohem, the process of tacking "Are we building the product right" is known as
 - (A) Testing
 - (B) Verification
 - (C) Validation
 - (D) Debugging
- **41.** Very high paging activity is known as
 - (A) Demand paging
 - (B) Demand segmentation
 - (C) Thrashing
 - (D) Starvation

- **42.** Assume IBM machine consists of 24-bit logical address. The page size is 2 KB. How many bits are adequate to address the bytes in pages?
 - (A) 11
 - (B) 13
 - (C) 15
 - (D) 17
- 43. CPU generates
 - (A) Logical address
 - (B) Physical address
 - (C) Relocatable address
 - (D) Good address
- **44.** Semaphores were given by
 - (A) Albrecht
 - (B) Peterson
 - (C) Hamming
 - (D) Dijkstra
- **45.** A situation where a process or a set of processes is blocked, waiting for some resource that is held by some other waiting processes
 - (A) Mutual Exclusion
 - (B) Semaphore
 - (C) Deadlock
 - (D) Polling state



- **46.** When the prolog system is entered we are at top level. The system is waiting for us to initiate a
 - (A) Conversation
 - (B) Translation
 - (C) Procedure
 - (D) Conversion
- **47.** The method known for variation on hill climbing and the idea to include a general survey of scene to avoid climbing false foot hills
 - (A) Best first search
 - (B) Simulated annealing
 - (C) Worst case search
 - (D) Blind search
- **48.** Attributes of a state altered by an operator application is called as
 - (A) Pre conditions
 - (B) States
 - (C) Post conditions
 - (D) Terminal conditions
- **49.** To invoke LISP system you must enter
 - (A) A.I.
 - (B) LISP
 - (C) CL (Common LISP)
 - (D) Both (B) and (C)


- 50. Match the following terms to their meaning
 - (I) Turing test
- (a) Software designed to replicate the knowledge of human expert
- (II) Expert system
- (b) Spanish "hola" for English "hello"
- (III) Automatic translation
- (c) First Area of A.I. Research
- (IV) Checkers and quest
- (d) If it acts intelligent, It is intelligent

(c)

- (I) (II)
- (III)
- (IV)
- (A) (d) (B) (d)
- (a) (b) (a)
 - (b) (c)
- (C) (d)
- (b)
- (c) (a)
- (D) (a)
- (b)
- (d) (c)
- **51.** Match the following:
 - (i) Regular grammar (a) Push down Automation

(C) (i) \rightarrow c (ii) \rightarrow b (iii) \rightarrow a (iv) \rightarrow d

- (ii) Context free grammar
- (b) Linear bounded automation
- (iii) Unrestricted grammar
- (c) Deterministic finite automation
- (iv) Context sensitive (d) Turing grammar
 - machine
 - (A) (i) \rightarrow c (ii) \rightarrow a (iii) \rightarrow b (iv) \rightarrow d
- (B) (i) \rightarrow c (ii) \rightarrow a (iii) \rightarrow d (iv) \rightarrow b
- (D) (i) \rightarrow c (ii) \rightarrow b (iii) \rightarrow d (iv) \rightarrow a





- **52.** A formal grammar is a _____ for rewriting string.
 - (A) Set rules
 - (B) Set of functions
 - (C) Both (A) and (B)
 - (D) Set of axious
- **53.** Consider the following statements.
 - (i) Recursive languages are closed under complementation
 - (ii) Recursively enumerable languages is closed under union
 - (iii) Recursively enumerable languages are closed under complementation.

Which of the statement is true

- (A) (i) only
- (B) (i) and (ii)
- (C) (i) and (iii)
- (D) (ii) and (iii)
- **54.** Which of the following strings is not generated by the following grammar?
 - S→ SaSbS/E
 - (A) aabb
 - (B) abab
 - (C) aababb
 - (D) aaabb

55. Which of the following regular expression denotes a language comprising of all possible strings over $\Sigma = \{a, b\}$ of length n where n is multiple of 3.

- (A) $(a + b + aa + bb + aba + bba)_*$
- (B) (aaa + bbb) *
- (C) ((a + b) (a + b) (a + b)) *
- (D) (aaa + ab + a) + (bbb + bb + a)

56. In block coding, if n = 5, the maximum hamming distance between two code words is

- (A) 5
- (B) 3
- (C) 2
- (D) 7

57. The Shannon limit for a infinite band width is

- (A) -2.6 dB
- (B) -1.6 dB
- (C) +1.6 dB
- (D) 0 dB

58. Suppose that women who live beyond the age of 70 out number men in the same age bracket by three to one. How much information, in bits, is gained by learning that a certain person who lives beyond 70 happens to be male?

- (A) 1
- (B) 2
- (C) 3
- (D) 70



- **59.** The mutual information I(x; y) and joint entropy H(x; y) are related as
 - (A) I(x; y) = H(x) H(x/y)
 - (B) I(x; y) = H(x) H(y/x)
 - (C) I(x; y) = H(y) H(x/y)
 - (D) I(x; y) = H(y) H(y/x)

All Symbols have their usual meaning

60. Four classes of signals and their spectral characteristics are given below. Match them as per their characteristics

Signal Type

Spectral

characteristics

- (1) Continuous, aperiodic
- (a) Continuous, aperiodic
- (2) Continuous, periodic
- (b) Continuous, periodic
- (3) Discrete,

aperiodic

periodic

- (c) Discrete, aperiodic
- (4) Discrete,
- (d) Discrete, periodic
- (A) (1-a) (2-b) (3-c) (4-d)
- (B) (1-a) (2-c) (3-b) (4-d)
- (C) (1-d) (2-a) (3-c) (4-b)
- (D) (1-b) (2-a) (3-d) (4-c)

- 61. Which of the following is valid objective function for a linear programming problem?
 - (A) Max 5xy
 - (B) Max $5x^2 + y^2$
 - (C) Max 4x + 3y + (2/3)z
 - (D) Min $(x_1 + x_2)/x_3$
- 62. A constraint that does not affect the feasible region is a
 - (A) Non-negativity constraint
 - (B) Redundant constraint
 - (C) Standard constraint
 - (D) Slack contraint
- 63. Slack is
 - (A) Difference between left and right sides of constraint
 - (B) The amount by which left side a< constraint is smaller than the right side
 - (C) The amount by which left side of a > constraint is larger than right side
 - (D) Exists for each variable in a linear programming problem

K-2413 Paper III



64. Find if possible,

Minimum value of objective function 3x - 4y

Subject to the following constraints

$$-2x + y < 12$$

$$x - y \leq 2$$

$$x \ge 0, y \ge 0$$

- (A) 8
- (B) No solution
- (C) 36
- (D) 0
- **65.** The following inequalities define a feasible region, which one of these could be remoted from the list without changing region.
 - (A) -x + y < 10
 - (B) y > 0
 - (C) x > 0
 - (D) x + y < 20
- 66. A perception is
 - (A) A single layer feed-forward neural network with preprocessing
 - (B) An autoassociative neural network
 - (C) A double layer autoassociative neural network
 - (D) A and B

- 67. A 4-input neuron has weights 1, 2, 3 and 4. The transfer function is linear with the constant proportionality being equal to 2. The inputs are 4, 10, 5 and 20 respectively. The output will be
 - (A) 238
 - (B) 76
 - (C) 119
 - (D) 28
- **68.** What is downside (demerits) of expert system?
 - (A) Expert system are not good at strategizing
 - (B) It is very work-intensive to build the knowledge base
 - (C) Expert systems handles only a narrow domain of knowledge
 - (D) All the above (A), (B) and (C)
- **69.** What are the following sequence of steps taken in designing fuzzy logic machine?
 - (A) Fuzzification → Rule evaluation → defuzzification
 - (B) Rule evaluation → fuzzification→defuzzification
 - (C) Fuzzy sets \rightarrow defuzzification \rightarrow rule evaluation
 - (D) Defuzzification → Rule evaluation→ fuzzification



- **70.** Considering a graphical representation of the 'tallness' of a people using its appropriate member function, which of the following combinations are true
 - (i) TALL is usually the fuzzy set
 - (ii) HEIGHT is usually the fuzzy set
 - (iii) PEOPLE is usually the universe of discourse
 - (A) (i), (ii) and (iii)
 - (B) (i) and (ii) only
 - (C) (i) and (iii) only
 - (D) (ii) and (iii) only
- **71.** In vi editor which of the following keystrokes can delete the current line?
 - (A) d
 - (B) X
 - (C) dd
 - (D) delete
- **72.** In unix, which following type of file used for network communication
 - (A) FIFO
 - (B) Socket
 - (C) Directory
 - (D) Block

- 73. In unix file system and • represents
 - (A) Parent, current
 - (B) Parent, parent
 - (C) Current, parent
 - (D) Current, current
- **74.** In unix, the command \$ chmod 664 file represent
 - (A) User and group read + write, others write only
 - (B) User and group read + write, others read only
 - (C) User and group read, others read only
 - (D) User and group write, others write only
- **75.** Which of the following command displays your login shell in Bash shell?
 - (A) \$ SHELL
 - (B) echo \$ Bash
 - (C) echo \$ O
 - (D) \$ O

K-2413 Paper III



ಚಿತ್ತು ಬರಹಕ್ಕಾಗಿ ಸ್ಥಳ Space for Rough Work



ಚಿತ್ತು ಬರಹಕ್ಕಾಗಿ ಸ್ಥಳ Space for Rough Work



ಚಿತ್ತು ಬರಹಕ್ಕಾಗಿ ಸ್ಥಳ Space for Rough Work