M.K.BHAVNAGAR UNIVERSITY-BHAVNAGAR
PRACTICAL EXAMIANTION
26959-[BCAM302-3C]-Database Technology In India (IKS) [P] [CREDIT: 1]
SET-1

MARKS :15 **DURATION : 01:30 HRS**

A	Perform following task	
1	CREATE TABLE DEPT(DEPTNO NUMBER (3), DNAME CHAR(15), LOC CHAR(15)) - Define DEPTNO as primary key. - Set DNAME not null and unique - Set LOC as not null - Insert information of 3 department	4-marks
2	CREATE TABLE EMP(EMPNO NUMBER(3), ENAME CHAR(20), ESAL NUMBER(10,2), DEPTNO NUMBER(3)) - Set EMPNO as primary key - Set ENAME as not null - Set DEPTNO as foreign key with DEPT(DEPTNO). - Insert information of 10 employee	
3	Write query to list the name and salary of employee working at location 'BHAVNAGAR'	6-marks
4	Write query to display name and department of employee who get maximum salary.	
5	Write query to display name of employee , whose name contain at least 2 'a'	
6	Write update query to increase 10% salary of employee working in 'account' department.	
7	Write query to create synonyms of employee table.	
8	Create view that contain EMPNO,ENAME,DNAME AND ESAL.	
B	**Journal/viva/ presentation of exercise**	**5-marks**

M.K.BHAVNAGAR UNIVERSITY-BHAVNAGAR
PRACTICAL EXAMIANTION
26959-[BCAM302-3C]-Database Technology In India (IKS) [P] [CREDIT: 1]
SET-2

MARKS :15 **DURATION : 01:30 HRS**

A	Perform following task	
1	CREATE TABLE COLLEGE(COLID NUMBER(3) COLNAME CHAR(40), CITY CHAR(20) - Set COLID as pirmary key - Set colname as unique and not null - Set city as not null - Enter name of 5 college (SSCCS-BHAVNAGAR, SSCCM-BHAVNAGAR,KBP-MAHUVA, LDRP-GANDHINAGAR, KSVV-AHMEDABAD)	4-marks
2	CREATE TABLE COURSE(CID NUMBER(3), CNAME CHAR(20), CFEES NUMBER(10,2),COLID NUMBER(3)) - Set CID + COLID as primary key - Set CNAME as not null - Set COLID as foreign key with COLLEGE(COLID) - Inert 3-4 different course for each colleges	
3	Write query to display CNAME and CFEES for all courses running in 'BHAVNAGAR')	6-marks
4	Write query to display name of college who is taking maximum fees for course BCA	
5	Write query to display last 5-character of all college name.	
6	Create sequence SQ1 – starting value 100, increment value 5, maximum value 200, minimum value 100.	
7	Write query to display information sequence create in above query.	
8	Create view which contain collegename, coursename and fees for all colleges and course..	
B	**Journal/viva/ presentation of exercise**	**5-marks**

Assignment 4 Old paper base Assignment

M.K.BHAVNAGAR UNIVERSITY-BHAVNAGAR
PRACTICAL EXAMIANTION
26959-[BCAM302-3C]-Database Technology In India (IKS) [P] [CREDIT: 1]
SET-3

MARKS :15 **DURATION : 01:30 HRS**

A	**Perform following task**	
1	CREATE TABLE TEAM(TID NUMBER(3),TNAME CHAR(20)) - Set TID as primary key. - Set TNAME not null. - Enter name of 3 cricket team name	4-marks
2	CREATE TABLE PLAYER(PID NUMBER(3),PNAME CHAR(20), PDOB DATE, WICKET_TAKEN NUMBER(2) , RUN NUMBER(3), TID NUMBER(3)) - Set PID as primary key - WICKET_TAKEN must be less than 11 - Set pname as not null - Set TID as foreign key with TEAM(TID). - Enter information of 4 players for each team.	
3	Write select query to display PNAME and TNAME who has taken maximum wicket.	6-marks
4	Write select query to display PNAME of oldest player (Maximum in age).	
5	Write select query to display TNAME and Total run of team.	
6	Write select query to display name of player who has taken more than 2 wickets of Indian team	
7	Write select query to display PNAME ,WICKET_TAKEN and RUN of all player in descending order of RUN.	
8	Write select query to display PNAME and age of player as on today in descending order of age.	
B	**Journal/viva/ presentation of exercise**	**5-marks**

M.K.BHAVNAGAR UNIVERSITY-BHAVNAGAR
PRACTICAL EXAMIANTION
26959-[BCAM302-3C]-Database Technology In India (IKS) [P] [CREDIT: 1]
SET-4

MARKS :15 **DURATION : 01:30 HRS**

A	**Perform following task**	
1	CREATE TABLE STUDENT(ROLLNO NUMBER(3),NAME CHAR(30), DOB DATE CITY CHAR(20)) - Set ROLLNO as primary key - Set NAME as not null and unique - Enter information of 5 students	4-marks
2	CREATE TABLE FEES(ROLLNO NUMBER(3), FEES_DATE DATE , FEES_AMOUNT NUMBER(7,2)) - Set ROLLNO as foreign key with STUDENT(ROLLNO) - Set FEES_DATE not null - Value of FEES_AMOUNT > 25000 not allowed - Enter fees amount 3 records for each students.	
3	Write SQL query to display NAME, FEES_DATE,FEES_AMOUNT for students living in “Bhavnagar”	6-marks
4	Write SQL query to display name of student who paid minimum fees.	
5	Write SQL query to display the name of city and total fees collected from students of city.	
6	Write SQL query to display name of students who born in month NOVERMBER.	
7	Write query to display total fees collected in “JANUARY” month	
8	Write query to display name of oldest student (maximum in age)	
B	**Journal/viva/ presentation of exercise**	**5-marks**

Assignment 4 Old paper base Assignment

M.K.BHAVNAGAR UNIVERSITY-BHAVNAGAR
PRACTICAL EXAMIANTION
26959-[BCAM302-3C]-Database Technology In India (IKS) [P] [CREDIT: 1]
SET-5

MARKS :15 **DURATION : 01:30 HRS**

A	Perform following task	
1	Create table ACCOUNT(ACCID NUMBER(3), NAME CHAR(20) OP_DATE DATE, ACCTYPE CHAR(1)) - Set ACCID as primary key. - Set NAME as not null and unique. - ACCTYPE can be a either 'S' for saving or 'C' for current. - Enter information of 5 account holder.	4-marks
2	Create table TRANSACTION(TRID NUMBER(4),TRDATE DATE , TRAMOUNT NUMBER(10,2),ACCID NUMBER(3)) - Set TRID as primary key - Set ACCID as foreign key with ACCOUNT(ACCID) - Enter transaction details for each account holder (+ve amount means deposit transaction and -ve amount means withdraw transaction)	
3	Write query to display total number of saving account and total number of current account.	6-marks
4	Display name of account holder who perform transaction of maximum deposit amount.	
5	Write query to display name of account holder and total transaction performed by account holders	
6	Write query to display name of account holder who has open the account in "DECEMBER".	
7	Write name of account holders who has not performed withdraw operation.	
8	Write query to index account table on name.	
B	**Journal/viva/ presentation of exercise**	**5-marks**

M.K.BHAVNAGAR UNIVERSITY-BHAVNAGAR
PRACTICAL EXAMIANTION
26959-[BCAM302-3C]-Database Technology In India (IKS) [P] [CREDIT: 1]
SET-6

MARKS :15 **DURATION : 01:30 HRS**

A	Perform following task	
1	CREATE TABLE COMPANY(CID NUMBER(3), NAME CHAR(30),CITY CHAR(15)) - Set CID as primary key - Set name as unique and not null - Enter name 4 COMPANY'S	4-marks
2	CREATE TABLE MEDICINE(MID NUMBER(3), MNAME CHAR(30), MFGDATE DATE, EXPDATE DATE, PRICE NUMBER(8,2),CID NUMBER(3)) - Set MID as primary - Set MNAME not null and unique. - EXPDATE must be greater than MFGDATE.	
3	Write SQL query to display name of medicine and its company name.	6-marks
4	Write SQL query to display name of medicine and price of medicine in descending order of price.	
5	Write query to display name of costliest medicine.	
6	Write query to display name of medicine which contain exactly two 'a'	
7	Create sequence starting value 10 , increment value 2, maximum value 50.	
8	Create read only view which contain company name, medicine name and price	
B	**Journal/viva/ presentation of exercise**	**5-marks**

Assignment 4 Old paper base Assignment

M.K.BHAVNAGAR UNIVERSITY-BHAVNAGAR
PRACTICAL EXAMIANTION
26959-[BCAM302-3C]-Database Technology In India (IKS) [P] [CREDIT: 1]
SET-7

MARKS :15 **DURATION : 01:30 HRS**

A	**Perform following task**	
1	CREATE TABLE ITEM(ITEMNO NUMBER(3), NAME CHAR(20), PRICE NUMBER(6,2)) - Set ITEMNO as primary key - NAME as not null and unique - Enter information five items.	4-marks
2	CREATE TABLE ORDER(OID NUMBER(3) ,ODATE DATE, ITEMNO NUMBER(3) , QTYSOLD NUMBER(3)) - Set OID+ITEMNO as primary key - QTYSOLD must be greater than equal to zero - Enter 10 orders.	
3	Write SQL query to display ordered information placed in month MARCH.	6-marks
4	Write SQL query to display item name and total quantity sold and total amount collected.	
5	Write SQL query to display name of item through which maximum amount earns.	
6	Write SQL query to display order number and total amount of ordered for all orders.	
7	Write name of costliest item.	
8	Write SQL query to display last three character of item.	
B	**Journal/viva/ presentation of exercise**	**5-marks**

M.K.BHAVNAGAR UNIVERSITY-BHAVNAGAR
PRACTICAL EXAMIANTION
26959-[BCAM302-3C]-Database Technology In India (IKS) [P] [CREDIT: 1]
SET-8

MARKS :15 **DURATION : 01:30 HRS**

A	**Perform following task**	
1	CREATE TABLE DEPARTMENT (DEPTNO NUMBER(3), NAME CHAR(30) , CITY CHAR(20)) - Set DEPTNO AS primary key - Set NAME AS NOT NULL AND UNIQUE - Enter three DEPARTMENT	4-marks
2	CREATE TABLE EMPLOYEE (EMPNO NUMBER(3), NAME CHAR(30), MOBNO CHAR(10), DEPTNO NUMBER(3), SALARY NUMBER(10,2)) - Set EMPNO as primary key - Set DEPTNO as foreign key with DEPARMENT(DEPTNO) - Enter information of 10 EMPLOYEES	
3	Write query to change the data employee name from char to varchar2.	6-marks
4	Write query to add constraint in employee table to define MOBNO as unique	
5	Write query to add COLUMN ADDRESS with data type VARCHAR2(30)	
6	Write query to display name of all employee working in ‘ACCOUNT’ department.	
7	Write query to display employee name and department name for all employee.	
8	Write query to display name of employee who get maximum salary.	
B	**Journal/viva/ presentation of exercise**	**5-marks**

Assignment 4 Old paper base Assignment

M.K.BHAVNAGAR UNIVERSITY-BHAVNAGAR
PRACTICAL EXAMIANTION

26959-[BCAM302-3C]-Database Technology In India (IKS) [P] [CREDIT: 1]
SET-9

MARKS :15 **DURATION : 01:30 HRS**

A	**Perform following task**	
1	CREATE TABLE STUDENT(SID NUMBER(3), NAME CHAR(20), COURSE CHAR(10)) - Set SID as primary key - COURSE allow only values (BCA,BBA and BCOM) - Enter information of 3 students	4-marks
2	CREATE TABLE RESULT(SID NUMBER(3), PAPERNO NUMBER(3), MAKRS(3)) - Set SID as foreign key with STUDENT(SID) - PAPERNO allow only values 101,102,103 - Enter result of all students	
3	Write query to change data type for student name CHAR to VARCHAR2.	6-marks
4	Write query to add constraint not null for PAPERNO	
5	Write query to add constraint to allow value of marks between zero to hundred.	
6	Write query to display student name and total marks of all students.	
7	Write name of students who receive less than 40-marks in paper number 101	
8	Write query to display last three character of student name.	
B	**Journal/viva/ presentation of exercise**	**5-marks**

M.K.BHAVNAGAR UNIVERSITY-BHAVNAGAR
PRACTICAL EXAMIANTION

26959-[BCAM302-3C]-Database Technology In India (IKS) [P] [CREDIT: 1]
SET-10

MARKS :15 **DURATION : 01:30 HRS**

A	**Perform following task**	
1	CREATE TABLE PUBLISHER(PUBCODE NUMBER(3), NAME CHAR(20), CITY CHAR(20)) - Set PUBCODE as primary key - Enter information of 3 publisher	4-marks
2	CREATE TABLE BOOK(BOOKID NUMBER(3), TITLE CHAR(40), PRICE NUMBER(6,2) PUBCODE NUMBER(3)). - Set BOOKID as primary key - Set PUBCODE as foreign key with PUBLISHER(PUBCODE) - Enter information of 10 books.	
3	Write query to apply unique constraint for publisher name.	6-marks
4	Write query to change the data type of book title from CHAR to VARCHAR2	
5	Write query to view all constraint apply on PUBLISHER table	
6	Write query to display book title and publisher name in capital letters.	
7	Write query to display name of publisher of costliest book.	
8	Write first three and last three character of book title.	
B	**Journal/viva/ presentation of exercise**	**5-marks**

Assignment 4 Old paper base Assignment

M.K.BHAVNAGAR UNIVERSITY-BHAVNAGAR
PRACTICAL EXAMIANTION
26959-[BCAM302-3C]-Database Technology In India (IKS) [P] [CREDIT: 1]
SET-11

MARKS :15 **DURATION : 01:30 HRS**

A	**Perform following task**	
1	CREATE TABLE DEPARTMENT(DEPTNO, DEPTNAME CAHR(20)) - SET DEPTNO AS PRIMERY KEY - SET DEPTNAME AS NOT NULL - ENTER INFORAMTION OF 3 DEPRATMENT	4-marks
2	CREATE TABLE EMPLOYEE(EID NUMBER(3), ENAME CHAR(20), DOB DATE, SALARY NUMBER(8,2), DOJ DATE, DEPTNO NUMBER(3)) - SET EID AS PRIMARY KEY - SET ENAME UNIQUE AND NOT NULL - SET DEPTNO AS FOREIGN KEY WITH DEPARTMENT(DEPTNO) - ENTER INFORMATION OF 10 EMP[LOYEE	
3	Wirte query to view constraint applied on EMPLOYEE table.	6-marks
4	Write query to display name of employee of account department who received maximum salary.	
5	Write query to display employee name and full month (january….) Of DOB.	
6	Write query to display employee name, department name and SALARY of employee in descending order of SALARY.	
7	Write query to delete employee working in “ACCOUNT” department	
8	Write query to increase 10% salary of employee working in ‘FINANCE’ department. (update query)	
B	**Journal/viva/ presentation of exercise**	**5-marks**

M.K.BHAVNAGAR UNIVERSITY-BHAVNAGAR
PRACTICAL EXAMIANTION
26959-[BCAM302-3C]-Database Technology In India (IKS) [P] [CREDIT: 1]
SET-12

MARKS :15 **DURATION : 01:30 HRS**

A	**Perform following task**	
1	CREATE TABLE EMPLOYEE(EMPID NUMBER(3),NAME VARCHAR2(20), GENDER CHAR(1), DOB DATE, DOJ DATE) - SET EMPID AS PRIARY KEY - VALUE OF GENDER CAN BE EITHER ‘M’ OR ‘F’ ONLY - ENTER INFORMATION OF 5 EMPLOYEE	4-marks
2	CREATE TABE SALARY(EMPID NUMBER(3), SALMONTH NUMBER(2), EMPSAL NUMBER(7,2)) - SET EMPID AS FOREIGN KEY WITH EMPLOYEE(EMPID) - VALUE OF MONTH CAN BE 1 TO 12. - ENTER SALARY INOFMARION OF EMPLOYEE (10 RECORDS)	
3	Write query to increase size of salary from NUMBER(7,2) to NUMBER(10,2)	6-marks
4	Write query to display name of employee who got job after age of 30.	
5	Write query to display name and total salary of all employee.	
6	Write query to view all constraints applied on table name EMPLOYEE.	
7	Write query to create sequence SQ1 start with 10 increment by 2.	
8	Insert information two new employee recruited using sequence SQ1.	
B	**Journal/viva/ presentation of exercise**	**5-marks**

Assignment 4 Old paper base Assignment

M.K.BHAVNAGAR UNIVERSITY-BHAVNAGAR
PRACTICAL EXAMIANTION
26959-[BCAM302-3C]-Database Technology In India (IKS) [P] [CREDIT: 1]
SET-13

MARKS :15 **DURATION : 01:30 HRS**

A	**Perform following task**	
1	CREATE TABLE ROOM(ROOMID NUMBER(3), ROOMTYPE CHAR(10), ROOM_RATE NUMBER(6,2), STATUS CAHR(15). -SET ROOMNO AS PRIMARY KEY -ROOM TYPE CAN BE 'SINGLE','DOUBLE' OR 'DELEUXE' -STATUS CAN BE 'AVAILABLE' OR 'BOOKED' -ENTER INFORMATION OF TEN ROOM	4-marks
2	CREATE TABLE BOOKING(CUST_NAME CHAR(20), CHECK_IN DATE , CHECK_OUT DATE ROOMID NUMBER(3)) - SET ROOMID AS FOREIGN KEY WITH ROOM(ROOMID) - SET CUSTOMER_NAME and CHECK_IN NOT NULL - ENTER INFORAMTION OF MINIMUM 10 BOOKING KEEP CHECK_OUT DATE EMPTY.FOR 5-BOOKING	
3	Write query to Change data type of CUSTOMER_NAME from CHAR(20) TO VARCHAR2(20).	6-marks
4	Write query to display customer name and number of days stay in hotel for those who have checked out the hotel	
5	Write query to display name of customers who have not checked out.	
6	Write query to display ROOMNO , ROOMTYPE , ROOM_RATE for ALL available rooms.	
7	Write query to display first three characters of customer name	
8	Write query to view constraints apply on booking table.	
B	**Journal/viva/ presentation of exercise**	**5-marks**

M.K.BHAVNAGAR UNIVERSITY-BHAVNAGAR
PRACTICAL EXAMIANTION
26959-[BCAM302-3C]-Database Technology In India (IKS) [P] [CREDIT: 1]
SET-14

MARKS :15 **DURATION : 01:30 HRS**

A	**Perform following task**	
1	CRETE TABLE FACULTY(FID NUMBER(3) , NAME CHAR(20), DOB DATE, SALARY NUMBER(10,2)_) - SET FID AS PRIMARY KEY - SET NAME UNIQUE AND NOT NULL - ENTER INFORMATION OF 5 FACULTY.	4-marks
2	CREATE TABLE SUBJECT(SUBID NUMBER(3) , NAME CHAR(20), FID NUMBER(3)) - SET SUBID AS PRIARY KEY - SET NAME AS NOT NUL AND UNIQUE - SET FID FOREIGN KEY WITH FACULTY(FID) - ENTER IFORMATION 10 SUBJECTS OF BCA COURSE	
3	Write query to display name of faculty who teach subject 'DFS'	6-marks
4	Write query to change data type of faculty name from CHAR(20) To VARCHAR2(30)	
5	Write query to display last three character of all employee.	
6	Write query to display name and age of all faculty as on today.	
7	Write query to display name of faculty who teach more than one subject.	
8	Write query to create public synonymous for table SUBJECT.	
B	**Journal/viva/ presentation of exercise**	**5-marks**

Assignment 4 Old paper base Assignment

M.K.BHAVNAGAR UNIVERSITY-BHAVNAGAR
PRACTICAL EXAMIANTION

26959-[BCAM302-3C]-Database Technology In India (IKS) [P] [CREDIT: 1]
SET-15

MARKS :15 **DURATION : 01:30 HRS**

A	**Perform following task**	
1	CREATE TABLE PRODUCT(PID NUMBER(3), NAME CHAR(20), PRICE NUMBER(7,2) , STOCK_QTY NUMBER(3)) - SET PID AS PRIMARY KEY. - SET NAME AS NOT NULL AND UNIQUE - ENTER INFORMATIO OF FIVE PRODUCT	4-marks
2	CREATE TABLE SALES_ORDER(ORDERID NUMBER(4), ORDERDATE DATE PID NUMBER(3), ORDER_QTY NUMBER(3)) - SET PID AS FOREIGN KEY WITH PRODUCT(PID) - ENTER INFORMATION OF 10 ORDERS.	
3	Write query to display product name which is not ordered.	6-marks
4	Write query to display name of product which is maximum ordered.	
5	Write query to display name of product which in not available in stock as per ordered.	
6	Display information of order which are placed in 'JANUARY' month.	
7	Write query to add column category char(20) in table PRODUCT.	
8	Write query to drop column category from table PRODUCT.	
B	**Journal/viva/ presentation of exercise**	**5-marks**

M.K.BHAVNAGAR UNIVERSITY-BHAVNAGAR
PRACTICAL EXAMIANTION

26959-[BCAM302-3C]-Database Technology In India (IKS) [P] [CREDIT: 1]
SET-16

MARKS :15 **DURATION : 01:30 HRS**

A	**Perform following task**	
1	CREATE TABLE ITEM(ITEMNO NUMBER(3), NAME CHAR(20), PRICE NUMBER(7,2) , STOCK_QTY NUMBER(3)) - SET ITEMNO AS PRIMARY KEY. - SET NAME AS NOT NULL AND UNIQUE ENTER INFORMATIO OF FIVE ITEM	4-marks
2	CREATE TABLE PURCHASE_ORDER(ORDERID NUMBER(4), ORDERDATE DATE, ITEMNO NUMBER(3), ORDER_QTY NUMBER(3)) - SET ITEMNO AS FOREIGN KEY WITH ITEM(ITEMNO) ENTER INFORMATION OF 10 ORDERS.	
3	Write query to display item name which is not purchase.	6-marks
4	Write query to display name of item which is maximum purchased.	
5	Write query to display name of item which in not available in stock as per ordered.	
6	Display information of purchase order which are placed in 'JANUARY' month.	
7	Write query to add column status char(20) in table PURCHASE_ORDER.	
8	Write query to drop column status from table PURCHASE_ORDER.	
B	**Journal/viva/ presentation of exercise**	**5-marks**

Assignment 4 Old paper base Assignment

set-1

q-3

```
SELECT E.ENAME, E.ESAL
FROM EMP4 E, DEPT4 D
WHERE E.DEPTNO = D.DEPTNO
AND D.LOC = 'BHAVNAGAR';
```

q-4

```
SELECT E.ENAME, D.DNAME
FROM EMP4 E, DEPT4 D
WHERE E.DEPTNO = D.DEPTNO
AND E.ESAL = (SELECT MAX(ESAL) FROM EMP4);
```

q-5

```
SELECT ENAME
FROM EMP4
WHERE LOWER(ENAME) LIKE '%a%a%';
```

q-6

```
update EMP4
set esal=esal*1.10
where deptno=(select deptno from dept4 where dname='ACCOUNT');
```

q-7

```
CREATE SYNONYM EMPLOYEE4 FOR EMP4;
```

q-8

```
create view emp_view4 as
select e.empno,e.ename,d.dname,e.esal from emp4 e,dept4 d
where e.deptno=d.deptno;
```

view

```
create view emp_view
as select empno,ename,esal from emp4
```

sequence

```
CREATE SEQUENCE EMP_SEQ
START WITH 100
INCREMENT BY 10
MINVALUE 100
MAXVALUE 200
CYCLE
CACHE 5
ORDER;
INSERT INTO EMP_SEQ4 VALUES (EMP_SEQ.NEXTVAL, 'RAHUL');
INSERT INTO EMP_SEQ4 VALUES (EMP_SEQ.NEXTVAL, 'KARAN');
INSERT INTO EMP_SEQ4 VALUES (EMP_SEQ.NEXTVAL, 'AMAN');
INSERT INTO EMP_SEQ4 VALUES (EMP_SEQ.NEXTVAL, 'RAMESH');
drop sequence emp_seq;
index
CREATE INDEX COMPANY_NAME_IDX
ON COMPANY(CNAME);
SELECT INDEX_NAME, TABLE_NAME
FROM USER_INDEXES
WHERE TABLE_NAME = 'COMPANY';
drop index company_name_ind;
set-2
q-3
select cname,cfees from course4
where colid=101
or colid=102;
q-4
select a.colname from college4 a,course4 b
where a.colid=b.colid
and b.cfees=(select max(cfees) from course4 where cname='BCA');
```

q-5

```
select substr(colname,-2) from college4;
```

q-6

```
create sequence sq1
start with 100
increment by 5
maxvalue 200;
```

q-7

```
select sequence_name,min_value,max_value,increment_by,last_number from
user_sequences
where sequence_name='sq1';
```

or

```
select * from user_sequences;
select sq1.nextval from dual;
```

q-8

```
create view v1 as
select a.colname,b.cname,b.cfees from college4 a,course4 b
where a.colid=b.colid;
select * from v1;
```

set-3

q-3

```
select p.pname,t.tname from player4 p,team4 t
where p.tid=t.tid
and p.wicket_taken=(select max(wicket_taken) from player4);
```

q-4

```
select pname from player4
where pdob=(select min(pdob) from player4);
```

q-5

```
select t.tname,sum(p.run) from team4 t,player4 p
```

```
where t.tid=p.tid
group by t.tname;
```

q-6

```
select pname from player4
where wicket_taken>2
and tid=101;
```

q-7

```
select pname,wicket_taken,run from player4
order by run desc;
```

q-8

```
select pname,floor(months_between(sysdate,pdob)/12) as age from player4
order by age desc;
```

set-4

q-3

```
select s.name,f.fees_date,f.fees_amount from studentfees s,feesdetail f
where s.rollno=f.rollno
and s.city='BHAVNAGAR';
```

q-4

```
select s.name from studentfees s,feesdetail f
where s.rollno=f.rollno
and f.fees_amount=(select min(fees_amount) from feesdetail);
```

q-5

```
select s.city,sum(f.fees_amount) from studentfees s,feesdetail f
where s.rollno=f.rollno
group by s.city;
```

q-6

```
select name,dob from studentfees
where to_char(dob,'mm')=11;
```

q-7

```
select sum(fees_amount) "fees in january" from feesdetail
where to_char(fees_date,'mm')='01';
q-8
select name,dob from studentfees
where dob=(select min(dob) from studentfees);
set-5
q-3
select acctype,count(acctype) from bankaccount
group by acctype;
q-4
SELECT A.NAME, MAX(B.TRAMOUNT)
FROM BANKACCOUNT A, BANKTRANS B
WHERE A.ACCID = B.ACCID
GROUP BY A.NAME
HAVING MAX(B.TRAMOUNT) = (SELECT MAX(TRAMOUNT)
FROM BANKTRANS);
q-5
select a.name,sum(b.tramount) from bankaccount a,banktrans b
where a.accid=b.accid
group by a.name;
q-6
select name,op_date from bankaccount
where to_char(op_date,'mm')=12;
q-7
select a.name from bankaccount a,banktrans b
where a.accid=b.accid
group by a.name
having min(b.tramount)>0;
q-8
```

```
CREATE INDEX IDX_BANKACCOUNT_NAME
ON BANKACCOUNT(NAME);
select * from user_ind_columns
where TABLE_NAME='bankaccount';
```

set-6

q-3

```
select a.name,b.mname from medcompany a,medicinedetail b
where a.cid=b.cid;
```

q-4

```
select mname,price from medicinedetail
order by price desc;
```

q-5

```
select mname,price from medicinedetail
where price=(select max(price) from medicinedetail);
```

q-6

```
select mname from medicinedetail
where lower(mname) like '%a%a%';
```

q-7

```
create sequence sq2
start with 10
increment by 2
maxvalue 50;
select * from user_sequences;
select sq2.nextval from dual;
```

q-8

```
create view v2 as
select a.name,b.mname,b.price
from medcompany a,medicinedetail b
where a.cid=b.cid
```

```
with read only;
select * from v2;
set-7
q-3
select * from itemorder
where to_char(odate,'mm')=03;
q-4
select a.name,sum(b.qtysold) "qty",sum(b.qtysold*a.price)"total" from productitem
a,itemorder b
where a.itemno=b.itemno
group by name;
q-5
select a.name,sum(b.qtysold*a.price) as total from productitem a,itemorder b
where a.itemno=b.itemno
group by a.name
order by total desc
fetch first 1 row only; // use only in newer oracle version
or
SELECT *
FROM (
SELECT I.NAME, SUM(O.QTYSOLD * I.PRICE) AS TOTAL_AMOUNT
FROM PRODUCTITEM I, ITEMORDER O
WHERE I.ITEMNO = O.ITEMNO
GROUP BY I.NAME
ORDER BY TOTAL_AMOUNT DESC
)
WHERE ROWNUM = 1;
q-6
select a.oid,sum(a.qtysold*b.price) "total" from itemorder a,productitem b
```

```
where a.itemno=b.itemno
group by a.oid;
q-7
select name,price from productitem
where price=(select max(price) from productitem);
q-8
select substr(name,-3) "last 3 char" from productitem;
set-8
q-3
alter table staffdetail
modify name varchar2(30);
q-4
alter table staffdetail
add constraint uq_mobile unique(mobno);
SELECT CONSTRAINT_NAME, CONSTRAINT_TYPE
FROM USER_CONSTRAINTS
WHERE TABLE_NAME = 'STAFFDETAIL';
q-5
alter table staffdetail
add address varchar2(20);
q-6
select e.name
from staffdetail e, officedept d
where e.deptno = d.deptno
and d.name = 'ACCOUNT';
q-7
select e.name, d.name
from staffdetail e, officedept d
where e.deptno = d.deptno;
```

q-8

```
select name, salary
from staffdetail
where salary = (select max(salary)
from staffdetail);
```

set-9

q-3

```
alter table stud1
modify name varchar(20);
```

q-4

```
alter table res1
modify paperno not null;
```

q-5

```
alter table res1
add constraint chk_mark check(makrs between 0 and 100);
```

q-6

```
select a.name,sum(b.makrs) from stud1 a,res1 b
where a.sid=b.sid
group by a.name;
```

q-7

```
select a.name,b.makrs from stud1 a,res1 b
where a.sid=b.sid
and b.paperno=101
and b.makrs<40;
```

q-8

```
select substr(name,-3) from stud1;
update stud1
set name='krish'
where sid=103;
```

set-10

q-3

```
alter table publisher
modify name unique;
```

q-4

```
alter table bookdetail
modify title varchar2(40);
```

q-5

```
select CONSTRAINT_NAME,CONSTRAINT_TYPE from USER_CONSTRAINTS
where TABLE_NAME='PUBLISHER';
```

q-6

```
select upper(b.title) "title",upper(a.name) "author" from publisher a,bookdetail b
where a.pubcode=b.pubcode;
```

q-7

```
select a.name,b.price from publisher a,bookdetail b
where a.pubcode=b.pubcode
and b.price=(select max(price) from bookdetail);
```

q-8

```
select substr(title,1,3),substr(title,-3) from bookdetail;//this required update names....
```

set-11

q-3

```
select CONSTRAINT_NAME,CONSTRAINT_TYPE from USER_CONSTRAINTS
where table_name = 'WORKERDETAIL';
```

Q-4

```
select ename from WORKERDETAIL
where deptno=101
and salary=(select max(salary) from workerdetail);
```

q-5

```
select ename,to_char(dob,'month') "birth month" from workerdetail;
```

q-6

```
select b.ename,a.deptname,b.salary from officesection a,workerdetail b
where a.deptno=b.deptno
order by salary desc;
```

q-7

```
delete from workerdetail
where deptno=(select deptno from officesection where deptname='ACCOUNT');
```

q-8

```
update workerdetail
set salary=salary*1.10
where deptno=102;
```

set-12

q-3

```
alter table paydetail
modify empsal number(10,2);
```

q-4

```
select name,floor(months_between(sysdate,dob)/12) "Age" from staffmaster
where floor(months_between(sysdate,dob)/12) > 30;
```

q-5

```
select a.name , sum(b.empsal) "total salary" from staffmaster a,paydetail b
where a.empid=b.empid
group by a.name;
```

q-6

```
select CONSTRAINT_NAME,CONSTRAINT_TYPE from USER_CONSTRAINTS
where table_name='STAFFMASTER';
```

q-7

```
create sequence sq3
start with 10
increment by 2;
```

```
select sq3.nextval from dual;
```

q-8

```
insert into staffmaster
values(sq3.nextval,'rahul','M','10-JAN-1998', '15-JUN-2029');
INSERT INTO STAFFMASTER
VALUES(SQ3.NEXTVAL,'priya','F', '20-MAR-1997', '01-JUL-2029');
```

set-13

q-3

```
alter table bookinginfo
modify cust_name varchar2(20);
```

q-4

```
select cust_name, check_out - check_in as days_stay
from bookinginfo
where check_out is not null;
```

q-5

```
select cust_name
from bookinginfo
where check_out is null;
```

q-6

```
select roomid, roomtype, room_rate
from roomdetail
where status = 'AVAILABLE';
```

q-7

```
select substr(cust_name, 1, 3)
from bookinginfo;
```

q-8

```
select constraint_name, constraint_type
from user_constraints
where table_name = 'BOOKINGINFO';
```

set-14

q-3

```
select f.name
from facultydetail f, subjectinfo s
where f.fid = s.fid
and s.name = 'DFS';
```

q-4

```
alter table facultydetail
modify name varchar2(30);
```

q-5

```
select substr(name, -3)
from facultydetail;
```

q-6

```
select name, floor(months_between(sysdate, dob) / 12) as age
from facultydetail;
```

q-7

```
select f.name
from facultydetail f, subjectinfo s
where f.fid = s.fid
group by f.name
having count(s.subid) > 1;
```

q-8

```
create public synonym subjectinfo_syn
for subjectinfo;
select * from subjectinfo_syn;
```

set-15

q-3

```
select name
from productinfo
```

```
where pid not in (select pid from salesdetail);
q-4
select p.name
from productinfo p, salesdetail s
where p.pid = s.pid
group by p.name
having sum(s.order_qty) = (
select max(total_qty)
from (
select sum(order_qty) total_qty
from salesdetail
group by pid
)
);
q-5
select p.name
from productinfo p, salesdetail s
where p.pid = s.pid
group by p.name,p.stock_qty
having sum(s.order_qty) > p.stock_qty;
q-6
select * from salesdetail
where to_char(orderdate,'mm')=01;
q-7
alter table productinfo
add category varchar2(20);
q-8
alter table productinfo
drop column category;
```

set-16

q-3

```
select name from purchaseitem
where itemno not in(select itemno from purchasedetail);
```

q-4

```
select a.name from purchaseitem a,purchasedetail b
where a.itemno=b.itemno
and order_qty=(select max(order_qty) from purchasedetail);
```

q-5

```
select a.name from purchaseitem a ,purchasedetail b
where a.itemno=b.itemno
group by a.name ,a.stock_qty
having sum(b.order_qty) > a.stock_qty;
```

q-6

```
select * from purchasedetail
where to_char(orderdate,'mm')=01;
```

q-7

```
alter table purchasedetail
add status char(20);
```

q-8

```
alter table purchasedetail
drop column status;
```