

```
ubuntu@172-31-41-111:~/UTC0823009/UTC0823009_cookbook
ubuntu@172-31-41-111:~/UTC0823009$ sudo mkdir UTC0823009
ubuntu@172-31-41-111:~/UTC0823009$ cd UTC0823009
CD: command not found
ubuntu@172-31-41-111:~/UTC0823009$ cd UTC0823009
ubuntu@172-31-41-111:~/UTC0823009$ sudo chef generate cookbook UTC0823009_cookbook
Generating cookbook UTC0823009_cookbook
- Ensuring correct cookbook file content
- Committing cookbook files to git
- Ensuring delivery configuration
- Ensuring correct delivery build cookbook content
- Adding delivery configuration to feature branch
- Adding build cookbook to feature branch
- Merging delivery content feature branch to master

Your cookbook is ready. Type 'cd UTC0823009_cookbook' to enter it.

There are several commands you can run to get started locally developing and testing your cookbook.
Type 'delivery local --help' to see a full list.

Why not start by writing a test? Tests for the default recipe are stored at:
test/integration/default/default_test.rb

If you'd prefer to dive right in, the default recipe can be found at:
recipes/default.rb

ubuntu@172-31-41-111:~/UTC0823009$ cd UTC0823009_cookbook/
ubuntu@172-31-41-111:~/UTC0823009/UTC0823009_cookbook$ sudo chef generate cookbook cookbookname
Generating cookbook cookbookname
- Ensuring correct cookbook file content
- Ensuring delivery configuration
- Ensuring correct delivery build cookbook content

Your cookbook is ready. Type 'cd cookbookname' to enter it.

There are several commands you can run to get started locally developing and testing your cookbook.
Type 'delivery local --help' to see a full list.
```

```
Why not start by writing a test? Tests for the default recipe are stored at:
test/integration/default/default_test.rb

If you'd prefer to dive right in, the default recipe can be found at:
recipes/default.rb

ubuntu@172-31-41-111:~/UTC0823009/UTC0823009_cookbook$ sudo vi UTC0823019.rb
ubuntu@172-31-41-111:~/UTC0823009/UTC0823009_cookbook$ sudo chef-apply UTC0823019.rb
Recipe: (chef-apply cookbook)::(chef-apply recipe)
  ' file[UTC0823009_Frateek] action Create
    - create new file UTC0823009_Frateek
    - update content in file UTC0823009_Frateek from none to 6f0bf
    -- UTC0823009_Frateek      2025-06-08 08:48:20.355035119 +0000
    ++ ./chef-UTC0823009_Frateek20250808-2070-ftrazd  2025-06-08 08:48:20.355035119 +0000
    ## -!-!-! ##
    #Hello Ruby-prints msg given here inside file UTC0823009
ubuntu@172-31-41-111:~/UTC0823009/UTC0823009_cookbook$ ls
Berksfile  CHANGELOG.md  UTC0823009_Frateek  UTC0823019.rb  LICENSE  README.md  chefignore  cookbookname  metadata.rb  recipes  spec  test
ubuntu@172-31-41-111:~/UTC0823009/UTC0823009_cookbook$
```