

SKF SKF INDIA LTD, TRB - ABU ABU QA-HB	FIRST OFF INSPECTION	Format No.:SKF/QA/TRB/08 Revision No.:1 Rev. Date:(YY/MM) :14/07 Prep. By: AVSAppd By: SS				
GRINDING : OUTER RING		DATE : 18/09/26				
CHANNEL NO. : T1		SHIFT : I				
TYPE :		OPERATION : MARKING				
PARAMETER	CRITERIA	SAMPLE NO.				
		1	2	3	4	5
• Visual Inspection	No missing letters					
	Marking clarity	✓				
	Centering of letters & Orientation					
Machine Released for Production :		YES / NO ☐ YES ☐ NO				
1) Type Change ☐			Inspector		Supervisor	
2) Major Breakdown ☐		Signature				
3) Shut Down ☐		Name				
4) Major Tooling Change ☐						
5) Material Change ☐						
• In respect of all the parameters, conforming status of parameter shall be indicated by ✓ sign and non-confirming status by X sign						

SKF SKF INDIA LTD, TRB - ABU ABU QA-HB	FIRST OFF INSPECTION			Format No.: SKF/QA/TRB/05			
			Revision No.:				
			Rev. Date:(YY/MM)				
			Prep. By:		Appd By:		
GRINDING : Outer Ring			T.V =	DATE : 2026-09-09			
CHANNEL NO. : T1			M.V =	SHIFT : I			
TYPE :			MACHINE NO. : 234				
OPERATION : TRACK HONNING							
PARAMETER	SYMBOL	TOL (µm)	SAMPLE NO.				
			1	2	3	4	5
Track Angle	β						
Surface Roughness	Ra						
Track Form (Crowning)	Pi						
Visual Inspection	No marks on Face / OD						
	No chatter / ridge on Track						
	No damage on flange						
Track VKR (µm/s)	L , M , H or W Parameters						
Machine Released for Production :			YES / NO ☐ YES ☐ NO				
1) Type Change	☐		Inspector		Supervisor		
2) Major Breakdown	☐	Signature					
3) Shut Down	☐	Name					
4) Major Tooling Change	☐						
5) Material Change	☐						
• In respect of all the parameters, conforming status of parameter shall be indicated by √ sign and non-confirming status by X sign							

SKF SKF INDIA LTD, TRB - ABU ABU QA-HB	FIRST OFF INSPECTION		Format No.: SKF/QA/TRB/03				
		Revision No.:					
		Rev. Date:(YY/MM)					
		Prep. By:					
		Appd By:					
GRINDING : INNER RING		T.V =	DATE : 2026-09-04				
CHANNEL NO. : T2		M.V =	SHIFT : I				
TYPE :		MACHINE NO. : 789					
OPERATION : BORE GRINDING (1)							
PARAMETER	SYMBOL	TOL (µm)	SAMPLE NO.				
			1	2	3	4	5
Bore Diameter	Ød ____ mm						
Bore Ovality	Vd						
Bore Taper	Vdm						
Bore 3 Point	V3d						
Bore Center Diameter	dm						
Side Wobble	Ks						
Radial Run Out	VEi						
Surface Roughness	Ra						
Grinding Burns	—		✓				
Visual Inspection	No Face marks			✓			
	No chatter / damage on bore						
Machine Released for Production :			YES / NO ☐ YES ☐ NO				
1) Type Change ☐			Inspector		Supervisor		
2) Major Breakdown ☐		Signature					
3) Shut Down ☐		Name					
4) Major Tooling Change ☐							
5) Material Change ☐							
• In respect of all the parameters, conforming status of parameter shall be indicated by ✓ sign and non-confirming status by X sign							