

Company Name:

AS & EH Partnership Ltd

Trading Styles:

Colophon Foundry
The Entente

Directors:

Anthony Sheret
Edd Harrington

Company Number:

8402407

VAT Number:

131-5426-45

Registered Address:

Studio 26,
Hackney Downs Studios,
3-17 Amhurst Terrace,
Hackney, London, E8 2BT.
United Kingdom.

Last Updated:

01 September 2017

Dear licensee,

Thank you for supporting our business with the purchase of the appropriate licence.

We spend countless hours working to try and constantly improve our output, and it is only with our customers purchasing licences such as this, we can continue our work.

Please see attached a zip file with the web fonts in **.TTF**, **.EOT**, **.WOFF** & **.WOFF2** formats. These are only to be used online with @font-face and not installed locally.

We hope you enjoy using our software and if you have any further questions please do not hesitate to ask.



Anthony Sheret
Directors, Colophon Foundry



Edd Harrington

Contact

Tel +44 (0)20 3095 9782
abc@colophon-foundry.org

Web Font Instructions for Apache Web Servers

There is also a file named `htaccess.txt` which has a line named `'your-domain\.com'` in it — this needs to be changed to the domain you are serving the fonts from. It then needs to be renamed to `.htaccess` and placed inside of the folder where the fonts are stored on the relevant web server (e.g. `/fonts`).

```
SetEnvIf Referer yourdomain\.com localreferer

<FilesMatch \.(eot|woff|woff2|ttf|svg)$>
    Order deny,allow
    Deny from all
    Allow from env=localreferer

FileETag None
<ifModule mod_headers.c>
    Header unset ETag
    Header set Cache-Control "max-age=0,
        no-cache, no-store, must-revalidate"
    Header set Pragma "no-cache"
    Header set Expires "Wed, 11 Jan 1984
        05:00:00 GMT"
</ifModule>
</FilesMatch>
```

Web Font Instructions for IIS6 Web Servers

1. Open Internet Information Service (IIS) Manager.
2. Right click the site and choose Properties.
3. Change to the HTTP Headers tab.
4. In the Custom HTTP headers section, click Add.
5. Enter Access-Control-Allow-Origin as the header name.
6. Enter `your-domain.com` as the header value.
7. Click OK twice.

Web Font Instructions for IIS7 Web Servers

Add the following to the `web.config` file in the folder where the font files reside on the webserver and change 'your-domain.com' to the appropriate domain:

```
<?xml version="1.0" encoding="utf-8"?>
<configuration>
  <system.webServer>
    <httpProtocol>
      <customHeaders>
        <add name="Access-Control-Allow Origin"
          value="www.your-domain.com" />
      </customHeaders>
    </httpProtocol>
  </system.webServer>
</configuration>
```