

Search preprints to read or review.

Search by title, DOI, author, etc...

[Advanced Search](#)

POPULAR PREPRINTS

Sort by...



PLANT BIOLOGY

Subdivision of light signalling networks contributes to cellular partitioning of C4 photosynthesis in maize

Ross-W Henderson, Steven Kelly

Preprint published 7th December, 2018. First reviewed on 18 Jan, 2019

10 reviews

[Write a PREreview](#)

PHYSICS


Subdivision of light signalling networks contributes to cellular partitioning of C4 photosynthesis in lorem ipsum dolor dolor

Ross-W Henderson, Steven Kelly

Preprint published 7th December, 2018. First reviewed on 18 Jan, 2019

8 reviews

[Write a PREreview](#)



bioRxiv preprint first posted online Nov. 8, 2018; doi: <http://dx.doi.org/10.1101/465872>. The copyright holder for this preprint (which was not peer-reviewed) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under a CC-BY 4.0 International license.

**Title**

Subdivision of light signalling networks contributes to cellular partitioning of C₄ photosynthesis in maize.

Authors

Ross-W. Hendron and Steven Kelly

Affiliations

Department of Plant Sciences, University of Oxford, South Parks Road, Oxford, OX1 3RB, UK

Corresponding Author

Email: steven.kelly@plants.ox.ac.uk; Telephone: +44 (0)1865 275123

Abstract

Plants coordinate the expression of genes required to conduct photosynthesis in response to growth and environmental changes. In species that conduct two-cell C₄ photosynthesis, the expression of photosynthesis genes is partitioned such that leaf mesophyll and vascular sheath cells accumulate different components of the photosynthetic pathway. The identity of the regulatory networks that facilitate this partitioning are unknown. Here we show that differences in light perception between mesophyll and bundle sheath cells facilitate differential regulation and accumulation of photosynthesis genes in the C₄ crop *Zea mays* (maize). We show that transcripts encoding photoreceptors differentially accumulate in mesophyll and bundle sheath cells in a manner that is consistent with biophysical light filtration. We further show the blue light (but not red) is necessary and sufficient to activate photosystem II assembly in etiolated maize mesophyll cells, while both red and blue produce the same effect in C₃ *Hordeum vulgare* (barley). Finally, we

Subdivision of light signalling networks contributes to cellular partitioning of C₄ photosynthesis in maize

Uploaded by **Ross-W Henderson** on May 5 2019

[Review this pre-print](#)

3 REVIEWS

Sort by...




David Wilson

THURSDAY JANUARY 17 2019

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

1 24

8 COMMENTS



bioRxiv preprint first posted online Nov. 8, 2018; doi: <http://dx.doi.org/10.1101/465872>. The copyright holder for this preprint (which was not peer-reviewed) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under a CC-BY 4.0 International license.

**Title**

Subdivision of light signalling networks contributes to cellular partitioning of C₄ photosynthesis in maize.

Authors

Ross-W. Hendron and Steven Kelly

Affiliations

Department of Plant Sciences, University of Oxford, South Parks Road, Oxford, OX1 3RB, UK

Corresponding Author

Email: steven.kelly@plants.ox.ac.uk; Telephone: +44 (0)1865 275123

Abstract

Plants coordinate the expression of genes required to conduct photosynthesis in response to growth and environmental changes. In species that conduct two-cell C₄ photosynthesis, the expression of photosynthesis genes is partitioned such that leaf mesophyll and vascular sheath cells accumulate different components of the photosynthetic pathway. The identity of the regulatory networks that facilitate this partitioning are unknown. Here we show that differences in light perception between mesophyll and bundle sheath cells facilitate differential regulation and accumulation of photosynthesis genes in the C₄ crop *Zea mays* (maize). We show that transcripts encoding photoreceptors differentially accumulate in mesophyll and bundle sheath cells in a manner that is consistent with biophysical light filtration. We further show the blue light (but not red) is necessary and sufficient to activate photosystem II assembly in etiolated maize mesophyll cells, while both red and blue produce the same effect in C₃ *Hordeum vulgare* (barley). Finally, we

Subdivision of light signalling networks contributes to cellular partitioning of C₄ photosynthesis in maize

REVIEW MODE Last saved at 8:00pm on July 7 2019


Normal B I U Tx

Key questions

- What is the main question the study attempts to answer?
- What are the hypotheses?
- What techniques do the researchers adopt to test their hypotheses?
- Why is this study relevant?

Your perspective

- General comments you might have about the research approach.
- Specific comment you might have about experimental approaches and methods used in the study.
- Specific comment/note about figures in the paper (this could be related to the way data are displayed and your ability to understand the results just by looking at the figures).
- Additional comment you might have (this includes minor concerns such as typos and structure of the manuscript).

**Elizabeth Lim**

Member since May 2019

Elizabeth's Preprints

PLANT BIOLOGY

Subdivision of light signalling networks contributes to cellular partitioning of C4 photosynthesis in maize

Ross-W Henderson, Steven Kelly

Uploaded on May 5 2019

PLANT BIOLOGY

Subdivision of light signalling networks contributes to cellular partitioning of C4 photosynthesis in maize

Ross-W Henderson, Steven Kelly

Uploaded on May 5 2019

Elizabeth's PREreviews

PREReview on: Subdivision of light signalling networks contributes to cellular partitioning of C4 photosynthesis in maize


"Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud

[Read more](#)

PREReview on: Subdivision of light signalling networks contributes to cellular partitioning of C4 photosynthesis in maize

"Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud

[Read more](#)



Community Guidelines

Anti-harrasment policy

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

Diversity statement

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.