

3.1.1 Changes to Visa Secure Attempts Service

Visa Secure Smart Attempts Service

VERSION 2.0 REVISED INFORMATION:

This article has been changed. The changes are marked with changes.

In Brief

Visa will implement changes in the existing Visa Secure Attempts Service to add support for the new Visa Secure Smart Attempts Service processing.

Region and Issuer

Asia Pacific	✓
Canada	✓
CEMEA	✓
Europe	
LAC	✓
U.S.	✓

Implementation on 18 October 2024

System Impact		Processing Impact		Testing and Activation Impact			
System	Impact	Processing	Impact	System	Test	Release	Final
V.I.P. Auth Only	✓	Consumer	✓				
V.I.P. Full Service	✓	Commercial	✓				
BASE II		Credit	✓				
Edit Package		Debit	✓				
VSS		Prepaid	✓				
Direct Exchange		ATM					
Extended Server	Access	POS	✓				
Visa Resolve Online		Interlink					
SM S Raw Data and Reports	✓	Original Credit					
Other		Token					

B U S I N E S S O V E R V I E W

The existing Visa Secure Attempts service responds to the issuer in one of the following conditions:

- The issuer's access control server (ACS) is unavailable
- The issuer's account is not enrolled in Visa Secure
- An ACS is not defined for a given account range

The new Visa Secure Smart Attempts service applies to low risk and low payment amount thresholds as defined for qualified attempts transactions. Visa will implement Attempts service to support the new Visa Secure Smart Visa Secure Smart Attempts service will include a Visa-Authentication Verification Value (CAVV) with the following:

- A new authentication method value in the Authentication Method field
- Existing electronic commerce indicator (ECI) values (01-05) for authorized (01-05) for full financial transactions in the Mail/Phone/Electronic Payment Indicator field
- A new 3-D Secure (3DS) indicator value in the optional 3-D Secure field

The existing Visa Secure Attempts service responds with 06 (Non-authenticated security transaction at a 3-D Secure merchant attempted to authenticate the cardholder using a non-authenticated security transaction at a merchant, and merchant attempted to authenticate the full financial transactions in the Mail/Phone/Electronic field, and a Visa-generated attempts CAVV.

R E F E R E N C E

For more information, visit [Visa's Secure Payments Overview \(VOL\)](#).

B u s i n e s s R e a s o n

The business reason for this enhancement includes, but is not limited to:

- Enhancement to Existing Product, Service, or Technology

I M P A C T C O N S I D E R A T I O N S

The following statements summarize the impact of this enhancement:

A c q u i r e r I m p a c t

There will be no impact to acquirers.

I s s u e r I m p a c t

Issuers in the AP (except India), Canada, CEMEA (except Kosovo, Moldova, Montenegro, North Macedonia, and Serbia) participate in the existing Visa Secure Attempts service.

receive existing Visa Secure Attempts values or new Visa Secure Attempts values based on one of the following conditions:

- The issuer's ACS is unavailable
- The account is not enrolled in Visa Secure
- An ACS is not defined for a given account range

Issuers must be aware that new Visa Secure Smart Attempts threshold criteria defined by Visa are not exceeded.

Issuers in the U.S. region must be aware that the new Visa Secure Smart Attempts threshold criteria defined by Visa will be sent if the threshold criteria defined by Visa are exceeded for a given account range. The existing Visa Secure Smart Attempts threshold criteria defined by Visa are exceeded.

Issuers in the U.S. region that participate in the existing Visa Secure Smart Attempts service must be aware that they will continue to receive the existing Visa Secure Smart Attempts values if one of the following conditions is satisfied:

- The issuer's ACS is unavailable
- The account is not enrolled in Visa Secure
- An ACS is not defined for a given account range

TECHNICAL CHANGES

Visa will implement new values in the following fields to support the Visa Secure Smart Attempts service:

- Field 126.9 — Usage 3: 3-D Secure CAVV, Revised Form Method
- Field 126.20 — 3-D Secure Indicator

The Visa Secure Smart Attempts service will return an ECVV value for qualified attempts transactions.

Additionally, Visa will change the definition of the existing Field 126.9 — Usage 3, position 3, CAVV Key Indicator. This field will be used in the same manner, only the definitions are being changed for key indicator's use.

The following table shows old and new definitions for the

Table 3.11.A Changes to Existing CAVV Key Indicator
Field 126.9 — Usage 3, Position 3

C o d e	S t a t u s	O l d D e f i n i t i o n	N e w D e f i n i t i o n
0 1	C h a n g e d	Issuer CAVV attempts key set 1	Issuer CAVV key set 1
0 2	C h a n g e d	Issuer CAVV attempts key set 2	Issuer CAVV key set 2
0 3	C h a n g e d	Issuer CAVV attempts key set 3	Issuer CAVV key set 3

**Table 3.11.A Changes to Existing CAVV Key Indicators
Field 126.9 — Usage 3, Position 3 (continued)**

Code	Status	Old Definition	New Definition
04	Changed	Issuer CAVV attempts key set 4	Issuer CAAV key set 4
05	Changed	Issuer CAVV attempts key set 5	Issuer CAAV key set 5
06	Changed	Issuer CAVV attempts key set 6	Issuer CAAV key set 6
07	Changed	Issuer CAVV attempts key set 7	Issuer CAAV key set 7
08	Changed	Issuer CAVV attempts key set 8	Issuer CAAV key set 8
09	No change	Reserved for Visa use	Reserved for Visa use
10	Changed	Visa CAAV attempts key set	Visa CAAV attempts / Visa-generated CAAV first key set
11	Changed	Visa CAAV attempts key set	Visa CAAV attempts / Visa-generated CAAV second key set
12	Changed	Visa CAAV attempts key set	Visa CAAV attempts / Visa-generated CAAV third key set
13	Changed	Visa CAAV attempts key set	Visa CAAV attempts / Visa-generated CAAV fourth key set
1499	No change	Reserved for Visa use (s)	Reserved for Visa use (s)

New Authentication Method and 3-D Secure In Usage 3, Version 7 Using Smart Attempts

V.I.P. will add the following new values to identify CAVV support the Visa Secure Smart Attempts service:

- **89** (Frictionless Flow, Smart Attempts) in Field 126.9 — Usage 3, Position 3, Authentication Method
- **S** (Frictionless Flow, Smart Attempts) in Field 126.20 — Usage 3, Position 3, Authentication Method

The new **89** in Field 126.9 — Usage 3, position 3 will be added to the existing CAVV key indicators in Field 126.9 — Usage 3, position 3.

- **10** Visa CAAV attempts / Visa-generated CAVV first key set
- **11** Visa CAAV attempts / Visa-generated CAVV second key set
- **12** Visa CAAV attempts / Visa-generated CAVV third key set
- **13** Visa CAAV attempts / Visa-generated CAVV fourth key set

V.I.P. will populate **TimeField 126.20** off the value in position 3 of Field 126.9 — Usage 3. **89** is the new value of

CAVV Result Codes for CAVV Usage 3, Version 7 Transactions Using Smart

The following table shows the existing CAVV results codes in Field 48.9.3 — CAVV Results Codes for CAVV Usage 3, position 2 to identify CAVV Usage 3, Version 7 transactions using Smart

Table 3.11.B CAVV Results Codes for CAVV Usage 3, Version 7 Using Smart

CAVV Code By	Authentication Status	Field 126.9, Usage 3, Position 1, 2, 3			Field 60.8 / Field 63.6, Position 4	Field 44.13	
		Position 1, 3-D Secure Results	Position 2, Authentication Method	Position 3, Authentication Indicator	Key-Com m Indicator	Successful Validation	Failed Validation
		00 (Authentication successful) (static)	89 (Frictionless Authentication Attempts)	1013 (Static Authentication)	055	8 (CAVV passed verification - attempted authentication)	76 (CAVV failed verification - attempted authentication)
Visa Attempts Service/ Visa-Generated CAVV	Successful (Static)	00 (Authentication successful) (static)	89 (Frictionless Authentication Attempts)	1013 (Static Authentication)	055	8 (CAVV passed verification - attempted authentication)	76 (CAVV failed verification - attempted authentication)

1. The existing Visa Signature electronic commerce transaction is contained in Field 60.8 — Mail/Phone/Electronic Messages. The existing Visa Signature electronic commerce transaction is contained in Field 63.6 — Chargeback Reduction Commerce (MOTO/ECI) and Payment Indicator for full financial transactions.

REFERENCE

For more information about existing fields and values, refer to:

- Full Service POS Online Messages Technical Specifications
- VisaNet Authorization-Only Online Messages Technical Specifications

V.I.P. System Message Impacts

The following table shows the V.I.P. System messages for CAVV Usage 3, Version 7 transactions with the new and new 3DS indicator values.

Table 3.11.C V.I.P. System Message Impacts for CAVV Usage 3, Version 7 Transactions

Message Type	Description	V.I.P.	
		Auth Only	Full Service
0100/0110/01	Authorization Request and Response, and STIP Advice	✓	✓
0100/0110/02	Account Verification Request and Response, and STIP Advice	✓	✓
0200/0210/01	Financial Request and Response, and STIP Advice	✓	✓

IMPLEMENTATION AND ACTIVATION

This section provides detailed information on implementation for this enhancement. The following table summarizes reports by audience.

Table 3.11.D Implementation Summary

System / Service	Impacted	Success	Change
V.I.P. Auth Only	✓	✓	Impacted issuers must modify their system changes to the existing Visa Secure Attempt Visa Secure Smart Attempts service as applicable. Refer to the Implementation Considerations
V.I.P. Full Service	✓	✓	Impacted issuers must modify their system changes to the existing Visa Secure Attempt Visa Secure Smart Attempts service as applicable. Refer to the Implementation Considerations
BASE II			n/a
Edit Package			n/a
PC Edit Package			n/a
VSS Reports			n/a
Direct Exchange			n/a
Extended Server			n/a
Visa Resolve Online			n/a

T a b l e 3 . 1 1 . D I m p l e m e n t a t i o n S u m m a r y (c o n t i n u e

S y s t e m / S e r v i c e	S p i	S e c u r e	C h a n g e
S M S R a w D a t a a n d R e p o r t s			T h e r e a r e n o c h a n g e s t o S M S R a w D a t a r e c o r d s . H o w e v e r , t h e e x i s t i n g S M S R a w D a t a r e c o r d s c o n t a i n t h e e x i s t i n g C a r d h o l d e r A u t h e n t i c a t i o n V e r i f i c a t i o n F i e l d , p o s i t i o n s 4 7 – 8 6 . A d d i t i o n a l l y , t h e e x i s t i n g S M S R a w D a t a r e c o r d s w i l l c o n t a i n t h e E C I i n t h e e x i s t i n g M a i l / T e l e p h o n e C o m m e r c e I n d i c a t o r F i e l d , p o s i t i o n 1 2 2 .
O t h e r			n / a

I M P L E M E N T A T I O N C O N S I D E R A T I O N S

T h e r e a r e n o a d d i t i o n a l i m p l e m e n t a t i o n c o n s i d e r a t i o n s f o r t h e r e p o r t s l i s t e d i n t h e I m p l e m e n t a t i o n S u m m a r y t a b l e .

I M P O R T A N T

A s e p a r a t e p r o j e c t i s r e q u i r e d t o i m p l e m e n t V i s a S e c u r e A t t e m p t s S e r v i c e i n a d d i t i o n t o r e g i o n a l c l i e n t s u p p o r t r e p r e s e n t a t i v e f o r a d d i t i o n a l i n f o r m a t i o n .

A C T I V A T I O N D E T A I L S

T h i s s e c t i o n p r o v i d e s a c t i v a t i o n d e t a i l s f o r t h e s y s t e m s l i s t e d i n t h e I m p l e m e n t a t i o n S u m m a r y t a b l e .

G e n e r a l A c t i v a t i o n D e t a i l s

V i s a w i l l s y s t e m a t i c a l l y a c t i v a t e i m p a c t e d i s s u e r s t o p a r t i c i p a t e i n S m a r t A t t e m p t s s e r v i c e .

T E S T I N G R E Q U I R E M E N T S

T h i s s e c t i o n d e s c r i b e s t e s t i n g a v a i l a b i l i t y a n d r e q u i r e m e n t s .

T e s t i n g C o n s i d e r a t i o n s

C o m p l e t e t h e G l o b a l T e s t i n g a n d A c t i v a t i o n Q u e s t i o n n a i r e f o r t h e e n h a n c e m e n t .

I M P O R T A N T

O n c e t h e b u s i n e s s r e l e a s e t e s t m o n t h b e g i n s , a c q u i r e r s m u s t c o n d u c t u n a t t e n d e d t e s t i n g f o r e a c h e n h a n c e m e n t . F o r a c q u i r e r s a n d i s s u e r s m u s t p e r f o r m a t t e n d e d t e s t i n g w i t h V i s a T e s t P o r t a l w i t h r e q u i r e d s u b m i s s i o n o f l o g s f o r r e v i e w . T h a t u n a t t e n d e d t e s t i n g b e p e r f o r m e d i n a d v a n c e o f a t t e n d e d t e s t i n g . I s s u e r s m u s t s u b m i t t h e G l o b a l T e s t i n g a n d A c t i v a t i o n Q u e s t i o n n a i r e i n t e n d t o p e r f o r m a t t e n d e d o r u n a t t e n d e d t e s t i n g .

The following table summarizes the testing availability enhancement.

Table 3.11.E Testing Availability and Requirement

System	Testing Required			Testing Available		
		Acq	Iss	Acq	Iss	Acq
V.I.P. Auth	O m l/ya	N	n / a	Y	n / a	Y
V.I.P. Full Service	en v/i a e	N	n / a	Y	n / a	Y
B A S E II	n / a	n / a	n / a	n / a	n / a	n / a
Other	n / a	n / a	n / a	n / a	n / a	n / a

V.I.P. Testing

The following table lists the V.I.P. messages, key fields and the available test script and test modes for this enhancement.

Table 3.11.F V.I.P. Testing Approach

V.I.P. Authorization Only Messages			
0100/01	Authorization Request and Response		✓
0100/02	Account Verification Request and Response		✓
0120/03	STOP Advice and Response		✓
V.I.P. Full Service Messages			
0100/01	Authorization Request and Response		✓
0100/02	Account Verification Request and Response		✓
0120/03	STOP Advice and Response		✓
0200/04	Financial Request and Response		✓
0220/05	STOP Advice and Response		✓
Key Fields and Values		Comments	
Field 44.13 — C A V V Res		This field is new with existing value	
Field 60.8 — Mail/Phone and Payment Indicator		This field is new with existing value	
Field 63.6 — Chargeback Flags, position 4, Mail/Phone/Electronic Commerce (M O T O / E C I) Indicator; with a valid value		This field is new with existing value	

Table 3.11.F V.I.P. Testing Approach (continued)

Key Fields and Values		Comments
Field 126.9 — Usage 3 : Authentication Results value	3-D Secure Transaction; with advanced PCR to implement Field 126.9 for the	
Field 126.9 — Usage 3 , Authentication Method 089 (Frictionless Flow , Smart Attempts)	Position 2 existing field with a new value Smart Attempts activation are required for the following existing independent Field 126.9 for the key sets with changed descriptions in Field 126.9 — Usage 3 , position 3 , CAVV Key Indicator:	
• 10 Visa CAAV attempts / Visa-generated CAVV first key set) • 11 Visa CAAV attempts / Visa-generated CAVV second key set) • 12 Visa CAAV attempts / Visa-generated CAVV third key set) • 13 Visa CAAV attempts / Visa-generated CAVV fourth key set)		
Field 126.20 — 3-D Secure Frictionless Flow , Smart Attempts) when the value is present in the implementation Field 126.20 for the (Frictionless Flow , Smart Attempts)	Transaction; with a new value Testing and activation are required for the implementation	
The messages must include all fields and values required to support the Visa Secure Smart Attempts service .		
Test Script, Results, and Test Modes		
Test script available: • Changes to Visa Secure Attempts Service Visa Secure Smart Attempts Service Enhancements	Review the following items that are proposed at public comments: • VTS-V.I.P. logs • Visa Test Portal logs • Host system logs • SMS Raw Data • SMS reports • VSS reports	Testing modes available: • Direct Connect to Core (VTS-V.I.P. only) • VisaNet Loopback • Stand-in Processing
General Testing Support Details		
Issuers may use the Visa Test Portal or VTS-V.I.P. to conduct testing. Issuers that do not use the Visa Test Portal or VTS-V.I.P. can conduct attendance testing.		
The 0130 and 0230 messages are not impacted by this change. Issuers supporting full lifecycle testing.		

T h i s p a g e i s i n t e n t i o n a l l y l e f t b l a n k .