

Student ID:		24CS072	Student Name:		Patel Prince			
Subject code & Name	:	CSE304 & Full Stack Development	Practical	:	6	Academic Year	:	2025-26

Task - 6

Aim

- Connect the React Task UI to the Node+MongoDB backend built in Practicals 4 and 5.
- Replace the GitHub repo data from Practical 3 with task data from your own backend.
- The application must support creating, viewing, updating, and deleting tasks from the React interface through API calls.
- All data must be persisted in MongoDB confirmed by refreshing the browser and seeing data remain.
- Handle loading and error states for every API interaction, not just the initial fetch.

Code


GitHub Link Repository Link:

Code repo :-

<https://github.com/PRINCE-24CS072/AWDF/tree/main/Practical-6>

Output

Folder Structure



Terminal Backend

```
PS C:\Users\Prince Patel\OneDrive\Desktop\LAB Submission\AWDF\Practical-6\backend> npm start


> practical-6-backend@1.0.0 start
> node app.js

MongoDB connected
Backend running at http://localhost:3000
```

Terminal Frontend

```
Output  Problems  Debug Console  Ports  Terminal
PS C:\Users\Prince Patel\OneDrive\Desktop\LAB Submission\AWDF\Practical-6\frontend> npm run dev
VITE v8.2.2 ready in 208 ms

→ Local:   http://localhost:5173/
→ Network: use --host to expose
→ press h + enter to show help
c:\Users\Prince Patel\OneDrive\Desktop\LAB Submission\AWDF\Practical-5\.envc:\Users\Prince Patel\OneDrive\Desktop\LAB Submission\AWDF\Practical-5\.env
```



localhost:5173 says

Delete "AWDF"?

OK Cancel


the work
forward.

ng, tracking, and

3	0	3
Total tasks	Completed	In progress

02 Your tasks Refresh

- AWDF
Practical 7 complete LOW Edit Delete
- AWDF
Practical 6 complete MEDIUM Edit Delete
- AWDF
Practical 5 complete HIGH Edit Delete



The screenshot shows the MongoDB Compass interface for a cluster named 'Cluster0' under the 'test' database. The 'tasks' collection is selected, showing 2 documents. The interface includes a query bar with a placeholder 'Type a query: { field: 'value' } or [Generate query](#)'. Below the query bar are buttons for 'ADD DATA', 'BULK', and 'EXPORT CODE'. The document list shows two documents, both with validation errors. The first document has a missing 'title' field and an invalid 'priority' value. The second document has a missing 'title' field and an invalid 'priority' value.

```
{
  "_id": ObjectId('6a9c6a68f1d10d7f4f99e8c0'),
  "title": "AWDF",
  "description": "Practical 5 complete",
  "completed": false,
  "priority": "high",
  "createdAt": ISODate('2026-09-05T19:15:52.313+00:00') September 5, 2026 at 7:15:52 PM UTC,
  "__v": 0
}
```

```
{
  "_id": ObjectId('6a9c6a75f1d10d7f4f99e8c2'),
  "title": "AWDF",
  "description": "Practical 6 complete",
  "completed": false,
  "priority": "medium",
  "createdAt": ISODate('2026-09-05T19:16:05.818+00:00') September 5, 2026 at 7:16:05 PM UTC,
  "__v": 0
}
```

(Validation error for missing title or invalid priority) are testing in previous practical 5