EX. NO: 09 220801154

DATE: 03/05/2024

# Decision tree classifier to predict signal quality based on transmitter, signal strength, and frequency

## AIM:

create a simple dataset to classify signal quality based on various parameters such as distance from the transmitter, signal strength, and frequency.

#### **PROGRAM:**

```
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
from sklearn.model_selection import train_test_split
from sklearn.tree import DecisionTreeClassifier, plot_tree
from sklearn.metrics import accuracy_score, classification_report
# Example dataset: Distance (meters), Signal Strength (dBm), Frequency (MHz) vs. Signal Quality
    'Distance': [1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 2, 3, 4, 5, 6],
    'Signal_Strength': [-30, -35, -40, -45, -50, -55, -60, -65, -70, -75, -33, -38, -43, -48, -53],
   'Frequency': [850, 850, 850, 850, 850, 1900, 1900, 1900, 1900, 1900, 850, 850, 1900, 1900, 1900],
    'Signal_Quality': ['Good', 'Good', 'Good', 'Good', 'Bad', 'Bad', 'Bad', 'Bad', 'Bad', 'Good', 'Good',
'Bad', 'Bad', 'Bad']
# Convert the data into a DataFrame
df = pd.DataFrame(data)
# Separate features and target variable
X = df[['Distance', 'Signal_Strength', 'Frequency']].values # Features
y = df['Signal_Quality'].values # Target
# Encode the target variable
from sklearn.preprocessing import LabelEncoder
le = LabelEncoder()
y = le.fit_transform(y) # 'Good' -> 1, 'Bad' -> 0
# Split the data into training and testing sets
X_train, X_test, y_train, y_test = train_test_split(X, y, test_size=0.2, random_state=42)
```

```
# Create and train the decision tree classifier
model = DecisionTreeClassifier(random state=42)
model.fit(X_train, y_train)
# Make predictions
y_pred = model.predict(X_test)
# Evaluate the model
accuracy = accuracy_score(y_test, y_pred)
report = classification_report(y_test, y_pred, target_names=['Bad', 'Good'])
print(f'Accuracy: {accuracy:.2f}')
print('Classification Report:')
print(report)
# Visualize the decision tree
plt.figure(figsize=(20,10))
plot_tree(model, feature_names=['Distance', 'Signal_Strength', 'Frequency'], class_names=['Bad', 'Good'],
filled=True)
plt.show()
```

## **OUTPUT:**

```
Accuracy: 1.00
Classification Report:
         precision
                   recall f1-score support
                    1.00
      Bad
             1.00
                           1.00
     Good
             1.00
                    1.00
                           1.00
                           1.00
                                    3
  accuracy
                    1.00
             1.00
  macro avg
                           1.00
weighted avg
                    1.00
                           1.00
                                    3
             1.00
                      Signal Strength <= -46.5
                             gini = 0.444
                            samples = 12
                            value = [8, 4]
                             class = Bad
                                          Frequency \leq 1375.0
            gini = 0.0
                                                gini = 0.32
           samples = 7
                                               samples = 5
          value = [7, 0]
                                              value = [1, 4]
            class = Bad
                                              class = Good
                              gini = 0.0
                                                                  gini = 0.0
                             samples = 4
                                                                 samples = 1
                                                                value = [1, 0]
                            value = [0, 4]
                             class = Good
                                                                 class = Bad
```

# **RESULT:**

This program is executed successfully.